

ชื่อเรื่องการค้นคว้าแบบอิสระ การพัฒนาแนวปฏิบัติทางคลินิกสำหรับการป้องกันการตกเลือด
หลังคลอดระยะแรกของมารดาใน โรงพยาบาลจอมทอง

ผู้เขียน นางสาวชญาณิศวรร ฤณา

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การผดุงครรภ์ขั้นสูง)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ ดร.สุสัณหา ยิ้มแย้ม ประธานกรรมการ
รองศาสตราจารย์ ดร.สุกัญญา ปริสัณญกุล กรรมการ

บทคัดย่อ

การป้องกันการตกเลือดหลังคลอดระยะแรกของมารดาที่มีประสิทธิภาพ มีความสำคัญต่อการลดการตายและการเจ็บป่วยของมารดา การศึกษาเชิงพัฒนาครั้งนี้มีวัตถุประสงค์เพื่อพัฒนาแนวปฏิบัติทางคลินิกสำหรับการป้องกันการตกเลือดหลังคลอดระยะแรกของมารดาในโรงพยาบาลจอมทอง จังหวัดเชียงใหม่ โดยใช้กรอบแนวคิดการพัฒนาแนวปฏิบัติทางคลินิกของสภาการวิจัยการแพทย์และสุขภาพแห่งชาติ ประเทศออสเตรเลีย (National Health and Medical Research Council [NHMRC], 1999) และศึกษาความเป็นไปได้ในการใช้แนวปฏิบัติทางคลินิกกับกลุ่มตัวอย่างซึ่งเป็นพยาบาลวิชาชีพที่ปฏิบัติงานในแผนกฝากครรภ์และห้องคลอดในโรงพยาบาลจอมทอง จังหวัดเชียงใหม่ จำนวน 21 คน โดยใช้แบบสอบถามความเป็นไปได้ในการใช้แนวปฏิบัติทางคลินิกที่พัฒนาโดยผู้วิจัย ตรวจสอบความถูกต้องของแนวปฏิบัติทางคลินิกที่พัฒนาขึ้นโดยผู้เชี่ยวชาญ จำนวน 4 คน วิเคราะห์ข้อมูลด้วยสถิติเชิงพรรณนา

ผลการศึกษาพบว่า ลักษณะแนวปฏิบัติทางคลินิกสำหรับการป้องกันการตกเลือดหลังคลอดระยะแรกของมารดาในโรงพยาบาลจอมทอง จังหวัดเชียงใหม่ ประกอบด้วย 6 ด้าน ดังนี้

- 1) การพิทักษ์สิทธิของผู้คลอดและการปฏิบัติตามหลักจริยธรรม
- 2) การประเมินสภาพของมารดา
- 3) การจัดการเพื่อป้องกันการตกเลือดหลังคลอดระยะแรกในมารดา
- 4) การให้ความรู้เกี่ยวกับการป้องกันการตกเลือดหลังคลอดระยะแรกในมารดา
- 5) การดูแลต่อเนื่องเพื่อป้องกันการตกเลือดหลังคลอดระยะแรกในมารดา และ
- 6) การพัฒนาคุณภาพการบริการ สำหรับความเป็นไปได้ในการ

นำแนวปฏิบัติทางคลินิกนี้ไปใช้พบว่า กลุ่มตัวอย่างทุกรายเห็นด้วยกับแนวปฏิบัติทางคลินิก ทั้งนี้มากกว่า ร้อยละ 60 ของกลุ่มตัวอย่างที่ทดลองใช้แนวปฏิบัติทางคลินิกเห็นด้วยในระดับมากกว่าแนวปฏิบัติทางคลินิกสามารถนำไปปฏิบัติได้จริง มีประโยชน์ต่อหน่วยงาน มีความชัดเจน และมีข้อเสนอแนะในการปฏิบัติที่สามารถเข้าใจง่าย ขณะที่กลุ่มตัวอย่างร้อยละ 57.14 และร้อยละ 52.38 เห็นด้วยในระดับปานกลางว่า แนวปฏิบัติทางคลินิกมีความสะดวกในการนำไปใช้ และมีการระบุทางเลือกสำหรับการจัดการแต่ละสถานการณ์

จากผลการศึกษารุ่นนี้ผู้ศึกษาเสนอแนะให้นำแนวปฏิบัติทางคลินิกดังกล่าวไปใช้ในหน่วยงาน และศึกษาประสิทธิผลการใช้แนวปฏิบัติทางคลินิกสำหรับการป้องกันการตกเลือดหลังคลอดระยะแรกของมารดา เพื่อลดอัตราการตกเลือดหลังคลอดในโรงพยาบาลจอมทองต่อไป

The logo of Chiang Mai University is a circular emblem. In the center is a detailed illustration of an elephant standing and facing left. The elephant is surrounded by a circular border containing the text "CHIANG MAI UNIVERSITY 1964". On either side of the elephant, there is a decorative floral or sunburst-like symbol. The entire logo is rendered in a light gray color.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Independent Study Title Development of Clinical Practice Guidelines for Preventing Early Postpartum Hemorrhage Among Mothers in Chomthong Hospital

Author Miss Chayanit Kuna

Degree Master of Nursing Science (Advanced Midwifery)

Independent Study Advisory Committee

Associate Professor Dr. Susanha Yimyam Chairperson

Associate Professor Dr. Sukanya Parisunyakul Member


ABSTRACT

Effective prevention for early postpartum hemorrhage is important to reduce maternal mortality and morbidity. This developmental study aimed to develop clinical practice guidelines (CPGs) for preventing early postpartum hemorrhage among mothers in Chomthong hospital, Chiang Mai province. The CPGs developmental framework of the Australian National Health and Medical Research Council [NHMRC], 1999) was used as a framework for this study. The test for feasibility of the CPGs was done with 21 registered nurses working at antenatal clinic and labor unit, Chomthong hospital, Chiang Mai province by using the CPGs feasibility questionnaire developed by the researcher. This CPGs was tested for content validity by 4 experts. Data were analyzed by using descriptive statistics.

The results of this study revealed that the CPGs for preventing early postpartum hemorrhage among mothers in Chomthong hospital, Chiang Mai province composed of 6 domains: 1) protection of patient rights and ethical practice, 2) maternal assessment, 3) management of early postpartum hemorrhage prevention, 4) educating mother on preventing early postpartum hemorrhage, 5) continuing care for preventing early postpartum hemorrhage among mothers, and 6) improving quality of care. The test for the CPGs feasibility showed that all registered nurses agreed with the CPGs; over 60% of them strongly agreed that the CPGs had applicability, benefit

for organization, and clarity, and provided recommendation that was easy to understand. Whereas, 57.14% and 52.38% of them moderately agreed that the CPGs were convenient and had available options to manage each situation.

From the results of this study, the researcher suggests CPGs implementation and evaluation for its effectiveness to reduce the early postpartum hemorrhage rate in Chomthong hospital, Chiang Mai.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved