

REFERENCES

Ali Taghizadeh Afshari , A.S., Amirabbas Farshid ,Ramin Saadatian ,Yousef Rasmi ,Ehsan Saboory ,Behrooz Ilkhanizadeh , Abdolamir Allameh, 2007. The effect of ginger on diabetic nephropathy, plasma antioxidant capacity and lipid peroxidation in rats. *Food Chemistry* 101, 148-153.

Allen, R.G., Tresini, M., 2000. Oxidative stress and gene regulation. *Free Radic Biol Med* 28, 463-499.

Alsaad, K.O., Herzenberg, A.M., 2007. Distinguishing diabetic nephropathy from other causes of glomerulosclerosis: an update. *Journal of clinical pathology* 60, 18-26.

Amornlerdpison, D., Duangjun, K., Kanjanapothi, D., Taesotikul, T., Peerapornpisal, Y., 2011. Gastroprotective activity of *Spirogyra neglecta* (Hassall) Kützing. *KKU Science Journal*, in press.

Andersen, A.R., Christiansen, J.S., Andersen, J.K., Kreiner, S., Deckert, T., 1983. Diabetic nephropathy in Type 1 (insulin-dependent) diabetes: an epidemiological study. *Diabetologia* 25, 496-501.

Association, A.D., 2001. *Diabetes Care* 24, S5-S10.

Association, A.D., 2004a. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 27, S5-S10.

Association, A.D., 2004b. Nephropathy in Diabetes. *Diabetes Care* 24, S79-S83.

Baily, C.J., Flatt, P.R., 1944. Antidiabetic drugs, new developments. *Industrial Biotechnology* 6, 139-142.

Ballard, D.J., Humphrey, L.L., Melton, L.J., 3rd, Frohnert, P.P., Chu, P.C., O'Fallon, W.M., Palumbo, P.J., 1988. Epidemiology of persistent proteinuria in type II diabetes mellitus. Population-based study in Rochester, Minnesota. *Diabetes* 37, 405-412.

Barros, S.A., Srimaroeng, C., Perry, J.L., Walden, R., Dembla-Rajpal, N., Sweet, D.H., Pritchard, J.B., 2009. Activation of protein kinase Czeta increases OAT1 (SLC22A6)- and OAT3 (SLC22A8)-mediated transport. *The Journal of biological chemistry* 284, 2672-2679.

Batkova, P., Pospisilova, J., Synkova, H., 2008. Production of reactive oxygen species and development of antioxidative systems during in vitro growth and ex vitro transfer. *Biologia plantarum* 52, 413-422.

Baykal-Erkilic, A., Erkilic, M., Ozben, T., 1995. The effects of streptozocin-induced diabetes on renal plasma flow. *Exp Clin Endocrinol Diabetes* 103, 367-372.

Baynes, J.W., 1991. Role of oxidative stress in development of complications in diabetes. *Diabetes* 40, 405-412.

Bold, H.C., Wynne, M.J., 1978. *Introduction to the algae: Structure and Reproduction*. Prentice-Hall of India Private Limited, New Delhi.

Boney, C.M., 2012. Childhood onset and duration of obesity are significant risk factors for type 2 diabetes in mid-adulthood. *Evid Based Nurs* 15, 38-39.

Brady, K.P., Dushkin, H., Fornzler, D., Koike, T., Magner, F., Her, H., Gullans, S., Segre, G.V., Green, R.M., Beier, D.R., 1999. A novel putative transporter maps to the osteosclerosis (oc) mutation and is not expressed in the oc mutant mouse. *Genomics* 56, 254-261.

Buist, S.C., Cherrington, N. J., Choudhuri, S., Hartley, D. P., & Klaassen, C. D. , 2002. Gender-specific and developmental influences on the expression of rat organic anion transporters. *J Pharmacol Exp Ther* 301, 145–151.

Buist, S.C., Klaassen, C.D., 2004. Rat and mouse differences in gender-predominant expression of organic anion transporter (Oat1-3; Slc22a6-8) mRNA levels. *Drug metabolism and disposition: the biological fate of chemicals* 32, 620-625.

Burckhardt, B.C., Burckhardt, G., 2003. Transport of organic anions across the basolateral membrane of proximal tubule cells. *Reviews of physiology, biochemistry and pharmacology* 146, 95-158.

Burckhardt, G., Burckhardt, B.C., 2011. In vitro and in vivo evidence of the importance of organic anion transporters (OATs) in drug therapy. *Handb Exp Pharmacol*, 29-104.

Burckhardt, G., Wolff, N.A., 2000. Structure of renal organic anion and cation transporters. *American Journal of Physiology - Renal Physiology* 278, F853–F866.

Cabrera, C., Artacho, R., Gimenez, R., 2006. Beneficial effects of green tea--a review. *J Am Coll Nutr* 25, 79-99.

Cerda, B., Ceron, J.J., Tomas-Barberan, F.A., Espin, J.C., 2003. Repeated oral administration of high doses of the pomegranate ellagitannin punicalagin to rats for 37 days is not toxic. *J Agric Food Chem* 51, 3493-3501.

Cha, S.H., Sekine, T., Fukushima, J.I., Kanai, Y., Kobayashi, Y., Goya, T., Endou, H., 2001. Identification and characterization of human organic anion transporter 3 expressing predominantly in the kidney. *Molecular pharmacology* 59, 1277-1286.

Chen, S., Khan, Z.A., Cukiernik, M., Chakrabarti, S., 2003. Differential activation of NF-kappa B and AP-1 in increased fibronectin synthesis in target organs of diabetic complications. *Am J Physiol Endocrinol Metab* 284, E1089-1097.

- Cnop, M., Welsh, N., Jonas, J.C., Jorns, A., Lenzen, S., Eizirik, D.L., 2005. Mechanisms of pancreatic beta-cell death in type 1 and type 2 diabetes: many differences, few similarities. *Diabetes* 54 Suppl 2, S97-107.
- Craven, P.A., Melhem, M.F., Phillips, S.L., DeRubertis, F.R., 2001. Overexpression of Cu²⁺/Zn²⁺ superoxide dismutase protects against early diabetic glomerular injury in transgenic mice. *Diabetes* 50, 2114-2125.
- Cross, D.A., Alessi, D.R., Cohen, P., Andjelkovich, M., Hemmings, B.A., 1995. Inhibition of glycogen synthase kinase-3 by insulin mediated by protein kinase B. *Nature* 378, 785-789.
- Curcio, F., Pegoraro, I., Dello Russo, P., Falletti, E., Perrella, G., Ceriello, A., 1995. Sod and GSH inhibit the high glucose-induced oxidative damage and the PDGF increased secretion in cultured human endothelial cells. *Thromb Haemost* 74, 969-973.
- Dantzler, W.H., 1996. Comparative aspects of renal organic anion transport. *Cell Physiol Biochem* 6, 28-38.
- DeFronzo, R.A., 1997. Pathogenesis of type 2 diabetes: metabolic and molecular implications for identifying diabetes genes. *Diabetes Rev* 5, 177-269.
- Diederich, D., Skopce, J., Diederich, A., Dai, F.X., 1994. Endothelial dysfunction in mesenteric resistance arteries of diabetic rats: role of free radicals. *Am J Physiol* 266, H1153-1161.
- Dileepan, K.N., Sharma, R., Stechschulte, D.J., Savin, V.J., 1993. Effect of superoxide exposure on albumin permeability of isolated rat glomeruli. *J Lab Clin Med* 121, 797-804.
- Dinneen, S., Gerich, J., Rizza, R., 1992. Carbohydrate metabolism in non-insulin-dependent diabetes mellitus. *The New England journal of medicine* 327, 707-713.
- Donnelly, R., 2005. *Vascular complications of diabetes*. 2nd Ed. Massachusetts: Blackwell Publishing.
- Duan, P., Li, S., You, G., 2010. Angiotensin II inhibits activity of human organic anion transporter 3 through activation of protein kinase Calpha: accelerating endocytosis of the transporter. *European journal of pharmacology* 627, 49-55.
- Duan, P., You, G., 2010. Short-term regulation of organic anion transporters. *Pharmacol Ther* 125, 55-61.
- Enomoto, A., Takeda, M., Tojo, A., Sekine, T., Cha, S.H., Khamdang, S., Takayama, F., Aoyama, I., Nakamura, S., Endou, H., Niwa, T., 2002. Role of organic anion transporters in the tubular transport of indoxyl sulfate and the induction of its

nephrotoxicity. *Journal of the American Society of Nephrology* : JASN 13, 1711-1720.

Evans, J.L., Goldfine, I.D., Maddux, B.A., Grodsky, G.M., 2002. Oxidative stress and stress-activated signaling pathways: a unifying hypothesis of type 2 diabetes. *Endocrine reviews* 23, 599-622.

Fang, X., Weintraub, N.L., Rios, C.D., Chappell, D.A., Zwacka, R.M., Engelhardt, J.F., Oberley, L.W., Yan, T., Heistad, D.D., Spector, A.A., 1998. Overexpression of human superoxide dismutase inhibits oxidation of low-density lipoprotein by endothelial cells. *Circ Res* 82, 1289-1297.

Fedorak, R.N., Chang, E.B., Madara, J.L., Field, M., 1987. Intestinal adaptation to diabetes. Altered Na-dependent nutrient absorption in streptozocin-treated chronically diabetic rats. *J Clin Invest* 79, 1571-1578.

Ferrara, J.L., 2000. Cytokines and the regulation of tolerance. *J Clin Invest* 105, 1043-1044.

Flanagan, A.M., Brown, J.L., Santiago, C.A., Aad, P.Y., Spicer, L.J., Spicer, M.T., 2008. High-fat diets promote insulin resistance through cytokine gene expression in growing female rats. *J Nutr Biochem* 19, 505-513.

Flyvbjerg, A., 2006. Inhibition and reversibility of renal changes: lessons from diabetic kidney disease. *Acta Paediatr Suppl* 95, 83-92.

Friis, C., 1991. Renal transport and metabolism of xenobiotics. *Acta Vet Scand* 32, 33-43.

Ginter, E., 1989. Ascorbic acid in cholesterol metabolism and in detoxification of xenobiotic substances: problem of optimum vitamin C intake. *Nutrition* 5, 369-374.

Giordano, M., Beardall, J., Raven, J.A., 2005. CO₂ concentrating mechanisms in algae: mechanisms, environmental modulation, and evolution. *Annu Rev Plant Biol* 56, 99-131.

Godin, D.V., Wohaieb, S.A., Garnett, M.E., Goumeniouk, A.D., 1988. Antioxidant enzyme alterations in experimental and clinical diabetes. *Molecular and Cellular Biochemistry* 84, 223-231.

Grodsky, G.M., 2000. Kinetics of insulin secretion: Underlying metabolic events in diabetes mellitus.

Gross, M.L., Dikow, R., Ritz, E., 2005. Diabetic nephropathy: recent insights into the pathophysiology and the progression of diabetic nephropathy. *Kidney International*, S50-53.

Habu, Y., Yano, I., Takeuchi, A., Saito, H., Okuda, M., Fukatsu, A., Inui, K., 2003. Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2. *Biochem Pharmacol* 66, 1107-1114.

Hagerman, A.E., Riedl, K.M., Jones, G.A., Sovik, K.N., Ritchard, N.T., Hartzfeld, P.W., Riechel, T.L., 1998. High Molecular Weight Plant Polyphenolics (Tannins) as Biological Antioxidants. *Journal Agriculture Food Chemistry* 46, 1887-1892.

Haller, H., Baur, E., Quass, P., Behrend, M., Lindschau, C., Distler, A., Luft, F.C., 1995. High glucose concentrations and protein kinase C isoforms in vascular smooth muscle cells. *Kidney International* 47, 1057-1067.

Haneda, M., Kikkawa, R., Sugimoto, T., Koya, D., Araki, S., Togawa, M., Shigeta, Y., 1995. Abnormalities in protein kinase C and MAP kinase cascade in mesangial cells cultured under high glucose conditions. *Journal of Diabetes and its Complications* 9, 246-248.

Hanson, D., Andrews, T.J., Badger, M.R., 2002. *Functional Plant Biology* 29, 407.
Hink, U., Li, H., Mollnau, H., Oelze, M., Matheis, E., Hartmann, M., Skatchkov, M., Thaiss, F., Stahl, R.A., Warnholtz, A., Meinertz, T., Griendling, K., Harrison, D.G., Forstermann, U., Munzel, T., 2001. Mechanisms underlying endothelial dysfunction in diabetes mellitus. *Circ Res* 88, E14-22.

Hemilä, H., 1992. Vitamin C and Plasma Cholesterol. *Critical Reviews in Food Science and Nutrition* 32, 33-57.

Hollenbeck, C., Reaven, G.M., 1987. Variations in insulin-stimulated glucose uptake in healthy individuals with normal glucose tolerance. *The Journal of clinical endocrinology and metabolism* 64, 1169-1173.

Hosoyamada, M., Sekine, T., Kanai, Y., Endou, H., 1999. Molecular cloning and functional expression of a multispecific organic anion transporter from human kidney. *The American journal of physiology* 276, F122-128.

Ikemura, K., Iwamoto, T., Okuda, M., 2009. Altered functions and expressions of drug transporters in liver, kidney and intestine in disorders of local and remote organs: possible role of oxidative stress in the pathogenesis. *Expert Opin Drug Metab Toxicol* 5, 907-920.

Inoguchi, T., Battan, R., Handler, E., Sportsman, J.R., Heath, W., King, G.L., 1992. Preferential elevation of protein kinase C isoform beta II and diacylglycerol levels in the aorta and heart of diabetic rats: differential reversibility to glyceemic control by islet cell transplantation. *Proc Natl Acad Sci U S A* 89, 11059-11063.

Islam, M.S., Choi, H., 2007. Nongenetic model of type 2 diabetes: a comparative study. *Pharmacology* 79, 243-249.

- Jindal, K., MacNair, L., Senior, P., 2005. A collaborative approach to diabetes nephropathy prevention. *Alta RN* 61, 10-11.
- John Whitton, B.A., Brook, A.J., 2002. *The Freshwater Algal Flora of the British Isles*. Cambridge University Press, Cambridge.
- Kahn, C.R., 1994. Banting Lecture. Insulin action, diabetogenes, and the cause of type II diabetes. *Diabetes* 43, 1066-1084.
- Kakkar, R., Kalra, J., Mantha, S.V., Prasad, K., 1995. Lipid peroxidation and activity of antioxidant enzymes in diabetic rats. *Molecular and cellular biochemistry* 151, 113-119.
- Kang, N., Alexander, G., Park, J.K., Maasch, C., Buchwalow, I., Luft, F.C., Haller, H., 1999a. Differential expression of protein kinase C isoforms in streptozotocin-induced diabetic rats. *Kidney Int* 56, 1737-1750.
- Kapor-Drezgic, J., Zhou, X., Babazono, T., Dlugosz, J.A., Hohman, T., Whiteside, C., 1999. Effect of high glucose on mesangial cell protein kinase C-delta and -epsilon is polyol pathway-dependent. *Journal of the American Society of Nephrology : JASN* 10, 1193-1203.
- Karnjanaparch, L., 1984. *Algae*, Faculty of Fisheries, Kasetsart University.
- King, G.L., Loeken, M.R., 2004. Hyperglycemia-induced oxidative stress in diabetic complications. *Histochem Cell Biol* 122, 333-338.
- King, G.L., Loeken, M.R., 2004. Hyperglycemia-induced oxidative stress in diabetic complications. *Histochem Cell Biol* 122, 333-338.
- King, G.L., Kunisaki, M., Nishio, Y., Inoguchi, T., Shiba, T., Xia, P., 1996. Biochemical and molecular mechanisms in the development of diabetic vascular complications. *Diabetes* 45 Suppl 3, S105-108.
- Koepsell, H., Endou, H., 2004. The SLC22 drug transporter family. *Pflügers Archiv European Journal of Physiology* 447, 666-676.
- Kranner, I., Beckett, R.P., Wornik, S., Zorn, M., Pfeifhofer, H.W., 2002. Revival of a resurrection plant correlates with its antioxidant status. *Plant J* 31, 13-24.
- Kumar, A., Hawkins, K.S., Hannan, M.A., Ganz, M.B., 2001. Activation of PKC-beta(I) in glomerular mesangial cells is associated with specific NF-kappaB subunit translocation. *Am J Physiol Renal Physiol* 281, F613-619.
- Kusuhara, H., Sekine, T., Utsunomiya-Tate, N., Tsuda, M., Kojima, R., Cha, S.H., Sugiyama, Y., Kanai, Y., Endou, H., 1999. Molecular cloning and characterization of a new multispecific organic anion transporter from rat brain. *The Journal of biological chemistry* 274, 13675-13680.

Kunisaki, M., Fumio, U., Nawata, H., King, G.L., 1996. Vitamin E normalizes diacylglycerol-protein kinase C activation induced by hyperglycemia in rat vascular tissues. *Diabetes* 45 Suppl 3, S117-119.

Lailerd, N., Pongchaidacha, A., Amormledpison, D., Srimaroeng, C., Lungkaphin, A., Jitprawet, N., Apichai, S., Keapai, W., Peerapornpisal, Y., 2010. Antidiabetic Potentiality of the Aqueous Extract of *Spirogyra neglecta* in High Fat Diet and Streptozotocin-induced Type2 Diabetic rats, 5th National Conference on Algae and Plankton, p. 59.

Lee, Y.J., Han, H.J., 2007. Regulatory mechanisms of Na(+)/glucose cotransporters in renal proximal tubule cells. *Kidney international. Supplement*, S27-35.

Li, S., Duan, P., You, G., 2010. Regulation of human organic anion transporter 3 by peptide hormone bradykinin. *J Pharmacol Exp Ther* 333, 970-975.

Limaye, P.V., Raghuram, N., Sivakami, S., 2003. Oxidative stress and gene expression of antioxidant enzymes in the renal cortex of streptozotocin-induced diabetic rats. *Molecular and cellular biochemistry* 243, 147-152.

Liu, X., Kim, J.K., Li, Y., Li, J., Liu, F., Chen, X., 2005. Tannic acid stimulates glucose transport and inhibits adipocyte differentiation in 3T3-L1 cells. *J Nutr* 135, 165-171.

Okuda, T., Yoshida, T., Hatano, T., 1995. Hydrolyzable tannins and related polyphenols. *Fortschr Chem Org Naturst* 66, 1-117.

Lu, R., Chan, B.S., Schuster, V.L., 1999. Cloning of the human kidney PAH transporter: narrow substrate specificity and regulation by protein kinase C. *The American journal of physiology* 276, F295-303.

Lungkaphin, A., Arjinajarna, P., Srimaroeng, C., Chatsudthipong, V., 2012. Function and expression of renal organic anion transporters in experimental diabetes in mice. *Science asia* 38, 18-23.

Mackean, D.G., 2002. GCSE Biology.

Makino, H., Shikata, K., Hironaka, K., Kushiro, M., Yamasaki, Y., Sugimoto, H., Ota, Z., Araki, N., Horiuchi, S., 1995. Ultrastructure of nonenzymatically glycosylated mesangial matrix in diabetic nephropathy. *Kidney Int* 48, 517-526.

Makino, H., Tanaka, I., Mukoyama, M., Sugawara, A., Mori, K., Muro, S., Suganami, T., Yahata, K., Ishibashi, R., Ohuchida, S., Maruyama, T., Narumiya, S., Nakao, K., 2002. Prevention of diabetic nephropathy in rats by prostaglandin E receptor EP1-selective antagonist. *Journal of the American Society of Nephrology : JASN* 13, 1757-1765.

Mamputu, J.C., Renier, G., 2002. Advanced glycation end products increase, through a protein kinase C-dependent pathway, vascular endothelial growth factor expression in retinal endothelial cells. Inhibitory effect of gliclazide. *Journal of Diabetes and its Complications* 16, 284-293.

Maneesh, M., Jayalekshmi, H., 2006. Role of reactive oxygen species and antioxidants on pathophysiology of male reproduction. *Indian Journal of Clinical Biochemistry* 21, 80-89.

Manna, P., Sinha, M., Sil, P.C., 2009. Prophylactic role of arjunolic acid in response to streptozotocin mediated diabetic renal injury: activation of polyol pathway and oxidative stress responsive signaling cascades. *Chem Biol Interact* 181, 297-308.

Maritim, A.C., Sanders, R.A., Watkins, J.B., 3rd, 2003. Diabetes, oxidative stress, and antioxidants: a review. *J Biochem Mol Toxicol* 17, 24-38.

Mates, J.M., Perez-Gomez, C., Nunez de Castro, I., 1999. Antioxidant enzymes and human diseases. *Clinical biochemistry* 32, 595-603.

Matsunami, T., Sato, Y., Sato, T., Yukawa, M., 2010. Antioxidant status and lipid peroxidation in diabetic rats under hyperbaric oxygen exposure. *Physiol Res* 59, 97-104.

Matsuzaki, T., Morisaki, T., Sugimoto, W., Yokoo, K., Sato, D., Nonoguchi, H., Tomita, K., Terada, T., Inui, K., Hamada, A., Saito, H., 2008. Altered pharmacokinetics of cationic drugs caused by down-regulation of renal rat organic cation transporter 2 (Slc22a2) and rat multidrug and toxin extrusion 1 (Slc47a1) in ischemia/reperfusion-induced acute kidney injury. *Drug metabolism and disposition: the biological fate of chemicals* 36, 649-654.

Matsuzaki, T., Watanabe, H., Yoshitome, K., Morisaki, T., Hamada, A., Nonoguchi, H., Kohda, Y., Tomita, K., Inui, K., Saito, H., 2007. Downregulation of organic anion transporters in rat kidney under ischemia/reperfusion-induced acute [corrected] renal failure. *Kidney international* 71, 539-547.

Meier, M., Park, J.K., Overheu, D., Kirsch, T., Lindschau, C., Gueller, F., Leitges, M., Menne, J., Haller, H., 2007. Deletion of protein kinase C-beta isoform in vivo reduces renal hypertrophy but not albuminuria in the streptozotocin-induced diabetic mouse model. *Diabetes* 56, 346-354.

Meier, M., King, G.L., 2000. Protein kinase C activation and its pharmacological inhibition in vascular disease. *Vasc Med* 5, 173-185.

Meis, S.B., Schuster, D., Gaillard, T., Osei, K., 2006. Metabolic syndrome in nondiabetic, obese, first-degree relatives of African American patients with type 2 diabetes: African American triglycerides-HDL-C and insulin resistance paradox. *Ethn Dis* 16, 830-836.

Mellitus, W.E.C.o.D., 1980. second report. World Health Organ Tech Rep Ser 646, 1-80.

Melov, S., 2000. Mitochondrial oxidative stress. Physiologic consequences and potential for a role in aging. *Ann N Y Acad Sci* 908, 219-225.

Melov, S., Coskun, P., Patel, M., Tuinstra, R., Cottrell, B., Jun, A.S., Zastawny, T.H., Dizdaroglu, M., Goodman, S.I., Huang, T.T., Mizioro, H., Epstein, C.J., Wallace, D.C., 1999. Mitochondrial disease in superoxide dismutase 2 mutant mice. *Proc Natl Acad Sci U S A* 96, 846-851.

Mogensen, C.E., Andersen, M.J., 1975. Increased kidney size and glomerular filtration rate in untreated juvenile diabetes: normalization by insulin-treatment. *Diabetologia* 11, 221-224.

Monica Torres, A., Mac Laughlin, M., Muller, A., Brandoni, A., Anzai, N., Endou, H., 2005. Altered renal elimination of organic anions in rats with chronic renal failure. *Biochim Biophys Acta* 1740, 29-37.

Moussa, S.A., 2008. Oxidative Stress in Diabetes Mellitus. *Romanian J. Biophys* 18, 225-236.

Mushtaq, F., 2009. The Role of Advanced Glycation End Products in the Development of Diabetic Nephropathy. *Journal of the American Society of Nephrology* 1.

Mustafa, A., David, E., Laaksonen., 2002. Diabetes, Oxidative Stress and Physical Exercise. *Journal of Sports Science* 1.

Nakai, K., Tanaka, H., Hanada, K., Ogata, H., Suzuki, F., Kumada, H., Miyajima, A., Ishida, S., Sunouchi, M., Habano, W., Kamikawa, Y., Kubota, K., Kita, J., Ozawa, S., Ohno, Y., 2008. Decreased expression of cytochromes P450 1A2, 2E1, and 3A4 and drug transporters Na⁺-taurocholate-cotransporting polypeptide, organic cation transporter 1, and organic anion-transporting peptide-C correlates with the progression of liver fibrosis in chronic hepatitis C patients. *Drug metabolism and disposition: the biological fate of chemicals* 36, 1786-1793.

Naskar, N.M., Naskar, K R., Talai S., 2009. Addition to the List of Brackish Water Zygnemaceae of Sundarbans and its Adjoining Areas, India Genus *Spirogyra* Link. *Nature* 7, 187-192.

Naud, J., Michaud, J., Leblond, F.A., Lefrancois, S., Bonnardeaux, A., Pichette, V., 2008. Effects of chronic renal failure on liver drug transporters. *Drug Metabolism and Disposition* 36, 124-128.

Navarro, J.F., Milena, F.J., Mora, C., Leon, C., Claverie, F., Flores, C., Garcia, J., 2005. Tumor necrosis factor-alpha gene expression in diabetic nephropathy: relationship with urinary albumin excretion and effect of angiotensin-converting enzyme inhibition. *Kidney international. Supplement*, S98-102.

Nishizuka, Y., 1992. Intracellular signaling by hydrolysis of phospholipids and activation of protein kinase C. *Science* 258, 607-614.

Nishizuka, Y., 1995. Protein kinase C and lipid signaling for sustained cellular responses. *The FASEB journal : official publication of the Federation of American Societies for Experimental Biology* 9, 484-496.

Noh, H., King, G.L., 2007. The role of protein kinase C activation in diabetic nephropathy. *Kidney international. Supplement*, S49-53.

Okyar, A., Can, A., Akev, N., Baktir, G., Sutlupinar, N., 2001. Effect of Aloe vera leaves on blood glucose level in type I and type II diabetic rat models. *Phytother Res* 15, 157-161.

Olafsdottir, E., Aspelund, T., Sigurdsson, G., Thorsson, B., Benediktsson, R., Harris, T.B., Launer, L.J., Eiriksdottir, G., Gudnason, V., 2009. Unfavourable risk factors for type 2 diabetes mellitus are already apparent more than a decade before onset in a population-based study of older persons: from the Age, Gene/Environment Susceptibility-Reykjavik Study (AGES-Reykjavik). *Eur J Epidemiol* 24, 307-314.

Owu, D.U., Antai, A.B., Udofia, K.H., Obembe, A.O., Obasi, K.O., Eteng, M.U., 2006. Vitamin C improves basal metabolic rate and lipid profile in alloxan-induced diabetes mellitus in rats. *J Biosci* 31, 575-579.

Park, S.H., Choi, H.J., Lee, J.H., Woo, C.H., Kim, J.H., Han, H.J., 2001. High glucose inhibits renal proximal tubule cell proliferation and involves PKC, oxidative stress, and TGF-beta 1. *Kidney Int* 59, 1695-1705.

Parving, H.-H., Østerby, R., Ritz, E., 2000. *Diabetic nephropathy*, 6 ed. Philadelphia. Peerapornpisal, Y., 2007. Edible Freshwater Macroalgae in Northern Thailand. *Fisheries Science Journal* 1, 178-188.

Peerapornpisal, Y., Kanjanapothi, D., Taesotikul, T., Amornlerdpison, D., 2009. Potential of some freshwater algae in Northern Thailand as nutraceutical. *Phycologia* 4, 104.

Peerapornpisal, Y., Panyoyai, T., Amornlerdpison, D., 2008. *Spirogyra neglecta* (Hassall) Kützing" Antioxidant and anti-inflammatory activities of *Spirogyra neglecta* (Hassall) Kützing. *KKU Science Journal*.

Phillips, A.O., 2003. The role of renal proximal tubular cells in diabetic nephropathy. *Curr Diab Rep* 3, 491-496.

Porte, D., Jr., 2001. Clinical importance of insulin secretion and its interaction with insulin resistance in the treatment of type 2 diabetes mellitus and its complications. *Diabetes/metabolism research and reviews* 17, 181-188.

Pratico, D., Basili, S., Vieri, M., Cordova, C., Violi, F., Fitzgerald, G.A., 1998. Chronic obstructive pulmonary disease is associated with an increase in urinary levels of isoprostane F₂α-III, an index of oxidant stress. *Am J Respir Crit Care Med* 158, 1709-1714.

Pritchard, J.B., 1987. Luminal and peritubular steps in the renal transport of p-aminohippurate. *Biochim Biophys Acta* 906 295-308.

Pritchard, J.B., 1995. Intracellular α-ketoglutarate controls the efficacy of renal organic anion transport. *J Pharmacol Exp Ther* 274 1278 -1284.

Pritchard, J.B., Miller, D.S., 1993. Mechanisms mediating renal secretion of organic anions and cations. *Physiol Rev* 73, 765-796.

Pritchard, J.B., Miller, D S., 1992. Proximal tubular transport of organic anions and cations. In: *The Kidney: Physiology and Pathophysiology* (2nd ed.), edited by Seldin DW and Giebisch G. New York: Raven, 2921–2945.

Pritchard, J.B., 1990. Rat renal cortical slices demonstrate p-aminohippurate/glutarate exchange and sodium/glutarate coupled p-aminohippurate transport. *The Journal of pharmacology and experimental therapeutics* 255, 969-975.

Punyoyai, T., 2008. Antioxidant Activity of Tao, *Spirogyra neglecta* (Hassall) Kützing, Faculty of Science. Chiang mai university, Chiang mai.

Race, J.E., Grassl, S.M., Williams, W.J., Holtzman, E.J., 1999. Molecular cloning and characterization of two novel human renal organic anion transporters (hOAT1 and hOAT3). *Biochem Biophys Res Commun* 255, 508-514.

Rajfur, M., Klos, A., Waclawek, M., 2010. Sorption properties of algae *Spirogyra* sp. and their use for determination of heavy metal ions concentrations in surface water. *Bioelectrochemistry* 80, 81-86.

Ramsammy, L., Ling, K.Y., Josepovitz, C., Levine, R., Kaloyanides, G.J., 1985. Effect of gentamicin on lipid peroxidation in rat renal cortex. *Biochem Pharmacol* 34, 3895-3900.

Reaven, G.M., 2000. Insulin resistance and its consequences: type 2 diabetes mellitus and coronary heart disease. In: LeRoith D, Taylor SI, Olefsky JM, eds. *Diabetes*

mellitus: a fundamental and clinical text. Philadelphia: Lippincott Williams & Wilkins.

Reaven, G.M., Brand, R.J., Chen, Y.D., Mathur, A.K., Goldfine, I., 1993. Insulin resistance and insulin secretion are determinants of oral glucose tolerance in normal individuals. *Diabetes* 42, 1324-1332.

Reaven, G.M., Hollenbeck, C.B., Chen, Y.D., 1989. Relationship between glucose tolerance, insulin secretion, and insulin action in non-obese individuals with varying degrees of glucose tolerance. *Diabetologia* 32, 52-55.

Reid, G., Wolff, N.A., Dautzenberg, F.M., Burckhardt, G., 1998. Cloning of a human renal p-aminohippurate transporter, hROAT1. *Kidney Blood Press Res* 21, 233-237.

Roberts, L.J., Morrow, J.D., 2000. Measurement of F(2)-isoprostanes as an index of oxidative stress in vivo. *Free Radic Biol Med* 28, 505-513.

Roch-Ramel, F., Besseghir, K., Murer, H., 1992. Renal excretion and tubular transport of organic anions and cations; in Windhager EE (ed): *Renal Physiology, Handbook of Physiology*, ed 2. New York, Oxford University Press, 2189–2262.

Rossing, P., 2006. Diabetic nephropathy: worldwide epidemic and effects of current treatment on natural history. *Curr Diab Rep* 6, 479-483.

Sakurai, Y., Motohashi, H., Ogasawara, K., Terada, T., Masuda, S., Katsura, T., Mori, N., Matsuura, M., Doi, T., Fukatsu, A., Inui, K., 2005. Pharmacokinetic significance of renal OAT3 (SLC22A8) for anionic drug elimination in patients with mesangial proliferative glomerulonephritis. *Pharm Res* 22, 2016-2022.

Sakurai, Y., Motohashi, H., Ueo, H., Masuda, S., Saito, H., Okuda, M., Mori, N., Matsuura, M., Doi, T., Fukatsu, A., Ogawa, O., Inui, K., 2004. Expression levels of renal organic anion transporters (OATs) and their correlation with anionic drug excretion in patients with renal diseases. *Pharm Res* 21, 61-67.

Sanz, E., Fernandez, N., Monge, L., Climent, B., Dieguez, G., Garcia-Villalon, A.L., 2003. Relaxation by urocortin of rat renal arteries: effects of diabetes in males and females. *Cardiovascular research* 58, 706-711.

Sarika, A., 2010. Renal function in diabetic nephropathy. *World Journal of Diabetes* 1, 48-56.

Sauvant, C., Holzinger, H., Gekle, M., 2001. Modulation of the basolateral and apical step of transepithelial organic anion secretion in proximal tubular opossum kidney cells. Acute effects of epidermal growth factor and mitogen-activated protein kinase. *J Biol Chem* 276, 14695-14703.

Sauvant, C., Holzinger, H., Gekle, M., 2002. Short-term regulation of basolateral organic anion uptake in proximal tubular OK cells: EGF acts via MAPK, PLA(2), and COX1. *J Am Soc Nephrol* 13, 1981-1991.

Sauvant, C., Holzinger, H., Gekle, M., 2003. Short-term regulation of basolateral organic anion uptake in proximal tubular opossum kidney cells: prostaglandin E2 acts via receptor-mediated activation of protein kinase A. *J Am Soc Nephrol* 14, 3017-3026.

Sauvant, C., Holzinger, H., Gekle, M., 2006. Prostaglandin E2 inhibits its own renal transport by downregulation of organic anion transporters rOAT1 and rOAT3. *Journal of the American Society of Nephrology : JASN* 17, 46-53.

Schneider, R., Sauvant, C., Betz, B., Otremba, M., Fischer, D., Holzinger, H., Wanner, C., Galle, J., Gekle, M., 2007. Downregulation of organic anion transporters OAT1 and OAT3 correlates with impaired secretion of para-aminohippurate after ischemic acute renal failure in rats. *American journal of physiology. Renal physiology* 292, F1599-1605.

Scivittaro, V., Ganz, M.B., Weiss, M.F., 2000. AGEs induce oxidative stress and activate protein kinase C-beta(II) in neonatal mesangial cells. *American journal of physiology. Renal physiology* 278, F676-683.

Sechi, L.A., Ceriello, A., Griffin, C.A., Catena, C., Amstad, P., Schambelan, M., Bartoli, E., 1997. Renal antioxidant enzyme mRNA levels are increased in rats with experimental diabetes mellitus. *Diabetologia* 40, 23-29.

Sekine, T., Cha, S.H., Endou, H., 2000. The multispecific organic anion transporter (OAT) family. *Pflugers Arch* 440, 337-350.

Sekine, T., Watanabe, N., Hosoyamada, M., Kanai, Y., Endou, H., 1997. Expression cloning and characterization of a novel multispecific organic anion transporter. *The Journal of biological chemistry* 272, 18526-18529.

Sharma, K., Ziyadeh, F.N., 1994. Renal hypertrophy is associated with upregulation of TGF-beta 1 gene expression in diabetic BB rat and NOD mouse. *The American journal of physiology* 267, F1094-1001.

Sheu, M.L., Ho, F.M., Chao, K.F., Kuo, M.L., Liu, S.H., 2004. Activation of phosphoinositide 3-kinase in response to high glucose leads to regulation of reactive oxygen species-related nuclear factor-kappaB activation and cyclooxygenase-2 expression in mesangial cells. *Mol Pharmacol* 66, 187-196.

Shinozaki, K., Kashiwagi, A., Nishio, Y., Okamura, T., Yoshida, Y., Masada, M., Toda, N., Kikkawa, R., 1999. Abnormal bipterin metabolism is a major cause of

impaired endothelium-dependent relaxation through nitric oxide/O₂- imbalance in insulin-resistant rat aorta. *Diabetes* 48, 2437-2445.

Singh, P.P.F.M., Ajanta Roy and Praveen Sharma, 2009. Reactive Oxygen Species, Reactive Nitrogen Species and Antioxidants in Etiopathogenesis of Diabetes Mellitus Type-2. *Indian J Clin Biochem* 24, 324-342.

Sokoloff, B., Hori, M., Saelhof, C., McConnell, B., Imai, T., 1967. Effect of ascorbic acid on certain blood fat metabolism factors in animals and man. *J Nutr* 91, 107-118.

Soodvilai, S., Chatsudthipong, V., Evans, K.K., Wright, S.H., Dantzer, W.H., 2004. Acute regulation of OAT3-mediated estrone sulfate transport in isolated rabbit renal proximal tubules. *American journal of physiology. Renal physiology* 287, F1021-1029.

Soodvilai, S., Wright, S.H., Dantzer, W.H., Chatsudthipong, V., 2005. Involvement of tyrosine kinase and PI3K in the regulation of OAT3-mediated estrone sulfate transport in isolated rabbit renal proximal tubules. *Am J Physiol Renal Physiol* 289, F1057-1064.

Srimaroeng, C., Perry, J.L., Pritchard, J.B., 2008. Physiology, structure, and regulation of the cloned organic anion transporters. *Xenobiotica; the fate of foreign compounds in biological systems* 38, 889-935.

Srinivasan, K., Viswanad, B., Asrat, L., Kaul, C.L., Ramarao, P., 2005. Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: a model for type 2 diabetes and pharmacological screening. *Pharmacol Res* 52, 313-320.

Studer, R.K., Craven, P.A., DeRubertis, F.R., 1997. Antioxidant inhibition of protein kinase C-signaled increases in transforming growth factor-beta in mesangial cells. *Metabolism* 46, 918-925.

Suwanphet, W., Meeprom, A., Yibchok-Anun, S., Adisakwattana, S., 2010. Preventive effect of grape seed extract against high-fructose diet-induced insulin resistance and oxidative stress in rats. *Food Chem Toxicol* 48, 1853-1857.

Sweet, D.H., Bush, K.T., Nigam, S.K., 2001. The organic anion transporter family: from physiology to ontogeny and the clinic. *American journal of physiology. Renal physiology* 281, F197-205.

Sweet, D.H., Chan, L.M., Walden, R., Yang, X.P., Miller, D.S., Pritchard, J.B., 2003. Organic anion transporter 3 (Slc22a8) is a dicarboxylate exchanger indirectly coupled to the Na⁺ gradient. *American journal of physiology. Renal physiology* 284, F763-769.

Sweet, D.H., Wolff, N.A., Pritchard, J.B., 1997. Expression cloning and characterization of ROAT1. The basolateral organic anion transporter in rat kidney. *The Journal of biological chemistry* 272, 30088-30095.

Tanaka, S., Hayashi, T., Toyoda, T., Hamada, T., Shimizu, Y., Hirata, M., Ebihara, K., Masuzaki, H., Hosoda, K., Fushiki, T., Nakao, K., 2007. High-fat diet impairs the effects of a single bout of endurance exercise on glucose transport and insulin sensitivity in rat skeletal muscle. *Metabolism: clinical and experimental* 56, 1719-1728.

Tanaka, K., Xu, W., Zhou, F., You, G., 2004. Role of glycosylation in the organic anion transporter OAT1. *J Biol Chem* 279, 14961-14966.

Tesfamariam, B., Cohen, R.A., 1992. Free radicals mediate endothelial cell dysfunction caused by elevated glucose. *The American journal of physiology* 263, H321-326.

Themis, Z., Fernando, G., Balthazar, A.P., Thomazelli, F.C., Matos, J.D., Canani, L.H., 2009. Diabetic nephropathy. *Diabetes & Metabolism* 1, 1-17.

Thomas, M.C., Tikellis, C., Burns, W.C., Thallas, V., Forbes, J.M., Cao, Z., Osicka, T.M., Russo, L.M., Jerums, G., Ghabrial, H., Cooper, M.E., Kantharidis, P., 2003. Reduced tubular cation transport in diabetes: prevented by ACE inhibition. *Kidney Int* 63, 2152-2161.

Ullrich, K.J., 1994. Specificity of transporters for 'organic anions' and 'organic cations' in the kidney. *International Journal of Biochemistry, Biophysics and Molecular Biology* 1197, 45-62.

Venkateshwarlu, V., Reddy, P.M., 1997. Water quality monitoring in the rivers of Andhra Pradesh. In Workshop on "Water Pollution Assessment and Management", Indo-German Nachkontakt. Assoc., NGRI, Hyderabad.

Villar, S.R., Brandoni, A., Anzai, N., Endou, H., Torres, A.M., 2005. Altered expression of rat renal cortical OAT1 and OAT3 in response to bilateral ureteral obstruction. *Kidney International* 68, 2704-2713.

Vincent, L.V., Hassane, I., Svetlana, K., Jean, S.H., Alain, B., Gilbert, D., 2006. Renal tubular drug transporter. *Nephron Physiology* 103, 97-106.

Wang, X., Willen, R., Wadstrom, T., 2000. Astaxanthin-rich algal meal and vitamin C inhibit *Helicobacter pylori* infection in BALB/cA mice. *Antimicrob Agents Chemother* 44, 2452-2457.

Welborn, J.R., Shpun, S., Dantzler, W.H., Wright, S.H., 1998. Effect of α -ketoglutarate on organic anion transport in single rabbit renal proximal tubules. *American Journal of Physiology - Renal Physiology* 274, F165-F174.

Wetzels, J.F., Hoitsma, A.J., Berden, J.H., Koene, R.A., 1986. The changing natural history of nephropathy in type I diabetes. *The American journal of medicine* 80, A63, A69.

(WHO), W.h.o., 2006. Definition and diagnosis of diabetes mellitus and intermediate hyperglycemia. WHO Document Production Services, Geneva, Switzerland.

Williamson, J.R., Chang, K., Frangos, M., Hasan, K.S., Ido, Y., Kawamura, T., Nyengaard, J.R., van den Enden, M., Kilo, C., Tilton, R.G., 1993. Hyperglycemic pseudohypoxia and diabetic complications. *Diabetes* 42, 801-813.

Williams, B., Tsai, P., Schrier, R.W., 1992. Glucose-induced downregulation of angiotensin II and arginine vasopressin receptors in cultured rat aortic vascular smooth muscle cells. Role of protein kinase C. *J Clin Invest* 90, 1992-1999.

Wolf, G., 2004. New insights into the pathophysiology of diabetic nephropathy: from haemodynamics to molecular pathology. *Eur J Clin Invest* 34, 785-796.

Wolff, N.A., Thies, K., Kuhnke, N., Reid, G., Friedrich, B., Lang, F., Burckhardt, G., 2003. Protein kinase C activation downregulates human organic anion transporter 1-mediated transport through carrier internalization. *Journal of the American Society of Nephrology : JASN* 14, 1959-1968.

Wright, E., Jr., Scism-Bacon, J.L., Glass, L.C., 2006. Oxidative stress in type 2 diabetes: the role of fasting and postprandial glycaemia. *Int J Clin Pract* 60, 308-314.

Wright, S.H., Dantzer, W.H., 2004. Molecular and cellular physiology of renal organic cation and anion transport. *Physiol Rev* 84, 987-1049.

Wriesez, F., Lambert, B., 2001. Differential long-term effects of tannic acid on adenylyl cyclase activity and lipolysis in rat adipocytes. *Phytomedicine* 8, 292-297.


Xia, P., Aiello, L.P., Ishii, H., Jiang, Z.Y., Park, D.J., Robinson, G.S., Takagi, H., Newsome, W.P., Jirousek, M.R., King, G.L., 1996. Characterization of vascular endothelial growth factor's effect on the activation of protein kinase C, its isoforms, and endothelial cell growth. *J Clin Invest* 98, 2018-2026.

Zdychova, J., Vesela, J., Kazdova, L., Komers, R., 2008. Renal activity of Akt kinase in experimental Type 1 diabetes. *Physiol Res* 57, 709-715.

Zimmet, P.Z., McCarty, D.J., de Courten, M.P., 1997. The global epidemiology of non-insulin-dependent diabetes mellitus and the metabolic syndrome. *J Diabetes Complications* 11, 60-68.

Zhang, J.F., Yang, J.P., Wang, G.H., Xia, Z., Duan, S.Z., Wu, Y., 2010. Role of PKCzeta translocation in the development of type 2 diabetes in rats following continuous glucose infusion. *Diabetes/Metabolism Research and Reviews* 26, 59-70.

Zhao, S., Chu, Y., Zhang, C., Lin, Y., Xu, K., Yang, P., Fan, J., Liu, E., 2008. Diet-induced central obesity and insulin resistance in rabbits. *J Anim Physiol Anim Nutr (Berl)* 92, 105-111.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved