

เอกสารอ้างอิง

จักรี เส้นทอง. 2528. การศึกษาสรีรวิทยาของพืชภายใต้สภาวะเครียด : การถ่ายเทสารสังเคราะห์โดยวิธีวิเคราะห์การเจริญเติบโต. รายงานสัมมนาวิชา ก.รท.792 คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.

สถาบันวิจัยพืชไร่ กรมวิชาการเกษตร. 2529. เอกสารวิชาการเล่มที่ 1 พันธุ์พืชไร่ 2529. 77 หน้า

อภิพรณ พุกักดี. 2523. สรีรวิทยาของการผลิตพืชตระกูลถั่ว. ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.

อภิพรณ พุกักดี, ไสว พงษ์เก่าและวิจารณ์ วิชชกิจ. 2529. สรีรวิทยาของการผลิตพืช. ภาควิชาพืชไร่นา. คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.

อารีย์ วรรณวัฒน์. 2525. ถั่วลิสง : พืชเศรษฐกิจเล่ม 1 ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.

Abel, G.H.1970.Winter and summer soybean growth in Southern California. Agron. J. 62 : 118-120.

Adam, M.W.1967. Basic of yield component compensation with special reference to the field bean (Phaseolus vulgaris) Crop Sci. 7 : 505-510.

Ashley, J.M. 1980. Groundnut. Pages 453-494 in P.R. Goldsworthy and N.M. Fisher, ed. The physiology of tropical field crops. John Wiley and Sons ltd.

Beaver, J.S., R.L. Cooper and R.J. Martin.1985. Dry matter accumulation and seed yield of determinate and indeterminate soybeans. Agron.J. 77 : 675-679.

Bhagat, N.R., A. Taslim, H.B. Lalwani and G. Nagaraj. 1986. Variation, character association and path analysis in improved groundnut varieties. Plant Breeding Abstr. 56 (8078) : 869.

Bolhuis, G.G.and W.De Groot.1959.Observations on the effect of varying temperatures on the flowering and fruit set in three varieties of groundnut. Neth.J. Agric. Sci. 7 : 317-326.

Campbell, I.S. and J.H.Williams.1987. Seasonal variation in growth analysis of peanut cultivar in India.General index to 1987 agronomy abstracts 79 th. annual meeting, American Society of Agronomy : 89.

Cox, F.R. 1979. Effect of temperature on peanut vegetative and fruit growth. Peanut Sci. 6 : 14-17.

Cure, J.D., R.P.Patterson, C.D.Raper. Jr., and W.A.Jackson. 1982. Assimilate distribution in soybeans as affected by photoperiod during seed development. Crop Sci. 22 : 1245-1250.

Duncan, W.G., D.E.McCloud, R.L.McGraw and K.J. Boote. 1978. Physiology aspects of peanut yield improvement.Crop Sci. 18 : 1015-1020.

Egli, D.B. 1975. Rate of accumulation of dry weight in seed of soybean and its relationship to yield. Can. J. Plant Sci. 55 : 215-219.

Egli, D.B. and I.F. Wardlaw. 1980. Temperature response of seed growth characteristic of soybean. Agron. J. 72 : 560-564.

Egli, D.B., and J.E. Leggett. 1973. Dry matter accumulation patterns in determinate and indeterminate soybean. *Crop Sci.* 13 : 220-222.

Egli, D.B., J.E. Leggett, and J.M. Wood. 1978. Influence of soybean seed size and position on the rate and duration of filling. *Agron. J.* 70 : 127-130.

Enyi, B.A.C. 1977. Physiology of grain yield in groundnut (*Arachis hypogaeae*). *Expl. Agric.* 13 : 101-110.

Franklin P. Gardner, R. Brent Pearce, and Roger L. Mitchell. 1985. *Physiology of crop plants*, The Iowa State University Press. 327 pages.

Gay, S., D.B. Egli, and D.A. Reicosky. 1980. Physiological aspects of yield improvement in soybean. *Agron. J.* 72 : 387-391.

Hang, A.N., D.E. McCloud, K.J. Boote, and W.G. Duncan. 1984. Shade effect on growth, partitioning and yield components of peanut. *Crop Sci.* 24 : 109-115.

Hanway, J.J., and C.R. Weber. 1971. Dry matter accumulation in eight soybean (*Glycine max* (L.) Merrill) varieties. *Agron. J.* 63 : 227-230.

Hartwig, E.E. 1970. Growth and reproductive characteristics of soybean (Glycine max (L.) Merr.) grown under shortday conditions. Trop. Sci. 12 : 47-53.

Hicks, D.R. 1978. Growth and development, Pages 17-44 in A.G. Norman, ed. Soybean physiology, agronomy, and utilization. Academic Press, Inc. New York.

Hinson, K., E.E. Hartwig. 1982. Soybean production in the tropics. FAO plant production and protection paper 4, Revision 1,222 pages.

Howell, R.W. 1960. Physiology of the soybean. Adv.in Agron. 12 : 265-310.

Hunt, Roderick. 1978. Plant growth analysis. London. Edward Arnold.

Kaplan, S.L. and H.R. Koller. 1974. Variation among soybean cultivars in seed growth rate during the linear phase of seed growth. Crop Sci. 14 : 613-614.

Ketring, D.L. 1984. Temperature effects on vegetative and reproductive development of peanut. Crop Sci. 24 : 877-882.

Malhotra, R.S., K.B.Singh and H.S.Dhaliwal.1972.Correlation and path coefficient analysis in soybean (Glycine max (L.) Merr.). Indian J. Agr. Sci. 42 : 26-29.

Mann, J.D. and E.G. Jaworski. 1970. Comparison of stresses which may limit soybean yields. Crop Sci. 10 : 620-624.

McBlain, B.A., and D.J. Hume. 1980 Physiological studies of higher yield in new, early-maturity soybean cultivars. Can. J. Plant Sci. 60 : 1315-1326.

McCloud, D.E.1974.Growth analysis of high yielding peanuts. Soil Crop Sci. Soc. Fla. Proc. 33 :24-26.

McCloud, D.E., W.G. Duncan, R.L. McGraw, P.K. Sibale, K.T. Ingram, J.Dreyer and I.S.Campbell. 1980.Physiological basis for increased yield potential in peanut. Proceedings of the international workshop on groundnut. ICRISAT center, Patancheru, India.

Mederski, H.J. and D.L. Jeffers. 1973. Yield response of soybean varieties grown at two soil moisture stress levels. Agron. J. 65 : 411-412.

Milthrope, F.L. and J. Moorby. 1974.An Introduction to crop physiology, Cambridge Univ. Press. 202 pages.

Oldeman, L.R. and M.Frere. 1982.A study of the agroclimatology of the humid tropics of Southeast-Asia. FAO, Rome, 229 pages.

Pandey, J.P. and J.H.Torric. 1973.Path coefficient analysis of seed yield components in soybean(Glycine max(L.) merr). Crop Sci. 13 : 505-507.

Pandey, R.K., W.A.T. Herrera and J.W. Pendleton. 1984. Drought response of grain legumes under irrigation gradient I. Yield and yield component. Agron. J. 76 : 549-553.

Pandey, R.K., W.A.T. Herrera, A.N.Villegas, and J.W.Pendleton. 1984. Drought response of grain legumes under irrigation gradient. III plant growth. Agron. J. 76 : 557-560.

Rachei, K.O. and L.M. Roberts. 1974. Grain legumes of the lowland tropics. Adv. in Agron. 26 : 2-118.

Reicosky, D.A., J.H.Orf, and Charles Ponelist. 1982.Soybean germplasm evaluation for lenght of seed filling period. Crop Sci. 22 : 319-322.

Scott, W.O.and S.R.Aldrich.1970. Modern soybean production. S & A publication, Illenois. 192 pages.

Seddigh, M. and G.D. Jolliff. 1984. The effects of night temperature on dry matter partitioning and seed growth of indeterminate field-grown soybean. *Crop Sci.* 24 : 704-710.

Senthong, Chuckree. 1979. Growth analysis in several peanut cultivars and the effect of peanut root-knot nematode (Meloidogyne arenaria) on peanut yield. Ph.D. Dissertation, Univ. of Florida, Gainesville, U.S.A., 62 pages.

Senthong, C., and R.K. Pandey. 1986. Drought resistance of five food legumes during reproductive growth stage under irrigation gradient. Research paper for publish in *Agron J.* 22 pages.

Shear, G.M. and L.I. Miller. 1955. Factors affecting fruit development of the jumbo runner peanut. *Agron. J.* 47 : 354-357.

Shibles, R.M. and C.R. Weber. 1965. Leaf area, solar radiation interception and dry matter production by soybean. *Crop Sci.* 5 : 575-577.

Shibles, R., I.C. Anderson, and A.H. Gibson. 1975. Soybean. Pages 151-189 in L.T. Evans, ed. *Crop physiology*. Cambridge University Press, Cambridge.

Smith, J.R. and R.L.Nelson. 1986. Selection for seed-filling period in soybean. *Crop Sci.* 26 : 466-468.

Smith, J.R. and R.L.Nelson. 1986. Relationship between seed-filling period and yield among soybean breeding lines. *Crop Sci.* 26 : 469-470.

Snyder, F.W. and G.E. Carlson. 1984. Selecting for partitioning of photosynthetic products in crops. *Adv. in Agron.* 37 : 47-72.

Thorne, J.H. 1979. Assimilate redistribution from soybean pod walls during seed development. *Agron. J.* 71 : 812-816.

Whigham, D.K., 1983. Soybean. Pages 205-225 in Symposium on potential productivity of field crops under different environment. International Rice Research Institute, Philippines.

Williams, J.H. 1979. The physiology of groundnuts (Arachis hypogaea L. CV. Egret). I. General growth and development. *Rhod. J. Agric. Res.* 17 : 41-48.

Williams, J.H., J.H.H. Wilson and G.C. Bate. 1975. The growth of groundnuts (Arachis hypogaea L. CV. Makula Red) at three altitude in Rhodesia. *Rhod. J. Agric. Res.* 13 : 33-43.

Williams, J.H., J.H.H. Wilson and G.C. Bate. 1975. The growth and development of four groundnut (Arachis hypogaea L.) cultivars in Rhodesia. *Rhod. J. Agric. Res.* 13 : 131-144.

Williams, J.H., J. H. H. Wilson and G. C. Bate, 1976. The influence of defoliation and pod removal on growth and dry matter distribution in groundnuts (Arachis hypogaea L. CV. Makula Red). *Rhod. J. Agric Res.* 14 : 111-117.

Yoshida, S. 1972. Physiology aspects of grain yield. *Ann. Rev. Plant Physiol.* 23 : 437-464.

Yayock, J.Y. 1979. Effects of variety and spacing on growth, development and dry matter distribution in groundnut (Arachis hypogaea L.) at two locations in Nigeria. *Expl. Agric.* 15 : 339-351.