

เอกสารอ้างอิง

กองภูมิอากาศ. 2525. สถิติภูมิอากาศของประเทศไทย. กรมอุตุนิยมวิทยา กระทรวง
คมนาคม.

กองสำรวจดิน. 2525. รายงานการสำรวจดิน จังหวัดเชียงใหม่. กรมพัฒนาที่ดิน,
กระทรวงเกษตรและสหกรณ์.

กองสำรวจดิน. 2527. รายงานการสำรวจดิน จังหวัดลำปาง. กรมพัฒนาที่ดิน,
กระทรวงเกษตรและสหกรณ์.

เกียรติ เกษตรกาญจนพิสุทธิ์, มโนธรรม สัจจถาวร, อุดลย์ พงศ์สุวรรณ, บรรณ บุรณะ
และลิขิต เอียดแก้ว. 2530. สัมโอ. กลุ่มเกษตรสัญจร. กรุงเทพฯ: สหมิตร
ออฟเซท

ถั่ว อัญชันภาติ. 2522. การหาปริมาณไนโตรเจนในฝักและผลไม้อย่างง่ายฯ.
ว. วิทยาศาสตร์. 33(10), 41.43.

พรพันธ์ กิตินันท์ประกร และสุรันต์ สุภัทรพันธุ์. 2530. ผลของการกักน้ำต่อการเปลี่ยนแปลง
ปริมาณคาร์บอนไฮเดรท, ไนโตรเจน ในใบและกิ่งยอดของส้มเขียวหวาน.
ว. เกษตรศาสตร์. (วิทย์). 21: 243-248.

มนตรี อิศรไกรศีล. 2527. การศึกษาการเจริญเติบโตของผล, ดัชนีการเก็บเกี่ยว และ
การเปลี่ยนแปลงหลังเก็บเกี่ยวของผลส้มเขียวหวานและส้มตรา. กรุงเทพฯ.
วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.

ยงยุทธ โอสถสภา. 2524. การเก็บตัวอย่างดินเพื่อใช้วิเคราะห์ทางเคมี. หน่วยทดสอบ
ดินปุ๋ย และการประยุกต์. ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง. สถาบันวิจัย
และพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์.

รวี เสรวรรักษ์. 2523. ไม้ผลทางอุตสาหกรรม 2 (ส้ม) เอกสารประกอบคำบรรยาย วิชาส.542 ภาควิชาพืชสวน คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.

วิจิตร วังโน. 2526. ชนิดและพันธุ์ไม้ผลเมืองไทย. ภาควิชาพืชสวน คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์.

ศูนย์สารสนเทศการเกษตรและสหกรณ์. 2525a. ปริมาณน้ำฝน ภาคเหนือ 17 จังหวัด, ปี พ.ศ. 2500-2524 สำนักงานเกษตรและสหกรณ์ภาคเหนือ. จังหวัดเชียงใหม่.

ศูนย์สารสนเทศการเกษตรและสหกรณ์. 2525b. อุณหภูมิ, ความชื้นสัมพัทธ์ภาคเหนือ ปี พ.ศ. 2500-2524. สำนักงานเกษตรและสหกรณ์ภาคเหนือ จังหวัดเชียงใหม่.

สมชาย สุคนธ์สิงห์ และ ทวีศักดิ์ ทองด้วง. 2527. ส้มโอ. ว.ฐานเกษตรกรรม. 2: 24-43.

สมนึก บุญเกิด. 2531. ปัจจัยควบคุมการติดผลส้มเขียวหวาน. ว.เคหการเกษตร. 12(141): 87-89.

สุวรรณพงศ์ ทองปลิว. 2531. พันธุ์ส้มโอไทย. ว.ไม้ผลไทย. 1(3): 5-7.

สุรพงษ์ โกสิยะจินดา. 2530a. ส้มโอสยาม ตอน 1. ว.เคหการเกษตร. 11(129): 88-91.

สุรพงษ์ โกสิยะจินดา. 2530b. ส้มโอสยาม ตอน 2. ว.เคหการเกษตร. 11(130): 70-74.

สุรพงษ์ โกสิยะจินดา. 2530c. ส้มโอสยาม ตอนจบ. ว. เคหการเกษตร. 11(131): 53-60.

- Albach, R.F., A.T. Juarez and B.J. Lime. 1969. Time of naringin production in grapefruit. *J.Amer.Soc.Hort.Sci.* 94(6), 605-609.
- Albach, R.F., G.H. Redman and R.R. Cruse. 1981a. Annual and seasonal changes in naringin concentration of ruby red grapefruit juice. *J.Agr.Fd.Chem.* 29: 808-811.
- Albach, R.F., G.H. Redman and B.J. Lime. 1981b. Limonin content of juice from Marrs and Hamlin oranges. [*Citrus sinensis*] *J.Agr.Fd.Chem.* 29: 313-315.
- Bain, J.M. 1958. Morphological, anatomical and physiological changes in the developing fruit of the Valencia orange. *Citrus sinensis*(L.) Osbeck. *Aust.J.Bot.* 6: 1-24.
- Bar-Akiva, A. 1975. Effect of potassium nutrition on fruit splitting in Valencia oranges. *J.Hort.Sci.* 50: 85-89.
- Bartholomew, E.T. and W.B. Sinclair. 1941. Unequal distribution of soluble solids in the pulp of citrus fruits. *Plant. Physiol.* 16: 293-312.
- Bartholomew, E.T., W.S. Stewart and G.E. Carman. 1951. Some physiological effects of insecticides on citrus fruits and leaves. *Bot.Gaz.* 112: 501-510.
- Boswell, S.B., L.N. Lewis, C.D. Mc Carty and K.W. Hench. 1970. Tree spacing of 'Washington' navel orange. *J.Amer.Soc.Hort.Sci.* 95(5): 523-528.

- Eoswell, S.B., E.M. Nauer and D.R. Atkin. 1982. Effect of tree density on fruit quality, temperature, light penetration, growth and production of old-line 'Atwood' navel orange trees. *J. Amer. Soc. Hort. Sci.* 107(1): 60-65.
- Bouma, D. 1961. The development of cuttings of the Washington navel orange to the stage of fruitset IV. The effect of different nitrogen and phosphorus levels on fruiting cuttings. *Aust. J. Agr. Res.* 12: 1089-1099.
- Cary, P.R. 1970. Growth yield and fruit composition of Washington navel orange cuttings as affected by root temperature nutrient supply and crop load. *Hort. Res.* 10: 20-33.
- Cary, P.R. 1971. Growth of Washington navel and Late Valencia orange cuttings as affected by root temperature nutrient supply and crop load I. *Hort. Res.* 11(1): 143-155.
- Cary, P.R. 1972a. Growth of Washington navel and Late Valencia orange cuttings as affected by root temperature nutrient supply and crop load II. Residual effects. *Hort. Res.* 12(3): 157-171.
- Cary, P.R. 1972b. The residual effects of nitrogen, calcium and soil management treatments on yield, fruit size and composition of citrus. *J. Hort. Sci.* 47: 479-491.
- Cary, P.R. 1974. Citrus fruit maturity. *Food. Tech. Aust.* 26(12): 551-553.

- Cary, P.R. and P.G.J. Weerts. 1977. Growth, yield and fruit composition of Washington navel and Late Valencia orange trees, as affected by rootstock and root temperature. *Aust. J. Expt. Agr. Anim. Husb.* 17: 336-341.
- Cary, P.R. and P.G.J. Weerts. 1978. Factors affecting growth yield and fruit composition of 'Washington navel' and 'Late Valencia' orange trees. *Proc. Int. Soc. Citriculture*: 77-86.
- Chomchalow, N. 1984. Genetic wealth of pummelos in Thailand. *IBPGR. Newsletter*. 8(3): 26-29.
- Cohen, A. 1984. Citrus fruit enlargement by means of summer girding. *J. Hort. Sci.* 59(1): 119-125.
- Cohen, E. 1988. The chemical composition and sensory flavour quality of 'Mineola' tangerines. I. Effects of fruit size and within tree position. *J. Hort. Sci.* 63(1): 175-178.
- Cohen, A., J. Lomas and A. Rassis. 1972. Climatic effects on fruit shape and peel thickness in Marsh seedless grapefruit. *J. Amer. Soc. Hort. Sci.* 97(6): 768-771.
- Collins, M.J. and J.E. Webb. 1979. Titration method for vitamin C. *The Science Teacher*. (May): 43-44.
- Constantin, R.J., R.T. Brown and H.J. Brand. Jr. 1975. Citrus yield and quality as affected by subsurface irrigation. *J. Amer. Soc. Hort. Sci.* 100(5): 453-454.

Coombe, B.G. 1976. The development of fleshy fruits. *Ann.Rev. Plant Physiol.* 27: 207-228.

Cruse, R.R., C.L. Wiegand and W.A. Swanson. 1982. The effect of rain fall and irrigation management on citrus juice quality in Texas. *J.Amer.Soc.Hort.Sci.* 107(5): 767-770.

Eaks, I.L. 1964. Ascorbic acid content of citrus during growth and development. *Bot.Gaz.* 125(3): 186-191.

Eaks, I.L. 1970. Respiratory response, ethylene production, and response to ethylene of citrus fruit during ontogeny. *Plant. Physiol.* 45: 334-338.

Economides, C.V. 1976a. Performance of Marsh seedless grapefruit on six rootstocks in Cyprus. *J.Hort.Sci.* 51: 393-400.

Economides, C.V. 1976b. Effects of certain cultural practices on tree growth, yield and fruit quality of Valencia oranges in Cyprus. *J.Hort.Sci.* 51: 545-549.

Economides, C.V. 1977. The influence of rootstocks on tree growth, yield and fruit quality of Valencia oranges in Cyprus. *J.Hort.Sci.* 52: 29-36.

Eilati, S.K., S.P. Monselise and P. Budowski 1969. Seasonal development of external color and carotenoid content in the peel of ripening 'Shamouti' oranges. *J.Amer.Soc.Hort.Sci.* 94 (4): 346-348.

Elfving, D.C. and M.R. Kaufmann. 1972. Diurnal and seasonal effects of environment on plant water relations and fruit diameter of citrus. *J.Amer.Soc.Hort.Sci.* 97(5): 566-570.

Erickson, L.C. 1968. The general physiology of citrus. In. Reuther, W., L.D. Batchelor and H.J. Webber. (eds.). The citrus industry. Vol. II. Div. of Agric.Sci., Univ. of Cal., Berkly, California. p. 86-126.

Erner, Y., R. Goren and S.P. Monselise. 1976. The rough fruit condition of the Shamouti orange connections with the endogenous hormonal balance. *J.Hort.Sci.* 51: 367-374.

Fishler, M., E.E. Goldschmidt and S.P. Monselise. 1983. Leaf area and fruit size on girdled grapefruit branches. *J.Amer.Soc.Hort.Sci.* 108 (2): 218-221.

Ford, M.A. and G.N. Thorne. 1974. Effect of atmospheric humidity on plant growth. *Ann.Bot.* 38: 441-452.

Fucik, J.E. 1975. Growth characteristics of texas grapefruit. *HortScience.* 10(3): 331.

Furr, J.R. and W.W. Armstrong. 1956. Flower induction in Marsh grapefruit in the Coachella valley, California. *Proc.Amer.Soc.Hort.Sci.* 67: 176-182.

Furr, J.R., W.C. Cooper and P.C. Reece. 1947. An investigation of flower formation in adult and juvenile citrus trees. *Amer.J.Bot.* 34: 1-8.

Gent, M.P.N. and H.Z. Enoch. 1983. Temperature dependence of vegetative growth and dark respiration: A mathematical model. *Plant.Physiol.* 71: 562-567.

Gibson, A.C. 1975. Developmental studies of pyriform fruits of grapefruit. *J.Amer.Soc.Hort.Sci.* 100(6): 674-678.

Goldschmidt, E.E. 1983. Asymmetric growth of citrus fruit peel induced by localized application of gibberellins in lanolin pastes. *Scientia.Hortic.* 21: 29-35.

Goldschmidt, E.E., N. Aschkenazi, Y. Herzano, A.A. Schaffer, and S.P. Monselise. 1985. A role for carbohydrate levels in the control of flowering in citrus. *Scientia.Hortic.* 26: 159-166.

Goldschmidt, E.E, and A. Golomb. 1982. The carbohydrate balance of alternate-bearing citrus trees and the significance of reserves for flowering and fruiting. *J.Amer.Soc.Hort.Sci.* 107(2): 206-208.

Goldwin, G.K. 1982. A technique for studying the association between component of the weather and horticultural parameters. *Scientia. Hortic.* 16: 101-107.

Gomez, L.G. and L.G. Gonzalez. 1954. Outstanding varieties and forms of Pummelo Citrus grandis (Linn.) Osbeck in nine towns of the mountain province. *Philip.Agric.* 37: 593-610.

- Goren, R. and S.P. Monselise. 1964. Survey of hesperidin and nitrogen in the developing flower of the Shamouti orange tree. Proc.Amer.Soc.Hort.Sci. 85: 218-223.
- Grange, R.I. and D.W. Hand. 1987. A review of the effects of atmospheric humidity on the growth of horticultural crops. J.Hort.Sci. 62(2): 125-134.
- Gross, J., R. Timberg and M. Graef. 1983. Pigment and ultrastructural changes in the developing pummelo Citrus grandis 'Goliath'. Bot.Gaz. 144(3): 401-406.
- Guardiola, J.L., V. Almela and M.T. Barres. 1988. Dual effect of auxins on fruit growth in Satsuma mandarin. Scientia.Hortic. 34: 229-237.
- Haas, A.R.C. 1948. Effect of rootstock on the composition of citrus trees and fruit. Plant.Physiol.23: 309-330.
- Hall, A.E., Khairi M.M.A. and G.W. Asbell. 1977. Air and soil temperature effects on flowering citrus. J.Amer.Soc.Hort.Sci. 102(3): 261-263.
- Haun, J.R. and D.C. Coston. 1983. Relationship of daily growth and development of peach leaves and fruit to environmental factors. J.Amer.Soc.Hort.Sci. 108(4): 666-671.
- Hermoso, C.E. and L.G. Gonzalez. 1954. Outstanding varieties and forms of pummelo Citrus grandis (Linn.) Osbeck, in some towns of Batangas. Philip.Agric. 38: 225-242.

Hilgeman, R.H. and F.O. Sharp. 1970. Response of 'Valencia' orange trees to four soil water schedules during 20 years. *J.Amer.Soc.Hort.Sci.* 95(6): 739-745.

IBPGR, 1979. Tropical fruit descriptors. Report of the working group on the descriptors for tropical fruits held in Bali. Indonesia 17-18 Nov. 1978. IBPGR. Rome.

Jahn, O.L. and R. Young. 1976. Changes in chlorophyll a, b and the a/b ratio during color development in citrus fruit. *J.Amer.Soc.Hort.Sci.* 101(4): 416-418.

Jones, W.W., T.W. Embleton, J.H. Foott and R.G. Platt. 1973. Response of young lemon trees to potassium and zinc application yield and fruit quality. *J.Amer.Soc.Hort.Sci.* 98(4): 414-416.

Jones, W.W., T.W. Embleton, M.L. Steinacker and C.B. Cree. 1964. The effect of time of fruit harvest on fruiting and carbohydrate supply in the Valencia orange. *Proc.Amer.Soc.Hort.Sci.* 84: 152-157.

Jones, W.W., T.W. Embleton, M.L. Steinacker and C.B. Cree. 1970. Carbohydrates and fruiting of 'Valencia' orange trees. *J.Amer.Soc.Hort.Sci.* 95(3): 380-381.

Kefford, J.F. 1959. The chemical constituents of citrus fruits. *Adv.Fd.Res.* 9: 285-372.

Ketsa, S. 1988a. Effect of fruit size on juice content and chemical composition of tangerine. *J.Hort.Sci.* 63(1): 171-174.

Ketsa, S. 1988b. Effects of seed number on fruit characteristics of tangerine. *Kasetsart.J.* 22: 225-227.

Khairi, M.M.A. and A.E. Hall. 1976. Effects of air and soil temperatures on vegetative growth of citrus. *J.Amer.Soc.Hort.Sci.* 104(4): 337-341.

Khan, M.U.D. and G. Mackinney. 1953. Carotenoids in grapefruit, Citrus paradisi. *Plant.Physiol.* 28: 550-552.

Kochurina, A.P. 1985. Changes in the chemical composition of grapefruit and pummelo fruits during ripening and storage. *Hort.Abstr.* 55(8)(656): 6464.

Kornerup, A. and J.H. Wanscher. 1981. *Methuen hand book of colour*. Eyre Methuen. London.

Kozlowski, T.T. 1968. Diurnal changes in diameters of fruit and tree stems of Montmorency cherry. *J.Hort.Sci.* 43: 1-15.

Lenz, F. 1967. Relationships between the vegetative and reproductive growth of Washington Navel orange cuttings. (Citrus sinensis) *J.Hort.Sci.* 42: 31-39.

Levy, Y., A. Bar-Akiva and Y. Vaadin. 1978. Influence of irrigation and environmental factors on grapefruit acidity. *J.Amer.Soc.Hort.Sci.* 103(1): 73-76

- Lewis, L.N., C.W. Coggins Jr. and M.J. Garber. 1964. Chlorophyll concentration in the Navel orange rind as related to potassium gibberellate, light intensity, and time. Proc.Amer.Soc.Hort.Sci. 84: 177-180.
- Li, S.J. 1980. Self-incompatibility in 'Matou' wentan [Citrus grandis] (L.) Osb.I. HortScience. 15(3): 298-300.
- Maier, V.P., L.C. Brewster and A.C. Hsu. 1973. Ethylene-accelerated limonoid metabolism in citrus fruits: A process for reducing juice bitterness. J.Agr.Food.Chem. 21(3): 490-495.
- Marloth, R.H. 1950. Citrus growth studies II. Fruit growth and fruit internal quality changes. J.Hort.Sci. 25: 235-248.
- Mc Donald R.E. and B.M. Hillebrand. 1980. Physical and chemical characteristics of lemons from several countries. J.Amer.Soc.Hort.Sci. 105(1): 135-141.
- Mc Farlane J.C. 1978. Controlled environments in horticultural research. HortScience. 13(4): 445-459. (Symposium)
- Mc Intosh, C.A., R.L. Mansell and Rouseff. 1982. Distribution of limonin in the fruit tissues of nine grapefruit cultivars. J.Agr.Fd.Chem. 30: 689-692.
- Miller, E.V. 1946. Physiology of citrus fruits in storage. Bot.Rev. 12(7): 393-423.

Miller, E.V., J.R. Winston and H.A. Schomer. 1940. Physiological studies of plastid pigments in rinds of maturing oranges. *J.Agr.Res.* 60(4): 259-267.

Minessy, F.A., M.A. Barakat and E.M. El. Azab. 1970. Effect of water table on mineral content, root and shoot growth, yield and fruit quality in 'Washington Navel' orange and 'Balady' mandarin. *J.Amer.Soc.Hort.Sci.* 95(1): 81-85.

Mitchell, P.D. 1986. Pear fruit growth and the use of diameter to estimate fruit volume and weight. *HortScience.* 21(4): 1003-1005.

Monselise, S.P. and D. Galily. 1979. Organic acids in grapefruit fruit tissue. *J.Amer.Soc.Hort.Sci.* 104(6): 895-897.

Moss, G.I. 1969. Influence of temperature and photoperiod on flower induction and inflorescence development in sweet orange (*Citrus sinensis*.). *J.Hort.Sci.* 44: 311-320.

Moss, G.I. 1970a. Chemical control of flower development in sweet orange (*Citrus sinensis*). *Aust.J.Agric.Res.* 21: 233-242.

Moss, G.I. 1970b. The influence of temperature on fruit-set in cuttings of sweet orange (*Citrus sinensis*). *Hort.Res.* 10(2): 97-107.

Moss, G.I. 1971. Promoting flowering in sweet orange. *Aust.J.Agric.Res.* 22: 625-629.

- Moss, G.I. 1976a. Effects of a mineral oil spray on the flowering of sweet orange (Citrus sinensis). Aust.J.Agric.Res. 27: 409-413.
- Moss, G.I. 1976b. Temperature effects on flower initiation in sweet orange (Citrus sinensis). Aust.J.Agric.Res. 27: 399-407.
- Moss, G.I. and D.B. Bevington. 1977. The use of gibberellic acid to control alternate cropping of Late Valencia sweet orange. Aust.J.Agric.Res. 28: 1041-1054.
- Moss, G.I. and W.A. Muirhead. 1971. Climatic and tree factors relating to the yield of orange trees. I. Investigations on the cultivars 'Washington' Navel and Late Valencia. Hort.Res. 11: 3-17.
- Nagy, S. 1980. Vitamin C content of citrus fruit and their products : A Review. J.Agric.Food.Chem. 28: 8-18.
- Parker, E.R. and W.W. Jones. 1950. Oranges fruit sizes in relation to potassium fertilization in a long-term experiment in California. Proc.Amer.Soc.Hort.Sci. 55: 101-113.
- Purcell, A.E. and E.F. Schultz.Jr. 1964. Influence of fruit age on lycopene concentration in colored grapefruit. Proc.Amer.Soc.Hort.Sci. 85: 183-188.
- Randhawa, G.S. and B.S. Dhillon. 1966. Studies on fruit set and fruit drop in citrus I. A Review. Ind.J.Hort. 22: 33-45.

Rasmussen, G.K. 1964. Seasonal changes in the organic acid content of Valencia orange fruit in Florida. Proc.Amer.Soc. Hort.Sci. 84: 181-187.

Ratanadaros, A. and N. Chomchalow. 1984. Citrus germplasm in Thailand. BPGR. Newsletter. 8(3): 16-19.

Reinking, O.A. and G.W. Groff. 1921. The Kao Pan seedless siamese pummelo and its culture. Phil.J.Sci. 21(4): 389-437.

Reitz, H.J. 1984. The world citrus crop. Outlook.Agric. 13(3): 140-146.

Reuther, W. 1977. Citrus. In. Alvim, P.T. and T.T. Kozlowski. (ed.). Ecophysiology of tropical crop. New York: Academic Press.: 409-439.

Reuther, W., E.M. Nauer and C.N. Roistacher. 1979. Some high temperature effects on citrus growth. J.Amer.Soc.Hort.Sci. 104(3): 353-356.

Reuther, W., H.J. Webber and L.D. Batchelor. 1967. The citrus industry. Vol.I. Div. of Agri.Sci., Univ. of Cal., Berkely, California.

Rouse, R.E. 1988. Description and characteristics of major citrus cultivars of the world. Proceedings of the workshop. HortScience. 23(4): 679-697.

- Saidha, T., E.E. Goldschmidt and S.P. Monselise. 1985. Endogenous cytokinins from developing 'Shamouti' orange fruits derived from leafy and leafless inflorescences. *Scientia.Hortic.* 26: 35-41.
- Sauer, M.R. 1951. Growth of orange shoots. *Aust.J.Agr.Res.* 2: 105-117.
- Schaffer, A.A., E.E. Goldschmidt, R. Goren and D. Galili. 1985. Fruit set and carbohydrate status in alternate and nonalternate bearing citrus cultivars. *J.Amer.Soc.Hort.Sci.* 110(4): 574-578.
- Shaked, A. and D. Hasadai. 1985. Organic acids in the juice of developing nucellar and old-line clone Shamouti oranges. *J.Hort.Sci.* 60(4): 563-568.
- Sinclair, W.B. and D.M. Eny. 1945. The organic acids of lemon fruits. *Bot.Gaz.* 107(2): 231-242.
- Sinclair, W.B. and V.A. Jolliffe. 1961. Chemical-changes in the juice vesicle of granulated Valencia oranges. *J.Food.Sci.* 26: 276-282.
- Singh, R., and R. Singh. 1980. Effect of granulation on physical and chemical characters of the of 'Kaula' mandarin. *Indian. J.Agric.Sci.* 50(7): 565-568.

- Singh, R., and R. Singh. 1981. Effect of nutrient spray on granulation and fruit quality of 'Dancy tangerine' mandarin. *Scientia.Hortic.* 14: 235-244.
- Site, J.W. and H.J. Reitz. 1950a. The variation in individual Valencia oranges from different locations of the tree as a guide to sampling methods and spot-picking for quality. Part II. Titratable acid and the soluble solids/titratable acid ratio of the juice. *Proc.Amer.Soc.Hort.Sci.* 55: 73-80.
- Site, J.W. and H.J. Reitz. 1950b. The variation in individual Valencia oranges from different locations on the tree as a guide to sampling methods and spot-picking for quality. Part III. Vitamin C and juice content of the fruit. *Proc.Amer. Soc.Hort.Sci.* 56: 103-110.
- Soost, R.K. 1964. Self-incompatibility in Citrus grandis (Linn.) Osbeck. *Proc.Amer.Soc.Hort.Sci.* 84: 137-140.
- Southwick, S.M. and T.L. Davenport. 1986. Characterization of water stress and low temperature effects on flower induction in citrus. *Plant.Physiol.* 81: 26-29.
- Stewart, I. 1975. Provitamin A and Carotenoid content of citrus juices. *J.Agric.Food.Chem.* 25(5): 1132-1137.
- Stewart, I. and T.A. Wheaton. 1972. Carotenoids in citrus :Their accumulation induced by ethylene. *J.Agr.Fd.Chem.* 20(2): 448-449.

Syvertsen, J.P. and L.G. Albrigo. 1980. Some effect of grapefruit tree canopy position on microclimate, water relations, fruit yield and juice quality. *J.Amer.Soc.Hort.Sci.* 105(3): 454-459.

Syvertsen, J.P. and M.L. Smith. Jr. 1983. Environmental stress and seasonal changes in proline concentration of citrus tree tissues and juice. *J.Amer.Soc.Hort.Sci.* 108(5): 861-866.

Thomson, W.W. 1966. Ultrastructural development of chromoplasts in Valencia oranges. *Bot.Gaz.* 127(2/3): 133-139.

Ting, S.V. 1969. Distribution of soluble components and quality factors in the edible portion of citrus fruits. *J.Amer.Soc.Hort.Sci.* 94: 515-519.

Ting, S.V. and J.A. Attaway. 1971. Citrus fruit. In: Hulme. A.C. (ed.). *The biochemistry of fruit and their products.* London. Academic press: 107-169.

Turrell, F.M., S.P. Monselise and S.W. Austin. 1964. Effect of climatic district and of location in tree on tenderness and other physical characteristics of citrus fruit. *Bot.Gaz.* 125(3): 158-170.

Valmayor, R.V., R.D. Bugante Jr., S. Cunvong and H.L. Layaoen. 1975. Growth, maturation and chemical composition of 'Valencia' orange grown under tropical conditions in Los Banos, Philippines. *Philip. Agric.* 58(7/8): 308-321.

Valmayor, R.V., P.C. Tobora, Jr, M.R. Ramirez, W.R. Herrera and A.B. Asencion. 1974. The natural distribution of the root systems of citrus, lanzones and cacao. *Philip.Agric.* 58(5/6): 244-262.

Wallace, A., S.H. Cameron and P.A. T. Wieland. 1955. Variability in citrus fruit characteristics, including the influences of position on the tree and nitrogen fertilization. *Proc.Amer.Soc. Hort.Sci.* 65: 99-108.

Williams, R.F. and C.T. Gates. 1956. Studies in citrus nutrition. I. Leaf growth and composition. *Aust.J.Agr.Res.* 7: 248-260.

Wutscher, H.K. 1976. Influence of night temperature and daylength on fruit shape of grapefruit. *J.Amer.Soc.Hort.Sci.* 101(5): 573-575.

Wutscher, H.K. and F.W. Bistline. 1988. Rootstock influences juice color of 'Hamlin' orange. *HortScience.* 23(4): 724-725.

Young, R, F. Meredith and A. Purcell. 1969. Redblush grapefruit quality as affected by controlled artificial climates. *J.Amer.Soc.Hort. Sci.* 94(6): 672-674.