

เอกสารอ้างอิง

จักรี เสน่ห์ พง. 2528. การศึกษาสรีริวิทยาของพืชภัยต่อสภาวะเครื่องดื่ม : การด้วยเหลารสสังเคราะห์โดยวิธีการวิเคราะห์การเจริญเติบโต. รายงานล้มเหลววิชา ก.ร.ก. 792 คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.

บุญเล่อน อินหวงศ์. 2524. การนลูกชาวสาลีในอาเภอแม่สาย (สถานีใบยาเชียงราย).
รายงานการล้มเหลวเชิงปฏิบัติการชี้แจงเมืองหนาว. สำนักงานเกษตรภาคเหนือ.
เชียงใหม่. หน้า 14-20

ณัศ แสนเสี่ยง, กัญญา คิรันนท์ และชัยวุฒิ นิยมลังกูล. 2525. การศึกษาความต้องการ
ธาตุอาหารในโตรเจนและฟอสฟอรัสบนเดินชุดลับทรัพย์. รายงานการล้มเหลวเชิง-
ปฏิบัติการชี้แจงเมืองหนาว. สำนักงานเกษตรภาคเหนือ. เชียงใหม่. หน้า 241-256

วิชชูชัย ขันธกูล. 2524. ประวัติและประสบการณ์การปลูกชาวสาลี. รายงานการล้มเหลว
เชิงปฏิบัติการชี้แจงเมืองหนาว. สำนักงานเกษตรภาคเหนือ. เชียงใหม่.
หน้า 15-18

วรรษันต์ โถมแพ แสงคง 2525. การปรับปรุงชี้แจงเมืองหนาวภาคตะวันออกเฉียงเหนือ
ปี 2524-2525. รายงานล้มเหลวเชิงปฏิบัติการชี้แจงเมืองหนาว. สำนักงานเกษตร
ภาคเหนือ. เชียงใหม่. หน้า 140-153

สุทธิ์ จุลศรีไกวัล แคลด์ริง ติยะลีย์. 2525. การศึกษาระยะเวลาปลูกที่เหมาะสมของ
ชาวสาลี. รายงานการล้มเหลวเชิงปฏิบัติการชี้แจงเมืองหนาว.

สำนักงานเกษตรภาคเหนือ. เชียงใหม่. หน้า 257-262

Asana, R.D., A.D. Saini, and D. Ray. 1958. Studies in Physiological analysis of yield. III. The rate of grain development in wheat in relation to photosynthetic surface and soil moisture. Physiologia pl. 11 : 655 - 665.

Aspinall, D. 1965. The effects of soil moisture stress on the growth of barley. II. Grain growth. Aust.J. agric. Res. 16 ; 265 - 275.

Begg. J.E. and N.C. Turner. 1976. Crop water deficits. Adv. Agron. 28 : 161 - 217.

Bingham, J. 1966. Varietal response in wheat to water supply in the field, and male sterility caused by a period of drought in a glasshouse experiment. Ann. appl. Biol. 47 : 365 - 377.

Bhullar, S.S and C.F. Jenner. 1984. Responses to brief periods of elevated temperature in ears and grains of wheat. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico. 1(4) : 359.

Campbell, C.A. and H.R. Davidson. 1980. Effect of temperature, N, and moisture stress on growth, assimilation distribution and moisture use by Mainton spring wheat. Field Crop Abstr. 33(8) : 617.

Carr. D.F. and I.F. Wardlaw . 1965. The supply of photosynthetic assimilates to the grain from the flag leaf area of wheat. Aust. J. biol. Sci. 18 : 711 - 719.

Chakravarty, N.V.K. and P.S.N. Sastry. 1985. Biomass production in wheat in relation to evaporative demand and ambient temperature. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico 2(2) : 104.

Chujo, H. 1966. Difference in vernalization effect in wheat under various temperatures. Proc. Crop Sci. Soc. Japan. 35 : 177 - 186.

Day, A.D. and Subhawatr Intalap. 1970. Some effect of soil moisture stress on the growth of wheat (Triticum aestivum. L. em Thell.) Agron.J. 62 : 27 - 29.

Donovan, G.R., J.W. Lee, and et al. 1984. Effect of temperature on grain growth and protein accumulation in cultured wheat ears. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico. 1(2) : 252.

Doorenbos, J. and et al 1979. Crop and water (Part B.) Yield response to water. FAO, Rome. : 164 - 170.

- Duncan, W.G. and et al 1978. Physiological aspects of peanut of peanut yield improvement. Crop Sci. 18 : 1015 - 1020.
- Fischer, R.A. and G.D. Kohn. 1966. The relationship of grain yield to vegetative growth and post flowering leaf area in the wheat crop under conditions of limited soil moisture. Aust.J. agric. Res. 17 : 281 - 295.
- Fischer, R.A. 1973. The effect of water stress at various stages of development on yield processes in wheat. In plant response to climatic factors. UNESCO, Paris. : 233 - 241.
- Fischer, R.A. 1984. Physiological limitations to producing wheat in semi - tropical and tropical environments and possible selection criteria (unpublished paper) Austaria. 30 pp.
- Ford, M.F., R.B. Austin., W.J. Angus, and G.C.M. Sage. 1982. Relationships between the responses of spring wheat genotypes to temperature and photoperiodic treatments and their performance in the field. Field crop Abstr. 35(1) : 10.
- Frank, A.B. and A. Bauer. 1984. Cultivar, nitrogen, and soil water effects on apex development in spring wheat. Agron. J. 76 : 656 - 660.
- Friend, D.J.C. 1966. The effects of light and temperature on the growths of cereals. In the growth of cereals and grasses. eds. F.L. Milthorpe and J.D. Ivins. Butterworths London. : 181 - 199.
- Gilmore, E.C.; JR. Rogers,. and J.S. Rogers,. 1958. Heat units as a muthos of measuring maturity in corn. Agron. J. 50 : 611 - 615.
- Hoshikawa, K. 1959. Influence of temperature upon the fertization of wheat grown in various levels of nitrogen. Proc. Crop. Sci. Soc. Japan. 28 : 291 - 295.

- Innes, P. and R.D. Blackwell. 1982. The effect of drought on the water use and yield of two spring wheat genotypes. *Field Crop Abstr.* 35(2) : 10.
- Jenson, H.F. and V.O. Mogensen. 1985. Yield and nutrient content of spring wheat subjected to water stress at various growth stages. *Wheat, Barley and Triticale Abstr.* 2(2) : 117.
- Johnson, R.C. and E.T. Kanemasu. 1984. The influence of water availability on winter wheat yield. *Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico* 1(2) : 128.
- Khondaker, R.H. ; A. Islam., S.Rahman., and T.H. Kham. 1984. Influence of soil moisture stress on yield, grain quality availability and uptake of N,P and K by wheat. *Wheat, Barley and Triticale Abstracts. CIMMYT, Mexico* 1(4) : 447.
- Kibreab, Tadesse and Vut Ananboontarick. 1980. Chillie pepper response to moisture stress and nitrogen fertilization Research report of water management section. MCP, Chiang Mai Univ. Thailand. 178 pp.
- Kirkham, M.B., and E.T. Kanemasu. 1983. Wheat. In *Crop-water relations* (chapter 15.). John-Wildy and sons, Inc. Now York : 482 - 520.
- Kofan, A.I. 1984. The influence of sowing date, sowing rate and muneral fertilizers on formation of spring wheat yield in the cis-Amur region. *Wheat, Barley and Triticale Abstr.* 1(4) : 349.
- Kontturi, M. 1981. The effect of weather on yield and development of spring wheat in Finland. *Field Crop Abstr.* 34(11) : 961.
- Lawlov, D.W. 1976. Water stress induced change in photosynthesis photorespiration, respiration and CO₂ compensation concentration of wheat. *Photosynthetica.* 10 : 378 - 387.
- Major, D.J., D.R. Johnson., and V.D. Juedders. 1975. Evaluation of eleven thermal unit muthods for perdicting soybean development. *Crop Sci.* 15 : 172 - 174.

- Marcellos, H. and W.V. Single. 1971. Quantitative responses of wheat to photoperiod and temperature in the field. Aust. J. agric. Res. 22 : 343 - 357.
- Marcellos, H. and W.V. Single. 1972. The influence of cultivar, temerature and photoperiod on post-flowering development of wheat. Aust. J. agric. Res. 23 : 533 - 540.
- Midmore, D.J. 1976. Growth, development and yield of wheat (Triticum aestivum L.) in the Tropics. Ph.D. thesis Univ. of Reading, UK. 96 pp.
- Milthrope, F.L. and J. Moorby. 1974. An Intreduction to crop physislogy, Cammbridge Univ. Press. 202 pp.
- Monotti, M. and et al. 1983. Effects of irrigation and other agronomic practices on wheat grain yield. Field Crop Abstr. 36(2) : 135.
- Newman and et al. 1968. Growing degree days. Crops and Soils. 20 : 9 - 12.
- Nicustro, C. 1980. Basic contradictions in the concept of day-degrees, study of day degrees in relation to plants of wheat, maize and groundnut grown in different environment Field Crop Abstr. 33(5) : 402.
- Oosterhuis, D.M. and P.M. Cartwright . 1984. Spike differentiation and floret survival in semidwarf spring wheat as affected by water stress and photoperiod. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico. (2) : 131.
- O'Toole, J.C. and O.S. Namuco. 1983. Role of panicle exsertion in water stress induced sterility. Crop Sci. 23 : 1093 - 1097.
- Owen, P.C. 1971. Ibid, II. Extreme temperature. Expl. Agric. 7 : 43 - 77.
- Peters, D.B., J.W. Pendleton, R.H. Hagaman, and C.M. Brown. 1971. Effect of night air-temperature on grain yield of corn, wheat and soybeans. Agron. J. 63 : 809.

Rab.A., H.E. Jensen, and V.O. Mogensem. 1984. Dry matter production of spring wheat subjected to water stress at various growth stages. Wheat, Barley and Triticale Abstracts. CIMMYT, Mexico, 4(4) : 450.

Rasmidatta, Visit. 1984. Growing degree days. Thai J. Agric. Sci. 17 : 155 - 158.

Rawson, H.M. and L.T. Evans, 1971. The contribution of stem reserves to grain development in a range of wheat of different heights. Aust. J. Agric. Res. 22 : 851 - 863.

Rawson, H.M. and G. Hofstra. 1969. Translocation and remobilization of C assimilated at different stages by each leaf of the wheat plant. Aust. J. biol. Sci. 22 : 321 - 331.

Robins, J.S. and C.E. Domingo. 1962. Moisture and nitrogen effects on irrigated spring wheat. Agron. J. 54 : 135 - 138.

Sage, G.C.M. and W.J. Angus. 1981. Spring wheat Field Crop Abstr. 34(1) : 101.

Sayed, H.I. and M.O. Ghadorah. 1985. Association of grain-filling characteristics with grain weight and senescence in wheat under warm dry conditions. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico. 2(3) : 211.

Saini, H.S. and D. Aspinall, 1981. Effect of water deficit on sporogenesis in wheat (Triticum austivum.) Ann. of Bot. 48 (5) : 623 - 633.

Saini, H.S. and D. Aspinall. 1982. Abnormal sporogenesis in wheat (T. antivum. L.) induced by short periods of high temperature. Annals of Botany, 49(6) : 835 - 846.

Salmon, C. 1914. Sterile florets in wheat and other cereals. Am. Soc. Agron. 6 : 24.

Sigh, Tej and D.S. Malik. 1984. Effect of water stress at three growth stages on the yield and water-use efficiencies of dwarf wheat. Wheat, Barley and Triticale Abstracts. CIMMYT, Mexico. 1(2) : 133.

- Singh, N.T. ; G.C. Aggarwal and G.S. Brar. 1985. Effect of soil moisture stress on heat unit requirement of wheat at maturity. Wheat, Barley and Triticale Abstracts. CIMMYT Mexico. 2(3) : 203.
- Slatyer, R.O. 1973 . In " Plant response to climatic factors " (R.O. Slatyer, eds.) UNESCO, Paris. : 17 - 191.
- Sofield, I. ; L.T. Evans, and I.F. Wardlaw. 1974. The effects of temperature and light on grain filling in wheat. In Bielecki, R.L; Ferguson, A.R. and Cresswell, M.M.(eds.) Mechanism of regulation of plant growth. Bulletin, Royal Society of New Zealand, Wellington.
- Strand, E. 1985. Effect of temperature and precipitation on growth period and heat sum in cereal species. Wheat, Barley and Triticale Abstracts. CIMMYT. Mexico. 2(3) : 257.
- Sueep, J. et al. 1979. Plant breeding perspectives. (chapter 2) Pudoc. : 47 - 83.
- Thorne, G.N. ; M.A. Ford, and D.J. Watson. 1968. Growth, development and yield of spring wheat in critical climates. Ann. Bot. 32 : 425 - 446.
- Turner, N.C. 1966. Ph.D. Tesis. University of Adelaide, South Australia.
- Wall, P.C. and P.M. Cartwright. 1974. Effects of photoperiod, temperature and vernalization on the phenology and spikelet numbers of spring wheat. Ann. appl. Biol. 76 : 299 - 309.
- Waloszczyk, K and R. Focke. 1981. Data on the yield and dry matter producion process in spring wheat in relation to temperature and radiation. Field Crop Abstr. 34(8) ; 685.
- Wardlaw, I.F. 1967. The effect of water stress on translocation in relation to photosynthesis and growth . I. Effect during grain development in wheat. Aust. J. biol. Sci. 20 : 25 - 39 .

- Wardlaw, I.F. 1970. The early stages of grain development in wheat : response to light and temperature in a single variety. Aust. J. biol. Sci. 23 : 765 - 774.
- Wardlaw, I.F. 1971. The early stages of grain development in wheat ; response to water stress in a single variety. Aust. J. biol. Sci. 24 : 1047 - 1055.
- Went, F.W. 1950. The response of plants to climate. Science. 112 : 489 - 494.
- Yogodkina, V.M. 1984. Rate of development in spring wheat and its relation to yield components in western siberia, wheat, Barley and Triticale Abstr. 1(4) : 349.
- Yoshida, S. and J.H. Cook. 1971. Growth performance of an improved rice variety in the tropics. Int. Rice Comm. Newslet. 20 : 1 - 15.