

เอกสารอ้างอิง

- กฤษฎา สัมพันธ์รักษ์. 2519. หลักการปรับปรุงพันธุ์พืช. ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ. 418 หน้า.
- จานุลักษณะ ขนบดี. 2535. การผลิตเมล็ดพันธุ์ผัก. สำนักพิมพ์โอเดียนสโตร์. กรุงเทพฯ. 183 หน้า.
- ชวนพิศ อรุณรังสิกุล. 2538. เทคนิคการตรวจสอบและจำแนกพันธุ์โดยใช้ Isozyme pattern. เอกสารประกอบการฝึกอบรม เรื่อง การตรวจแยกสายพันธุ์พืชด้วยการใช้ Isozyme pattern และ RAPD. ครั้งที่ 1 24 – 28 กรกฎาคม 2538. ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 71 หน้า.
- ดวงพร วรสุนทรโรสถ. 2538. หลักการและเทคโนโลยีทางอิเล็กโตรโฟรีซิส. เอกสารประกอบการฝึกอบรม เรื่อง การตรวจแยกสายพันธุ์พืชด้วยการใช้ Isozyme pattern และ RAPD. ครั้งที่ 1 24 – 28 กรกฎาคม 2538. ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 71 หน้า.
- ดำเนิน กาละดี. 2541. เทคโนโลยีการปรับปรุงพันธุ์พืช. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. เชียงใหม่. 256 หน้า.
- พิศสุวรรณ เขียมสมบัติ. 2531. อิเล็กโตรโฟรีซิส. เอกสารประกอบการฝึกอบรมทางวิชาการ เรื่อง เทคนิคทางอิเล็กโตรโฟรีซิสในการจำแนกพันธุ์พืช. 18 – 22 กรกฎาคม 2531. ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 116 หน้า.
- เพิ่มพงษ์ ศรีประเสริฐศักดิ์. 2531. เทคนิคทางอิเล็กโตรโฟรีซิสในการจำแนกพันธุ์พืช. เอกสารประกอบการฝึกอบรมทางวิชาการเรื่อง เทคนิคทางอิเล็กโตรโฟรีซิสในการจำแนกพันธุ์พืช. 18 – 22 กรกฎาคม 2531. ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 116 หน้า.
- Alipieva, M. 1990. Overcoming self incompatibility in Cabbage (*B. oleracea* var *capitata* L.) by heat treatment of the stigma. Plant Breeding Abstracts. 60(11):1412.
- Alipieva, M. and T. Nankova. 1996. New hybrids of early head Cabbage. Plant Breeding Abstracts. 66(10):1450.

- Aneja, M., T. Gianfagna, E. Ng and I. Badilla. 1992. Carbon dioxide and treatment influence pollen germination and fruit set in Cacao. *HortScience*. 27(11):1038-1040.
- Aneja, M., T. Gianfagna, E. Ng and I. Badilla. 1994. Carbon dioxide treatment partially overcomes self incompatibility in a Cacao genotype. *HortScience*. 29(1):15-17.
- Arasu, N.T. 1970. Self incompatibility in *Ribes*. *Euphytica*. 19:373-378.
- Bauch, W. and I. Joseph. 1990. Performance of different white Cabbage hybrid forms. *Plant Breeding Abstracts*. 60(8):994.
- Boyes, D.C. and J.B. Nasrallah. 1993. Physical linkage of the SLG and SRK genes at the self incompatibility locus of *B. oleracea*. *Plant Breeding Abstracts*. 63(5):663.
- Boyes, D.C. and J.B. Nasrallah. 1996. An anther-specific gene encoded by an S locus haplotype of *Brassica* produces complementary and differentially regulated transcripts. *Plant Breeding Abstracts*. 66(1):93.
- Boyes, D.C., M.E. Nasrallah, J. Vrebalov and J.B. Nasrallah. 1997. The self incompatibility (S) haplotypes of *Brassica* contain highly divergent and rearranged sequences of ancient origin. *Plant Breeding Abstracts*. 67(7):989.
- Briggs, F.N. and P.F. Knowles. 1967. Introduction to plant breeding. Reinhold Publishing Corporation : A Subsidiary of Chapman-Reinhold, INC., USA. 426 p.
- Cao, J.S. and S.C. Cao. 1996. Preliminary report on identification of the cross involved in the origin of heading-type Chinese cabbage. *Plant Breeding Abstracts*. 66(4):537.
- Carafa, A.M. and G. Carratu. 1997. Stigma treatment with saline solutions : a new method to overcome self incompatibility in *B. oleracea* L. *Plant Breeding Abstracts*. 67(12):1728.
- Carter, A.L. and T. McNeilly. 1975. Effects of increased humidity on pollen tube growth and seed set following self pollination in Brussels sprout (*B. oleracea* var *gemmifera*). *Euphytica*. 24:805-813.
- Chen, C.H. and J.B. Nasrallah. 1991. A new class of S sequences defined by a pollen recessive self incompatibility allele of *B. oleracea*. *Plant Breeding Abstracts*. 61(1):123.
- Chen, G., J.B. Xu, F.L. Zhang, J.Z. Sun and Y.J. Yu. 1997. Selection of Beijing Xiao Za 60, a new early cultivar of Chinese leaf. *Plant Breeding Abstracts*. 67(7):988.

- Chen, S.R., C.Q. Li, Y.S. Cai, M. Song, X.J. Wang, N.K. Tong and J.J. Lei. 1997. Selection of Xivuan 4, a high-quality high-yielding autumn Cabbage. *Plant Breeding Abstracts*. 67(7):988.
- Chen, T.L., L.C. Zhang and S.H. Lai. 1991. A new variety of Chinese cabbage – Taoyuan Yashu 2. *Plant Breeding Abstracts*. 61(1):124.
- Chevre, A.M., R. Delourme, F. Eber, E. Margale, C.F. Quiros and P. Arus. 1996. Genetic analysis and nomenclature for seven isozyme systems in *B. nigra*, *B. oleracea* and *B. campestris*. *Plant Breeding Abstracts*. 66(5):692.
- Chou, M.C. and D.J. Harberd. 1970. Note on visual distinction of fluorescent callose of pollen tubes and sieve tubes in stylar tissue of *Brassica* and its allies. *Euphytica*. 19:379-381.
- Chu, L.X. and H. Xin. 1993. Breeding the new high-yielding autumn Cabbage variety Qiu Lan. *Plant Breeding Abstracts*. 63(12):1702.
- Delorme, V., J.L. Giranton, Y. Hatzfeld, A. Friry, P. Heizmann, M.J. Ariza, C. Dumas, T. Gaude, and J.M. Cock. 1995. Characterization of the S locus genes, SLG and SRK, of the *Brassica* S₃ haplotype : identification of a membrane-localized protein encoded by the S locus receptor kinase gene. *Plant Breeding Abstracts*. 65(6):884.
- Ding, W.X., Z.Y. Huang, A.M. Wang and H.L. Xu. 1995. Breeding of the new flat-type early-maturing spring Cabbage cultivar Chunlei. *Plant Breeding Abstracts*. 65(11):1666.
- Doughty, J., S. Dixon, S.J. Hiscock, A.C. Willis, I.A.P. Parkin and H.G. Dickinson. 1998. PCP-A1, a defensin-like *Brassica* pollen coat protein that binds the S locus glycoprotein, is the product of gametophytic gene expression. *Plant Cell*. 10:1333-1347.
- Elleman, C.J. and H.G. Dickinson. 1995. Pollen-stigma interaction during sporophytic self incompatibility in *B. oleracea*. *Plant Breeding Abstracts*. 65(2):233.
- Fang, Z.Y., P.T. Su, Y.M. Liu, L.M. Yang, A.F. Hou and X.W. Wang. 1997. The selection of new early spring nCabbage F₁ hybrid 8398. *Plant Breeding Abstracts*. 67(3):350.
- Fitzgerald, D.M., D. Barry, P.R. Dawson and A.C. Cassells. 1997. The application of image analysis in determining sib proportion and aberrant characterization in F₁ hybrid *Brassica* populations. *Seed Sci. & Technol.* 25:503-509.

- Gaude, T., A. Friry, P. Heizmann, C. Mariac, M. Rougier, I. Fobis and C. Dumas. 1993. Expression of a self incompatibility gene in a self compatible line of *B. oleracea*. *Plant Cell*. 5:75-86.
- Gaude, T., M. Rougier, P. Heizmann, D.J. Ockendon and C. Dumas. 1995. Expression level of the SLG gene is not correlated with the self incompatibility phenotype in the class II S haplotypes of *B. oleracea*. *Plant Breeding Abstracts*. 65(9):1376.
- Giranton, J.L., M.J. Ariza, C. Dumas, J.M. Cock and T. Gaude. 1996. The S locus receptor kinase gene encodes a soluble glycoprotein corresponding to the SRK extracellular domain in *B. oleracea*. *Plant Breeding Abstracts*. 66(4):537.
- Gomez-Campo, C. 1980. Morphology and morpho-taxonomy of the tribe *Brassicaceae*, p. 3-31. In S. Tsunoda, K. Hinata and C. Gomez-Campo (eds.). *Brassica Crops and Wild Allies*. Japan Scientific Societies Press, Tokyo, Japan.
- Gower, S. 1974. The production of F₁ hybrid Swedes (*B. napus* ssp *rapifera*) by the utilisation of self incompatibility. *Euphytica*. 23:205-208.
- Hadj-Arab, H. 1990a. Interest in reproductive biology for plant improvement – example of pollen self incompatibility of a crucifer of the genus *Brassica*. *Plant Breeding Abstracts*. 60(4):435.
- Hadj-Arab, H. 1990b. Reproductive biology of *B. oleracea*. *Plant Breeding Abstracts*. 60(4):435.
- Han, I.G. 1997. Study on the breeding of Chinese cabbage F₁ for autumn “ Hamhung 3 ”. *Plant Breeding Abstracts*. 67(6):831.
- Hinata, K. 1981. Self incompatibility : Physiological aspects for the breeding of cruciferous vegetables, p. 321-333. In N.S. Talekar and T.D. Griggs (eds.). *Chinese Cabbage : Proceedings of the First International Symposium*. Asian Vegetable Research and Development Center, Shanhua, Tainan, Taiwan, China.
- Hinata, K. and T. Nishio. 1980. Self incompatibility in crucifers, p. 223-234. In S. Tsunoda, K. Hinata and C. Gomez-Campo (eds.). *Brassica Crops and Wild Allies*. Japan Scientific Societies Press, Tokyo, Japan.
- Hopper, J.E., P.D. Ascher and S.J. Peloquin. 1967. Inactivation of self incompatibility following temperature pretreatments of styles in *Lilium longiflorum*. *Euphytica*. 16:215-220.

- Ilieva, V. and M. Alipieva. 1996. Breaking the Cabbage self incompatibility by means of pollen's lazer treatment. *Plant Breeding Abstracts*. 66(12):1758.
- Isogai, A., S. Takayama, H. Shiozawa, C. Tsukamoto, T. Kanbara, K. Hinata, K. Okazaki and A. Suzuki. 1988. Existence of a common glycoprotein homologous to S-glycoprotein in two self incompatible of *B. campestris*. *Plant Cell*. 29(8):1331-1336.
- Isogai, A., S. Takayama, C. Tsukamoto, Y. Ueda, H. Shiozawa, K. Hinata, K. Okazaki and A. Suzuki. 1987. S-locus-specific glycoproteins associated with self-incompatibility in *Brassica campestris*. *Plant Cell Physiol*. 28(7):1279-1291.
- Johnson, A.G. 1971. Factors affecting the degree of self incompatibility in inbred lines of Brussels sprouts. *Euphytica*. 20:561-573.
- Kanazawa, K., H. Eguchi, S. Iwasa and S. Uemoto. 1981. Electrophoretic study on esterases and peroxidases in strains backcrossed with pollen of Chinese cabbage with reference to nucleus substitution, p. 377-383. In N.S. Talekar and T.D. Griggs (eds.). *Chinese cabbage : Proceedings of the First International Symposium*. Asian Vegetable Research and Development Center, Shanhua, Tainan, Taiwan, China.
- Karron, J.D., D.L. Marshall and D.M. Oliveras. 1990. Numbers of sporophytic self incompatibility alleles in populations of wild Radish. *Plant Breeding Abstracts*. 60(8):992.
- Kho, Y.O. and J. Baer. 1968. Observing pollen tubes by means of fluorescence. *Euphytica*. 17:298-302.
- Kucera, V. 1990. Overcoming self incompatibility in *B. oleracea* with a sodium chloride solution. *Plant Breeding Abstracts*. 60(11) : 1412.
- Kumar, V. and M. Trick. 1995. Expression of the S-locus receptor kinase multigene family in *B. oleracea*. *Plant Breeding Abstracts*. 65(3):407.
- Lalonde, B.A., M.E. Nasrallah, K.G. Dwyer, C.H. Chen, B. Barlow and J.B. Nasrallah. 1989. A highly conserved *Brassica* gene with homology to the S-locus-specific glycoprotein structural gene. *Plant Cell*. 1:249-258.

- Lee, J.M. 1981. Effect of CO₂ treatment and other factors on selfed seed production in several self incompatible Chinese cabbage inbred lines, p. 335-343. In N.S. Talekar and T.D. Griggs (eds.). Chinese cabbage : Proceedings of the First International Symposium. Asian Vegetable Research and Development Center, Shanhua, Tainan, Taiwan, China.
- Lei, J.J., C.Q. Li and M. Song. 1995. A study of the inheritance of five economic characters in *B. oleracea* var *capitata* L. Plant Breeding Abstracts. 65(5):739.
- Li, C.W. 1981. The origin, evolution, taxonomy and hybridization of Chinese cabbage, p. 3-10. In N.S. Talekar and T.D. Griggs (eds.). Chinese cabbage : Proceedings of the First International Symposium. Asian Vegetable Research and Development Center, Shanhua, Tainan, Taiwan, China.
- Li, J.K., C.L. Zhuang, D.S. Wang, D.H. Sun and D.Q. Zhang. 1995. Characteristics and cultural requirements of the spring Chinese cabbage variety Lu Chun Bai 1. Plant Breeding Abstracts. 65(5):738.
- Liang, Y, M. Wang and Z.Y. Zhao. 1995. The peroxidase isoenzyme differences among allocytoplasm male sterile lines and their maintainer of Chinese cabbage. Plant Breeding Abstracts. 65(12):1817.
- Liu, W.H., X.W. Zhang and B.L. Song. 1997. Breeding of a new Chinese cabbage F₁ hybrid Zhengbai No.4. Plant Breeding Abstracts. 67(3):350.
- Liu, Y.M., Z.Y. Fang and P.T. Sun. 1997. Selection of new autumn Cabbage hybrid Zhonggan 9. Plant Breeding Abstracts. 67(5):678.
- Liu, Y.W., X.W. Wang, Z.Y. Fang, P.T. Sun and L.M. Yang. 1997. An analysis of the combining ability and genetic effects of the main quantitative characters in self incompatible lines of early-maturing autumn Cabbage. Plant Breeding Abstracts. 67(7):989.
- Maneesinthu, L., K. Piluek, C. Sagwansupyakorn and B. Silayoy. 1990. A study on seed set from crosses between five self incompatible Chinese radish lines. Plant Breeding Abstracts. 60(5):562.
- Matsubara, S. 1981. Overcoming the self incompatibility of *Lilium longiflorum* Thunb. by application of flower-organ extract or temperature treatment of pollen. Euphytica. 30:97-103.

- Matsubara, S. 1984. Overcoming the self incompatibility of *Raphanus sativus* by application of plant hormone, amino acids and vitamins, and by temperature treatment of pollen. *Euphytica*. 33:113-121.
- Mauseth, J.D. 1991. *Botany : An Introduction to Plant Biology*. Saunders College Publishing, Philadelphia, USA. 800 p.
- More, T.A. and D.H. Wallace. 1990. Combining ability and heterosis studies using self incompatible lines in Cabbage (*B. oleracea* var *capitata* L.). *Plant Breeding Abstracts*. 60(2):227.
- Murabaa, A.I.M.El. 1957. Effect of high temperature on incompatibility in Radish. *Euphytica*. 6:268-270.
- Nakanishi, T. and K. Hinata. 1975. Self-seed production by CO₂ gas treatment in self incompatible Cabbage. *Euphytica*. 24:117-120.
- Nankova, T. and M. Alipieva. 1996. Karino F₁, a new early head Cabbage variety. *Plant Breeding Abstracts*. 66(6):1451.
- Nasrallah, J.B. 1996. Complexity of the self incompatibility genes of *Brassica*. *Plant Breeding Abstracts*. 66(4):537.
- Nasrallah, J.B. and M.E. Nasrallah. 1993. Pollen-stigma signaling in the sporophytic self incompatibility response. *Plant Cell*. 5:1325-1335.
- Nasrallah, J.B., J.C. Stein, M.K. Kandasamy and M.E. Nasrallah. 1994. Signaling the arrest of pollen tube development in self-incompatible plants. *Science*. 266:1505-1508.
- Nasrallah, M.E. and D.H. Wallace. 1968. The influence of modifier genes on the intensity and stability of self incompatibility in Cabbage. *Euphytica*. 17:495-503.
- Newbiggin, Ed, M.A. Anderson and A.E. Clarke. 1993. Gametophytic self incompatibility systems. *Plant Cell*. 5:1315-1324.
- Nishi, S. 1980. Differentiation of Brassica crops in Asia and the breeding of ' Hakuran ', a newly synthesized leafy vegetable, p. 133-150. *In* S. Tsunoda, K. Hinata and C. Gomez-Campo (eds.). *Brassica Crops and Wild Allies*. Japan Scientific Societies Press, Tokyo, Japan.

- Nozaki, T., A. Kumazaki, T. Koba, K. Ishikawa and H. Ikehashi. 1997. Linkage analysis among loci for RAPDs, isozymes and some agronomic traits in *B. campestris* L. *Euphytica*. 95:115-123.
- Nozaki, T., M. Anji, T. Takahashi and H. Ikehashi. 1995. Analysis of isozyme loci and their linkages in *B. campestris* L. *Plant Breeding Abstracts*. 65(7):1056.
- Ockendon, D.J. 1973. Selection for high self incompatibility in inbred lines of Brussels sprouts. *Euphytica*. 22:503-509.
- Opena, R.T., C.G. Kuo and J.Y. Yoon. 1988. Breeding and seed production of Chinese cabbage in the tropics and subtropics. Technical bulletin no.17. Asian Vegetable Research and Development Center, Shanhua, Tainan, Taiwan, China. 92 p.
- Pastuglia, M., V. Ruffio-Chable, V. Delorme, T. Gaude, C. Dumas and J.M. Cock. 1997. A functional S locus anther gene is not required for the self incompatibility response in *B. oleracea*. *Plant Cell*. 9:2065-2076.
- Raven, P.H., R.F. Evert and H. Curtis. 1994. *Biology of Plants*. Third edition. Worth Publishers, INC., USA. 791 p.
- Roggen, H. and A.J. Van Dijk. 1976. Thermally aided pollination : A new method of breaking self incompatibility in *B. oleracea* L. *Euphytica*. 25:643-646.
- Roggen, H.P.J.R. and A.J. Van Dijk. 1972. Breaking incompatibility of *B. oleracea* L. by steel-brush pollination. *Euphytica*. 21:424-425.
- Roggen, H.P.J.R. and A.J. Van Dijk. 1973. Electric aided and bud pollination : which method to use for self-seed production in cole crops (*B. oleracea* L.)?. *Euphytica*. 22:260-263.
- Roggen, H.P.J.R., A.J. Van Dijk and C. Dorsman. 1972. Electric aided pollination : A method of breaking incompatibility in *B. oleracea* L. *Euphytica*. 21:181-184.
- Ronis, D.H., A.E. Thompson, D.A. Dierig and E.R. Johnson. 1990. Isozyme verification of interspecific hybrids of *Cuphea*. *HortScience*. 25(11):1431-1434.
- Sato, T., M.K. Thorsness, M.K. Kandasamy, T. Nishi, M. Hirai, J.B. Nasrallah and M.E. Nasrallah. 1991. Activity of an S locus gene promoter in pistils and anthers of transgenic *Brassica*. *Plant Cell*. 3:867-876.

- Scutt, C.P., A.P. Fordham-Skelton and R.R.D. Croy. 1994. Okadaic acid causes breakdown of self incompatibility in *B. oleracea* : evidence for the involvement of protein phosphatases in the incompatible response. *Plant Breeding Abstracts*. 64(5):703.
- Shi, W.J., Y.Y. Ren and P.J. Li. 1997. Selection and breeding of a new early-maturing spring Cabbage variety "Yanchun". *Plant Breeding Abstracts*. 67(3):350.
- Shinohara, S. 1984. Heading Chinese cabbage : F1 hybrid seed production. *Vegetable Seed Production Technology of Japan : Elucidated with Respective Variety Development Histories, Particulars*. volumn I. Shinohara's Authorized Agricultural Consulting Engineer Office, Nishiioi, Shinagawa-ku, Tokyo, Japan. 432 p.
- Snustad, D.P., M.J. Simmons and J.B. Jenkins. 1997. *Principles of Genetics*. John Wiley & Sons, INC., New York, USA. 829 p.
- Song, M.X. and S.L. Wei. 1997. Breeding of high quality and cold resistant heading Chinese cabbage Huang Ya 14-1. *Plant Breeding Abstracts*. 67(5):678.
- Stein, J.C., R. Dixit, M.E. Nasrallah and J.B. Nasrallah. 1996. SRK, the stigma-specific S locus receptor kinase of *Brassica*, is targeted to the plasma membrane in transgenic Tobacco. *Plant Cell*. 8:429-445.
- Stein, J.C., B. Howlett, D.C. Boyes, M.E. Nasrallah and J.B. Nasrallah. 1992. Molecular cloning of a putative receptor protein kinase gene encoded at the self incompatibility locus of *B. oleracea*. *Plant Breeding Abstracts*. 62(7):775.
- Suh, S.K., S.K. Green and H.G. Park. 1995. Genetics of resistance to five strains of turnip mosaic virus in Chinese cabbage. *Plant Breeding Abstracts*. 65(6):885.
- Taylor, J.P. 1982. Carbon dioxide treatment as an effective aid to the production of selfed seed in Kale and Brussels sprouts. *Euphytica*. 31:957-964.
- Trick, M. and R.B. Flavell. 1990. A homozygous S genotype of *B. oleracea* expresses two S-like genes. *Plant Breeding Abstracts*. 60(8):993.
- Tsunoda, S. 1980. Eco-physiology of wild and cultivated forms in *Brassica* and allied genera, p. 109-120. In S. Tsunoda, K. Hinata and C. Gomez-Campo (eds.). *Brassica Crops and Wild Allies*. Japan Scientific Societies Press, Tokyo, Japan. 354 p.

- Visser, D.L. 1977. The effect of alternating temperatures on the self incompatibility of some clones of Brussels sprouts (*B. oleracea* L. var. *gemmifera* (DC.) Schulz). *Euphytica*. 26:273-277.
- Wang, J.Y., H.F. Liang, J.P. Ren, X.R. Feng and L.W. Yang. 1996. Breeding of Chinese cabbage cultivar Zhongbai 1. *Plant Breeding Abstracts*. 66(1):92.
- Watanabe, M., T. Takasaki, K. Toriyama, S. Yamakawa, A. Isogai, A. Suzuki and K. Hinata. 1994. A high degree of homology exists between the protein encoded by SLG and the S receptor domain encoded by SRK in self incompatible *B. campestris* L. *Plant and Cell Physiol.* 35(8):1221-1229.
- Wiering, D. 1958. Artificial pollination of Cabbage plants. *Euphytica*. 7(3):223-227.
- Woods, S. and D.A. Thurman. 1976. The use of seed acid phosphatase in the determination of the purity of F₁ hybrid Brussels sprouts seed. *Euphytica*. 25:707-712.
- Xu, J.B., G.H. Tao, G. Chen, R. Yang, F.L. Zhang and J.Z. Sun. 1995. Newly released midseason-maturing Chinese cabbage cultivar Beijing 75 and its extension work. *Plant Breeding Abstracts*. 65(5):738.
- Yang, R., Y.J. Yu, J.B. Xu, G. Chen and F.L. Zhang. 1996. Studies on techniques of spraying NaCl solution on flowers combined with honeybee pollination to overcome self incompatibility of Chinese cabbage. *Plant Breeding Abstracts*. 66(10):1451.
- Yin, Y.H., Z.Y. Zhu and L. Zhu. 1997. A new early spring Cabbage F₁ hybrid – Chunbao. *Plant Breeding Abstracts*. 67(5):678.
- Yu, K., U. Schafer, T.L. Glavin, D.R. Goring and S.J. Rothstein. 1996. Molecular characterization of the S locus in two self incompatible *B. napus* lines. *Plant Cell*. 8:2369-2380.
- Zheng, X.Y. and L. Yan. 1995. Inbred testing of Chinese cabbage F₁ varieties by peroxidase and esterase isozyme analysis. *Plant Breeding Abstracts*. 65(12):1817.