

BIBLIOGRAPHY

Al-Nimri KS. Vertical Changes in Class II Division 1 Malocclusion after Premolar Extractions. *Angle Orthodontist* 2006; 76: 52-58.

Andreasen GF, Bishara S. Comparison of Alastik Chains with Elastics Involved with Intra-Arch Molar to Molar Forces. *Angle Orthodontist* 1970; 40: 151-158.

Ash JL, Nikolai RJ. Relaxation of Orthodontic Elastomeric Chains and Modules in Vitro and in Vivo. *Journal of Dental Research* 1978; 57: 685-690.

Badri T, Pavithranand A, Rajasigamani K. Comparison of Rate of Canine Retraction with Conventional Molar Anchorage and Titanium Implant Anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008; 134: 30-35.

Baldwin PD, Pender N, Last KS. Effects on Tooth Movement of Force Delivery from Nickel-Titanium Archwires. *European Journal of Orthodontics* 1999; 21: 481-489.

Bills DA, Handelman CS, BeGole EA. Bimaxillary Dentoalveolar Protrusion: Traits and Orthodontic Correction. *Angle Orthodontist* 2005; 75: 333-337.

Bradford M. A Rapid and sensitive method for the quantitation of protein utilizing the principle of protein-dye binding *Analytical Biochemistry* 1976; 72:248-254.

Brex MC, Schlegel K, Gehr P, Lang NP. Comparison between Histological and Clinical Parameters During Human Experimental Gingivitis. *Journal Periodontal Research* 1987; 22: 50-57.

Chae JM. Unusual Extraction Treatment of Class I Bialveolar Protrusion Using Microimplant Anchorage. *Angle Orthodontist* 2007; 77: 367-376.

De Genova DC, McInnes-Ledoux P, Weinberg R, Shaye R. Force Degradation of Orthodontic Elastomeric Chains--a Product Comparison Study. *American Journal of Orthodontics* 1985; 87: 377-384.

Delima AJ, Van Dyke TE. Origin and Function of the Cellular Components in Gingival Crevice Fluid. *Periodontology* 2000 2003; 31: 55-76.

Dixon V, Read MJF. A Randomized Clinical Trial to Compare Three Methods of Orthodontic Space Closure. *Journal of Orthodontics* 2002; 29: 31-36.

Dudic A, Kiliaridis S, Mombelli A, Giannopoulou C. Composition Changes in Gingival Crevicular Fluid During Orthodontic Tooth Movement: Comparisons between Tension and Compression Sides. *European Journal of Oral Sciences* 2006; 144: 416-422.

Egelberg J. Permeability of the Dento-Gingival Blood Vessels. 1. Application of the Vascular Labelling Method and Gingival Fluid Measurements. *Journal of Periodontal Research* 1966; 1: 180-191.

Embery G, Waddington R. Gingival Crevicular Fluid: Biomarkers of Periodontal Tissue Activity. *Advanced Dental Research* 1994; 8: 329-336.

Fujio M, Masakuni M, Yoshiaki O, Hitoshi H. The Super-Elastic Property of the Japanese Niti Alloy Wire for Use in Orthodontics. *American Journal of Orthodontics and Dentofacial Orthopedics* 1986; 90: 1-10.

Fujio M, Masakuni M, Yoshiaki O, Mitsuru K. The Super-Elastic Japanese Niti Alloy Wire for Use in Orthodontics Part III. Studies on the Japanese Niti Alloy Coil Springs. *American Journal of Orthodontics and Dentofacial Orthopedics* 1988; 94: 89-96.

Gianelly AA. Crowding: Timing of Treatment. *Angle Orthodontist* 1994; 64: 415-418.

Giannobile WV, Riviere GR, Gorski JP, Tira DE, Cobb CM. Glycosaminoglycans and Periodontal Disease: Analysis of Gcf by Safranin O. *Journal of Periodontology* 1993; 64: 186-190.

Hayashi K, Uechi J, Murata M, Mizoguchi I. Comparison of Maxillary Canine Retraction with Sliding Mechanics and a Retraction Spring: A Three-Dimensional Analysis Based on a Midpalatal Orthodontic Implant. *European Journal of Orthodontics* 2004; 26: 585-589.

Hershey HG, Reynolds WG. The Plastic Module as an Orthodontic Tooth-Moving Mechanism. *American Journal of Orthodontics* 1975; 67: 554-562.

Huget E, Patrick K, Nunez L. Observation on the elastic behavior of a asynthetic orthodontic elastomer. *Journal of Dental Research* 1990; 69:496-501.

Intachai I, Jotikasthira D, Krisanaprakornkit S, Kongtawelert P, Ong chai S, Buranastidporn B, Suzuki EY. Chondroitin Sulphate (Wf6 Epitope) Levels in Peri-Miniscrew Implant Crevicular Fluid During Orthodontic Loading. *European Journal of Orthodontics* 2009; 32: 60-65.

Jaito N, Jotikasthira D, Krisanaprakornkit S, Ong chai S, Kongtawelert P. Monitoring of Chondroitin-6-Sulfate Levels in Gingival Crevicular Fluid During Orthodontic Canine Movement. In: Davidovitch Z Mar J, Suthanarak S, editor. *Biological Mechanisms of Tooth Eruption, Resorption and Movement*. Boston: Harvard Society for the Advancement of Orthodontics, Boston, Massachusetts 2006; 289-295.

- Jason AY, Tamer T, Selma ET, Lam LC, Darendeliler MA. Rate of Tooth Movement under Heavy and Light Continuous Orthodontic Forces. *American Journal of Orthodontics and Dentofacial Orthopedics* 2009; 136: 150.e151-150.e159.
- Jose AB, Orlando T, Carlos FM. In Vivo Comparison of Force Decay between Injection Molded and Die-Cut Stamped Elastomers. *American Journal of Orthodontics and Dentofacial Orthopedics* 2006; 129: 384-389.
- Kagayama M, Samano Y, Mizoguchi I, Kamo N, Takahashi I, Mitani H. Localization of Glycosaminoglycans in Periodontal Ligament During Physiological and Experimental Tooth Movement. *J Periodont Res* 1996; 31: 229-234.
- Kavadia-Tsatala SK, Tsalikis L. Effects of Orthodontic Treatment on Gingival Crevicular Fluid Flow Rate and Composition : Clinical Implacations and Applications. *International Journal Adult Orthodontics Orthognathic Surgery* 2002; 17: 191-205.
- Khongkhunthian S, Srimueang N, Krisanaprakornkit S, Pattanaporn K, Ong-Chai S, Kongtawelert P. Raise chondroitin sulphate WF6 epitope levels in gingival crevicular fluid in chronic periodontitis. *Journal of Clinical Periodontol* 2008; 35: 871-876.
- Kyung-Ho K, Chun-Hsi C, Kwnagchul C, Jeong-Sub L, Robert LV. Effects of Prestretching on Force Degradation of Synthetic Elastomeric Chains. *American Journal of Orthodontics and Dentofacial Orthopedics* 2005; 128: 477-482.
- Last KS, Donkin C, Embery G. Glycosaminoglycans in Human Gingival Crevicular Fluid During Orthodontic Movement. *Archives of Oral Biology* 1988; 33: 907-912.

- Last KS, Smith S, Pender N. Monitoring of IMZ titanium endosseous dental implants by glycosaminoglycan analysis of peri-implant sulcus fluid. *International Journal of Oral & Maxillofacial Implants* 1995; 10: 58-66.
- Lee KJ, Park YC, Yu HS, Choi SH, Yoo YJ. Effects of continuous and interrupted force on interleukin-1 beta and prostaglandin E2 production in gingival crevicular fluid. *American Journal of Orthodontics and Dentofacial Orthopedics* 2004; 125: 168-177.
- Leethanakul C, Kittichaikarn C, Charoemratrote C, Jitpukdeebodindra S. Effects of Continuous and Interrupted Orthodontic Force on Interleukin-1 β and Interleukin-8 Secretion in Human Crevicular Fluid. *Journal of Oral Biosciences* 2008; 50: 230-238.
- Lu TC, Wang WN, Tarng TH, Chen JW. Force Decay of Elastomeric Chain--a Serial Study. Part II. *American Journal of Orthodontics and Dentofacial Orthopedics* 1993; 104: 373-377.
- Meikle MC. The Tissue, Cellular, and Molecular Regulation of Orthodontic Tooth Movement: 100 Years after Carl Sandstedt. *European Journal of Orthodontics* 2006; 28: 221-240.
- Nightingale C, Jones SP. A clinical investigation of force delivery systems for orthodontic space closure. *Journal of Orthodontics* 2003; 30: 229-236.
- Pander N, Samuels RHA, Last KS. The Monitoring of Orthodontic Tooth Movement over a 2-Year Period by Analysis of Gingival Crevicular Fluid. *European Journal of Oral Sciences* 1994; 16: 511-520.

- Poolkerd S, Raungpaka S, Charoenying H, Mekaapiruk K, Jaochakarasiri P. In Vivo Study of Orthodontic Elastomeric Chains for Canine Retraction. *Mahidol Dental Journal* 2009; 29: 143-152.
- Pothacharoen P. The quantitative analysis of chondroitin sulphate epitopes and hyarulonnan as diagnostic marker for degenerative joint disease by ELISA technique. Graduate school, Chiang Mai University, Thailand 2000.
- Proffit WR. "The Biological Basis of Orthodontic Therapy." in *Contemporary Orthodontics*, 4th edition., Westline Industrial Drive ,St. Louis, pp. 331-358, 2007.
- Ren Y, Maltha JC, Kuijpers-Jagtman AM. Optimum Force Magnitude for Orthodontic Tooth Movement: A Systematic Literature Review. *Angle Orthodontist* 2003; 73: 86-92.
- Robert JH, Currier GF, Alan M. Mini-Implant Anchorage for Maxillary Canine Retraction: A Pilot Study. *American Journal of Orthodontics and Dentofacial Orthopedics* 2006; 130: 228-235.
- Samuels RHA, Pender N, Last K. The Effects of Orthodontic Tooth Movement on the Glycosaminoglycan Components of Gingival Crevicular Fluid. *Journal of Clinical Periodontology* 1993a; 20: 371-377.
- Samuels RHA, Rudge SJ, Mair LH. A Comparison of the Rate of Space Closure Using a Nickel-Titanium Spring and an Elastic Module:A Clinical Study. *American Journal of Orthodontics and Dentofacial Orthopedics* 1993b; 103: 464-467.
- Samuels RHA, Rudge SJ, Mair LH. A Clinical Study of Space Closure with Nickel-Titanium Closed Coil Springs and an Elastic Module. *American Journal of Orthodontics and Dentofacial Orthopedics* 1998; 114: 73-79.

Santos AC, Tortamano A, Naccarato SR, Dominguez-Rodriguez GC, Vigorito JW. An in Vitro Comparison of the Force Decay Generated by Different Commercially Available Elastomeric Chains and Niti Closed Coil Springs. *Brazil Oral Research* 2007; 21: 51-57.

Shibutani Y, Nishino W, Shiraki M, Iwayama Y. Elisa Detection of Glycosaminoglycan (Gag)-Linked Proteoglycans in Gingival Crevicular Fluid. *Journal of Periodontal Research* 1993; 28: 17-20.

Shpack N, Davidovitch M, Sarne O, Panayi N, Vardimon AD. Duration and Anchorage Management of Canine Retraction with Bodily Versus Tipping Mechanics. *Angle Orthodontist* 2008; 78: 95-100.

Sonis A, Plas EV, Gianelly A. A Comparison of Elastomeric Auxillaries Versus Elastic Thread on Premolar Extraction Site Closure: An in Vivo Study. *American Journal of Orthodontics* 1986; 89: 73-78.

Tripolt H, J.Burstone C, Bantleon P, Manschiebel W. Force Characteristics of Nickel-Titanium Tension Coil Springs. *American Journal of Orthodontics and Dentofacial Orthopedics* 1999; 115: 498-507.

Waddington RJ, Embery G, Last KS. Glycosaminoglycans of Human Alveolar Bone. *Archives of Oral Biology* 1989; 34: 587-589.

Waddington RJ, Embery G. Proteoglycans and Orthodontic Tooth Movement. *Journal of Orthodontics* 2001; 28: 281-290.

Wong AK. Orthodontic Elastic Materials. *Angle Orthodontist* 1976; 46: 196-205.

Young J, Sandrik JL. The Influence of Preloading on Stress Relaxation of Orthodontic Elastic Polymers. *Angle Orthodontist* 1979; 49: 104-109.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved