

## เอกสารอ้างอิง

- กรมวิชาการเกษตร. 2545. เกษตรดีที่เหมาะสมสำหรับถั่วเหลืองฝักสด. โรงพิมพ์ชุมนุมสหกรณ์ การเกษตรแห่งประเทศไทย จำกัด, กรุงเทพฯ. 26 หน้า.
- กองกีฏและสัตว์วิทยา. 2545. คำแนะนำการป้องกันกำจัดแมลงและสัตว์ศัตรูพืช ปี 2545. กองกีฏและสัตว์วิทยา, กรมวิชาการเกษตร, กระทรวงเกษตรและสหกรณ์, กรุงเทพฯ. 279 หน้า.
- แก้วใจ เปาอินทร์. 2535. อิทธิพลของปุ๋ยคอก และกรดซิวมิก ที่มีต่อการเจริญเติบโตและผลผลิตของถั่วเหลืองฝักสด. ปัญหาพิเศษปริญญาตรี, ภาควิชาพืชสวน, คณะเกษตร, มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.
- นิพนธ์ เอี่ยมสุกานิษ, ประพันธ์ ประเสริฐศักดิ์ และเอนก โชคดิษณวงศ์. 2537. การทดสอบพันธุ์ถั่วเหลืองฝักสดในเขตจังหวัดนครปฐม. วารสารวิทยาศาสตร์เกษตร 27(1-2): 57 – 66.
- พรพจน์ โอวาทสกุล. 2541. ชีววิทยาของหนอนจะฝักถั่ว (*Etiella zinckenella* (Treitschke)) ในถั่วเหลืองฝักสดและการใช้สารเคมีในการป้องกันกำจัด. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 67 หน้า.
- อภิพรวณ พุกภักดี. 2546. ถั่วเหลือง พืชทองของไทย. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ. 264 หน้า.
- Chang, L.C. 1971. Studies on the chemical control of soybean insects. *Journal of Taiwan Agricultural Research* 20(2): 61 – 67.
- Chhabra, K.S. B.S. Kooner, M.S. Mahal, and A.S. Gill. 1983. The black aphid, *Aphis craccivora* Koch on pulses in Punjab. *Pranikee* 4: 251 – 258.
- Cruz, C., and A. Sagarra. 1996. Potential for biological control of crop pests in the Caribbean. (Online). Available: <http://ipmworld.umn.edu/chapters/cruzengl.htm> (16 June 2004).
- Dahiya, B., and R. Chauhan. 1992. Chemical control of pod borer complex in pea *Pisum sativum* L. pp. 170 – 174. In: S.C. Goel, (ed.), Proceedings of the National Symposium on Growth, Development & Control Technology of Insect Pests. Department of Entomology (Pulses). HAU, Hisar, India.
- Edmonds, R.P., J.H. Borden, N.P.D. Angerilli, and A. Rauf. 2000. A comparison of the developmental and reproductive biology of two soybean pod borers, *Etiella* spp. in Indonesia. *Entomologia Experimentalis et Applicata* 97(1): 137 – 147.

- El-Ghar, G.E.S.A., A.E.M. El-Sayed, A.E. El-Shiekh, and H.S. Radwan. 1994. Field tests with insecticides and insect growth regulators to control insect pests of cowpea and its effects on certain beneficial insects. *Archives of Phytopathology and Plant Protection* 28(6): 531 – 543.
- Georgevits, R.P. 1981. Seed insects of *Robinia pseudoacacia*. *Dasikon Ereunon* 2(2): 223 – 255.
- Harakly, F.A. 1974. Effect of insecticides on plants and pests of cowpea. *Bulletin of the Entomological Society of Egypt, Economic Series* 8: 177 – 185.
- Hattori, M., Y. Sakagami, and S. Marumo. 1992. Oviposition deterrents for the limabean pod borer, *Etiella zinckenella* (Treitschke) (Lepidoptera: Pyralidae) from *Populus nigra* L. c.v. Italica leaves. *Applied Entomology and Zoology* 27(2): 195 – 204.
- Hattori, M., S. Wakamura, K. Igita, K. Yasuda, and J. Tridjaka. 2001. Comparison of the characteristics and sex pheromone of *Etiella behrii* (Zeller), a newly identified pod borer of soybean in Indonesia, with *E. zinckenella* (Treit.). *Japan Agricultural Research Quarterly* 35(1): 19 – 24.
- Herbison-Evans, D., and S. Crossley. 2003. *Etiella zinckenella*. (Online). Available: <http://www.usyd.edu.au/su/macleay/larvae/pyra/zinck.html> (18 August 2003).
- Hirano, K., E. Budiyanto, N. Swastika, U. Suherdis, and S. Winarni. 1992. Cause of the seasonal changes in population density of soybean pod borers in Java, Indonesia. *Japan Agricultural Research Quarterly* 26(2): 130 – 138.
- Itoh, K., K. Ichikawa, and T. Nakagome. 1994. Microbial control of insect pests on paddy fields by entomopathogenic fungi, pathogenicity of *Beauveria bassiana* to larvae of the rice stem borer (*Chilo suppressalis* Walker). *Research Bulletin of the Aichi-ken Agricultural Research Center* 26: 79 – 82.
- Jadhav, L.D., R.N. Nawale, and D.S. Ajri. 1983. Observation on the reaction of some *Atylosia* sp. to pigeonpea pod borer complex. *Journal of Maharashtra Agricultural Universities* 8(3): 287 – 288.
- Kobayahi, T. 1972. Biology of insect pests of soybean and their control. *Japan Agricultural Research Quarterly* 6(4): 212 – 218.
- Kobayashi, Y. 1976. Insect pest of soyabean in Japan and their control. *Pest Articles & New Summaries* 22(3): 336 – 349.

- Koshta, V.K., B.B. Agrawal, and A.K. Bhowmick. 1988. Efficiency of insecticides against the minor pests of *Lathyrus* in Chhattisgarh under utera situation. *Indian Journal of Pulses Research* 1(1): 68 – 69.
- Leite, G.L.D., M. Picanco, N. R. Madeira, and J. C. Zanuncio. 1996. Effect of systemic insecticide applications on common bean yield components. *Bragantia* 55(2): 279 – 287.
- Minja, E.M., T.G. Shanower, S.N. Silim, and O. Karuru. 2000. Efficacy of different insecticides for pigeonpea pest management in Kenya. *International Chickpea and Pigeonpea Newsletter* 7: 53 – 55.
- Naito, A., and Harnoto. 1984. Ecology of the soybean podborers *Etiella zinckenella* Treitschke and *Etiella hobsoni* Butler. Pests & Diseases Divison, Bogor Research Institute for Food Crops, Indonesia.
- Pablo, S.J., and G.A. Pangga. 1971. Granular systemic insecticides in the control of pests affecting mungo bean. *Philippine Journal of Plant Industry* 36(1/3): 21 – 28.
- Pandey, V., V.K. Upadhyaya, S.M.A. Rizvi, and M.B. Chaudhary. 1993. Comparative efficacy of insecticides against pea leaf miner *Chromatomyia horticola* (*Phytomyza atricornis* Meign.) and pea pod borer, *Etiella zinckenella* T. *Journal of Advanced Zoology* 14(1): 62 – 63.
- Romalho, F.S., R.C.R. Machado, and M.M. Albuquerque. 1977. Relationship between pod hardness and resistance to pod borer (*Etiella zinckenella*) in *Phaseolus vulgaris* beans. *Anais da Sociedade Entomologica do Brazil* 6(2): 238 – 242.
- Sanjay, B.S.V. 1997. Persistence and efficacy of insecticides against pest complex of pea crop. *Pesticide Research Journal* 9(1): 25 – 31.
- Senapati, H.K., B.K. Sahoo, M.R. Pattnaik, and A.K. Pal. 1992. Persistence of some common pesticides in pigeonpea. *Orissa Journal of Agricultural Research* 5(1/2): 100 – 103.
- Sharma, S.D. 2000. Insect pests of pea (*Pisum sativum* L.) in Himachal Pradesh. *Insect Environment* 6(3): 113.
- Shukla, P., and S.S. Lal. 1989. Effect of combined application of fungicides and insecticides on the powdery mildew and pod borer of field pea. *Pesticides* 23(9): 43 – 44.
- Singh, K.P., S.Y. Pandey, S. Singh, and O.P. Srivastava. 1980. Persistence of carbaryl residues in and on bengal gram. *Indian Journal of Entomology* 42(1): 72 – 75.

- Sinha, M.M., S.F. Hameed, D.N. Mehto, and B.S. Jha. 1993. Effectiveness of seed and soil treatments with some insecticides against stemfly, *Melanagromyza phaseoli* and pod borer, *Etiella zinckenella* Tr. on pea (*Pisum sativum* L.). *Indian Journal of Entomology* 55(3): 297 – 302.
- Stone, E.G., and R.H. Freyre. 1972. Losses caused to seed of *Tephrosia vogelii* Hook F. by the lima-bean pod borer. *Journal of Agriculture of the University of Puerto Rico* 56(1): 93 – 94.
- Szeoke, K., and L. Takacs. 1984. Damage caused by acacia moths (*Etiella zinckenella* Tr.) in peas II, protection technology. *Növnyvedelem* 20(11): 481 – 482.
- Tóth, M., N.S. Talekar, and G. Szöcs. 1996. Optimization of blends of synthetic pheromone components for trapping male limabean pod borers (*Etiella zinckenella* Tr.) (Lepidoptera: Phycitidae): Preliminary evidence on geographical differences. *Bioorganic and Medicinal Chemistry* 4(3): 495 – 497.
- van den Berg, H., B.M. Shepard and Nasikin. 1998. Damage incidence by *Etiella zinckenella* in Soybean in East Java, Indonesia. *International Journal of Pest Management* 44(3): 153 – 159.
- van den Berg, H., A. Aziz, and M. Machrus. 2000. On-farm evaluation of measures to monitor and control soybean pod-borer *Etiella zinckenella* in East Java, Indonesia. *International Journal of Pest Management* 46(3): 219 – 224.
- Verma, S. 1983. Persistence of insecticides on bengal gram. *Journal of Research, Assam Agricultural University* 4(2): 136 – 140.
- Wang, J.L., and G.Q. Song. 1984. A preliminary report on *Etiella zinckenella* (Treitschke). *Insect Knowledge Kunchong Zhishi* 21: 252 – 254.
- Yadav, J.L., and R. Chauhan. 2000. Evaluation of insecticides against larval population of *Etiella zinckenella* Tr. on field pea (*Pisum sativum* L.). *International Journal of Tropical Agriculture* 18(2): 169 – 172.
- Yadav, J. L., R. Chauhan, and B. Dahiya. 2000. Screening of insecticides against pea pod borer, *Etiella zinckenella* Tr. on field pea, *Pisum sativum* L.. *Haryana Agricultural University Journal of Research* 30 (3/4): 113 – 116.

Yein, B.R., and H. Singh. 1981. Effects of some agricultural chemicals on the control of chewing insect pests of greengram. *Journal of Research, Punjab Agricultural University* 18(1): 30 – 36.

Zhou, C.G., L.Q. Qiao, and J. Li. 1994. A new pest insect, *Etiella zinckenella*, on ginkgo trees. *Plant Protection* 20(2): 35.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved