

## REFERENCE

- Al-Bayati, H.K., S. Duscher, S. Kollers, G. Rettenberger, R. Fries and B. Brenig. 1999. Construction and characterization of a porcine P1-derived artificial chromosome (PAC) library covering 3.2 genome equivalents and cytogenetical assignment of six type I and type II loci. *Mamm Genome*, 10: 569–572.
- Adams, J.M. and S. Cory. 1998. The Bcl-2 protein family: Arbiters of cell survival. *Science*, 281: 1322-1426.
- Apte, S.S., M.G. Mattei and B.R. Olsen. 1995. Mapping of human BAX gene to chromosome 19q13.3-q13.4 and isolation of a novel alternatively spliced transcript, BAX-delta. *Genomics*, 26: 592-594.
- Ashdown R.R. and E.S.E. Hafez. 1993. Anatomy of male reproduction. Reproduction in farm animals 6<sup>th</sup> edition. United States of America.
- Beck, J., K. Kornemann-Kolatski, C. Knorr, H. Taeubert and B. Brenig. 2006. Molecular characterization and exclusion of porcine GUSB as a candidate gene for congenital hernia inguinalis/scrotalis. *BMC Veterinary research*, 2:14.
- Bonner, TI, Affolter HU, Young AC and Young WS. 1987. A cDNA encoding the precursor of the rat neuropeptide, neurokinin B. *Brain Res*, 388:243–249.
- Bornemann-Kolazki, K. 2004. Durchführung eines genomscans mit polymorphen DNA-Markern und genomic mismatch scanning (GMS) bei *Sus scrofa* zur detektion hernia inguinalis/scrotalis assoziierter genomregionen. Ph.D. Dissertation. Georg-August-Universität Göttingen, Germany.
- Bullard, J.F. 1975. Operations involving the testicle and inguinal canal. *In: Diseases of Swine*. Fourth edition. Edit by Howard W.D. and Allen D.L., The Iowa state university press, Iowa USA.
- Castro-Obregon, S.R.V. Rao, G. del Rio, S.F. Chen, K.S. Poksay, S. Rabizadeh, S.Vesce, X. Zhang, R.A. Swanson and D. E. Bredesen. 2004. Alternative, non apoptotic programmed cell death. *The journal of biological chemistry*, 279(17):17543-17553.

- Chao, D.T. and S. J. Korsmeyer. 1998. BCL-2 Family: Regulators of cell death. *Annu. Rev. Immunol*, 16: 395-419.
- Chiwakata, C., B. Brackmann, N. Hunt, M. Davidoff, W. Schulze and R. Ivell. 1991. Tachykinin (substance P) gene expression in leydig cells of the human and mouse testis. *Endocrinology*, 128(5):2441-2448.
- Cooper, G.M. 2000. The cell: A molecular approach. 2<sup>nd</sup> edition. Boston, Sinauer Associates, Inc. [Online] Available: <http://www.ncbi.nlm.nih.gov/books/bv.fcgi?rid=cooper> (10 May, 2005).
- Cunningham, S., C.C. Patterson, G. McDonnell, S. Hawkins and K. Vandebroek. 2005. Haplotype analysis of the preprotachykinin-1 (TAC1) gene in multiple sclerosis. *Genes Immun*, 6(3):265-270.
- Debeljuk, L., J.N. Rao and A. Bartke. 2003. Tachykinins and their possible modulatory role on testicular function: a review. *International journal of andrology*, 26:202-210.
- Deeb, N., T. Yu, J. Bastiaansen, S. Sasaki, E. Wilson, H. van der Steen and A. Mileham. 2004. Scrotal hernia in pigs: multifactorial problems require a set of solutions. *In: Plant & Animal Genome IX Conference*. January, 13-17, 2001. Town & Country Hotel, San Diego.
- Defea, K.A., Z.D. Vaughn, E.M. O'Bryan, D. Nishijima, O. Dery and N.W. Bunnett. 2000. The proliferative and antiapoptotic effects of substance P are facilitated by formation of a  $\beta$ -arrestin-dependent scaffolding complex. *PNAS*, 97(20):11086-11091.
- Edwards, M.J. and R.C. Mulley. 1999. Genetic, developmental, and neoplastic diseases. pp. 695-712. *In: B.E. Straw, S.D. Allaire, W.L. Mengeling and D.J. Taylor, (eds.). Diseases of Swine*. The Blackwell Science Ltd. London, UK.
- Edward, M.J., M.S.R. Smith and B. Freeman. 2003. Measurement of the linear dynamics of the descent of the bovine fetal testis. *J Anat*, 203: 133-142.
- Fadeel, B. and S. Orrenius. 2005. Apoptosis: a basic biological phenomenon with wide-ranging implications in human disease. *J Intern Med*, 258(6): 479-517.

- Fentener Van Vlissingen, J.M., C.A.M. Koch, B. Delpech and C.J.G. Wensing. 1989. Growth and differentiation of the gubernaculum testis during testicular descent in the pig; changes in the extracellular matrix, DNA content, and hyaluronidase,  $\beta$ -glucuronidase and  $\beta$ -N-acetylglucosaminidase activities. *The Journal of Urology*, 142: 837-845.
- Goureau, A., M. Yerle, A. Schmitz, J. Riquet, D. Milan, P. Pinton, G. Frelat and J. Gellin. 1996. Human and porcine correspondence of chromosome segments using bidirectional chromosome painting. *Genomics*, 36: 252-262.
- Graham, G. J., J.M. Stevens, N.M. Page, A.D. Grant, S.D. Brain, P.J. Lowry and J.M. Gibbins. 2004. Tachykinins regulate the function of platelets. *Blood*, 104(4): 1058-1065.
- Grindflek, E., M. Moe, H. Taubert, H. Simianer, S. Lien and T. Moen. 2006. Genome-wide linkage analysis of inguinal hernia in pigs using affected sib pairs. *BCM Genetics*, 7:25
- Gross, A., J.M. McDonnell and S.J. Korsmeyer. 1999. BCL-2 family members and the mitochondria in apoptosis. *Gene and Development*, 13: 1899-1991.
- Heiser, D. V. Labi, M. Erlacher and A. Villunger. 2004. The Bcl-2 protein family and its role in the development of neoplastic disease. *Experimental Gerontology*, 39: 1125-1135.
- Heyns, C.F., H.J. Human, C.J. Werely and D.P. De Klerk. 1990. The glycosaminoglycans of the gubernaculum during testicular descent in the fetus. *The Journal of Urology*, 143:612-618.
- Hutson, J.M., Y. Sasaki, J. Huynh. E. Yong and A. Ting. 2004. The gubernaculum in testicular descent and cryptorchidism. *The Turkish Journal of Pediatrics* (supplement), 46: 3-6
- Hutson, J.M., S. Hasthorpe and C.F. Heyns. 2005. Anatomical and functional aspects of testicular descent and cryptorchidism. *Endocrine Reviews*. 18(2): 259-280.
- Jacobson, M.D, M. Weil and M.C. Raff. 1997. Programmed cell death in animal development. *Cell*, 88: 347-354.
- Jensen, P.L., P.R. Mertens, U. Klinge and V. Schumpelick. 2004. The biology of hernia formation. *Surgery*, 136(1):1-4.

- Jin, K.L., S.H. Graham, X.O. Mao, X. He, T. Nagayama, R.P. Simon and D.A. Greenberg. 2001. Bax kappa, a novel Bax splice variant from ischemic rat brain lacking an ART domain, promotes neuronal cell death. *J. Neurochem*, 77: 1508–1519.
- Joza, N., G. Kroemer and J.M. Penniger. 2002. Genetic analysis of the mammalian cell death machinery. *Trends Genet*, 18(3): 142-149.
- Kang, H.S., K.A. Trzaska, K. Corcoran, V. T. Chang and P. Rameshwar. 2004. Neurokinin receptors: relevance to the emerging immune system. *Arch Immunol Ther Exp*, 52: 338-347.
- Kanp, P.W. 1986. Congenital defects inheritance of AI boars: genetic parameters and breeding value estimation procedures. *Livestock Production Science*, 15: 337-352.
- Kingsnorth, A. and K. LeBlanc. 2003. Hernias: inguinal and incisional. *Lancet*, 363: 1561-1571.
- Knorr, C., H. Taubert, U. Peters and B. Brenig. 2004. Characterization of two SNPs (single nucleotide polymorphisms) in the porcine INSL3 gene and their exclusion as a common genetic basis of hernia inguinalis in pigs. *Biochem Genet*, 42(1-2): 11-9.
- Knorr, C., U. Peters, H. Henne, R. Woerner, B. Harlizius and B. Brenig. 2001. A total genome scan and analysis of candidate genes for scrotal hernia in pigs. In: Plant & Animal Genome IX Conference. January, 13-17, 2001. Town & Country Hotel, San Diego.
- Knorr, C., J. Beck, C. Beuermann, K. Chen, N. Ding, K. Gathayak, L.S. Huang, W. Laenoi and B. Brenig. 2006. Chromosomal assignment of porcine oncogenic and apoptotic genes (*CACNA2D2*, *TUSC4*, *ATP2A1*, *COL1A1*, *TAC1*, *BAK1*, and *CASP9*). *Animal Genetics*, (in press).
- Lakomy, M., J. Kaleczyc and M. Majewski. 1997. Noradrenergic and peptidergic innervation of the testis and epididymis in the male pig. *Folia Histochem Cytobiol*, 35(1):19-27.

- Liu, H. A.M. Mazarati, H. Katsumori, R. Sankar and C.G. Wasterlain. 1999. Substance P is expressed in hippocampal principal neurons during status epilepticus and plays a critical role in the maintenance of status epilepticus. *Proc. Natl. Acad. Sci*, 96:5286-5291.
- Meier, P., A. Finch and G.I. Evan. 2000. Apoptosis in development, *Nature*, 407: 796–801.
- Miller, S.A., D.D. Dykes and H.F. Polesky. 1988. A simple salting out procedure for extracting DNA from nucleated cells. *Nucleic Acids Res*, 16: 1215.
- Mikami, H. and H.T. Fredeen. 1979. A genetic study of cryptorchidism and scrotal hernia in pigs. *Can J Gene Cytol*, 21:9-19.
- Moshynska, O., I. Moshynskyy, V. Misra and A. Saxena. 2005. G125A single-nucleotide polymorphism in the human *BAX* promoter affects gene expression. *OncoGene*, 24: 2042-2049.
- Moshynska, O., K. Sankaran and A. Saxena. 2003. Molecular detection of the G(-248)A *BAX* promoter nucleotide change in B cell chronic lymphocytic leukaemia. *J Clin Pathol: Mol Pathol*, 56: 205-209.
- Mott, R., C.J. Talbot, M.G. Turri, A.C. Collins and J. Flint. 2000. A method for fine mapping quantitative trait loci in outbred animal stocks. *PNAS*, 97(23): 12649-12654.
- Nicholas, F.W. 1999. Veterinary genetics. Oxford University Press, USA: 500pp.
- Pintado, C.O., F.M. Pinto, J.N. Pennefather, A. Hidalgo, A. Baamonde, T. Sanchez and M. L. Candenas. 2003. A role of tachykinins in female mouse and rat reproductive function. *Biology of reproduction*, 69: 940-946.
- Rio, D.G., S. Castro-Obregon, R. Rao, H.M. Ellerby and D.E. Bredesen. 2001. APAP, a sequence-pattern recognition approach identifies substance P as a potential apoptotic peptide. *FEBS Letters*, 494:213-219.
- Rosch, R., U. Klinge, Z. Si, K. Junge, B. Klosterhalfen and V. Schumpelick. 2002. A role for the collagen I/III and MMP-I/-I3 genes in primary inguinal hernia. *BMC Medical Genetics*, 3:2
- Sambrook, J., E.F. Fritsch and T. Maniatis. 1989. Molecular cloning: A laboratory manual, 2<sup>nd</sup> ed. Cold Spring Harbor Laboratory Press, New York.

- Sandri, M., K. Rossini, M. Podhorska-Okalow and U. Carraro. 1999. Role of apoptosis in muscle disorders. *Basic Appl Myol*, 9(6): 301-310.
- Santoni, G., C. Amantini, R. Lucciarini, M. Perfumi, P. Pompei and M. Piccoli. 2003. Rat thymocyte proliferation and cell death by modulating substance P and neurokinin-1 receptor expression. *Neuroimmunomodulation*, 11: 160-172.
- Search-Bernal, R., IA. Gardner and DW. Hird. 1994. Effects of and factors associated with umbilical hernias in a swine herd. *J Am Vet Med Assoc*, 204(10):1660-1664.
- Severini, C., G. Improta, G. Falconieri-Erspamer, S. Salvadori and V. Erspamer. 2005. The Tachykinin peptide family. *Pharmacol Rev*, 54: 285-322.
- Skogsberg, A., G. Tobin, A. Kroeber, D. Kienle, U. Thunberg, A. Aleskog, K. Karlsson, A. Laurell, M. Merup, J. Vilpo, C. Sundstroem, G. Roos, H. Jenberg-Wiklund, J. Doehner, K. Nilsson, S. Stilgenbauer and R. Rosenquist. 2006. The G(-248)A polymorphism in the promoter region of the Bax gene does not correlate with prognostic markers or overall survival in chronic lymphocytic leukemia. *Leukemia*, 20: 77-81.
- Solinas-Toldo, S., A. Mezzelani, G.A. Hawkins, M.D. Bishop, I. Olsaker, A. Mackinley, L. Ferretti and R. Fries. 1995. Combined Q-banding and fluorescence in situ hybridization for the identification of bovine chromosomes 1 to 7. *Cytogenet Cell Genet*, 69:1-6
- Starczynski, J., C. Pepper, G. Pratt, L. Hooper, A. Thomas, D. Milligan, P. Bentley and C. Fegan. 2005. Common polymorphism G(-249)A in the promoter region of the bax gene results in significantly shorter survival in patients with chronic lymphocytic. *J Clin Oncol*, 23: 1514-1521.
- Suzuki, M., R.J. Youle and N. Tjandra. 2000. Structure of Bax: Coregulation of dimer formation and intracellular localization. *Cell*, 103: 645-654.
- Tamura, R., U. Hanesch, R.F. Schmidt, T. Kumazawa and K. Mizumura. 1997. Calcitonin gene-related peptide- and substance P-like immunoreactive fibers in the spermatic nerve and testis of the dog. *Neurosci Lett*, 17:235(3): 113-6.
- Tanyel, F.C. 2004a. Obliteration of processus vaginalis: aberrations in the regulatory mechanism result in an inguinal hernia, hydrocele or undescended testis. *The Turkish Journal of Pediatrics*, 46: 18-27.

- Tanyel, F.C. 2004b. The descent of testis and reason for failed descent. *The Turkish Journal of Pediatrics*, 46 (supplement):7-17.
- Tanyel, F.C. and H.D. Okur. 2004. Autonomic nervous system appears to play a role in obliteration of processus vaginalis. *Hernia*, 8: 149-154.
- Tanyel, F.C., N.N. Ulusa, E.F. Tezcan and N. Bueyuekpamukcu. 2003. Total Calcium Content of Sacs Associated with Inguinal Hernia, Hydrocele or Undescended Testis Reflects Differences Dictated by Programmed Cell Death. *Urol Int*, 70:211-215.
- Tanyel, F.C., S. Erdem. N. Bueyuekpamukcu and E. Tan. 2002. Smooth muscle within incomplete obliterations of processus vaginalis lacks apoptotic nuclei. *Urol Int*, 69: 42-45.
- Tanyel, F.C., S. Mueftueoglu, A. Dagdeviren, F.F. Kaymaz and N. Bueyuekpamukcu. 2001. Myofibroblasts defined by electron microscopy suggest the dedifferentiation of smooth muscle within the sac walls associated with congenital inguinal hernia. *BJU international*, 87: 251-255.
- Thaller G., L. Dempfle and I. Hoeschele. 1996. Investigation of the inheritance of birth defects in swine by complex segregation analysis. *J. Anim. Breed. Genet*, 113: 77-92.
- Todd, S.M. 2003. Genetic abnormalities: Make available relevant research-based homepage. Department of Animal Science, North Carolina State. University [Online] Available: <http://mark.asci.ncsu.edu/Genetics/selection/abnormal.html> (10 May, 2005).
- Toldo, SS., R. Fries, P. Steffen, H.L. Neibergs, W. Barendse, J.E. Womack, D.J. Hetzel and G. Stranzinger. 1993. Physically mapped, cosmid-derived microsatellite markers as anchor loci on bovine chromosomes. *Mammal Genome*, 4: 720-727.
- Tomiyama, H., Y. Sasaki, J. Huynh, E. Yong, A. Ting and J.M. Hutson. 2005. Testicular descent, cryptorchidism and inguinal hernia: the Melbourne perspective. *Journal of Pediatric Urology*, 1: 11-25.

- Visser, J.H. and C.F. Heyns. 1995. Proliferation of gubernaculum cells induced by a substance of low molecular mass obtained from fetal pig testes. *J urol*, 153(2): 516-520.
- Vogt, D.W. and M.R. Ellersieck. 1990 .Heritability of susceptibility to scrotal herniation in swine. *Am J Vet Res*, 51: 1501-3.
- Welsh, D.R.J. 1994. Hernia: Workplace safety and insurance appeals tribunal. [Online] Available:[http://www.wsiat.on.ca/english/resources/medical/mlo/hernias\\_screen.htm](http://www.wsiat.on.ca/english/resources/medical/mlo/hernias_screen.htm) (10 May, 2005).
- Wensing, C.J.G. 1986. Testicular descent in the rat and a comparison of this process in the rat with that in the pig. *The Anatomical Record*, 214: 154-160.
- Wessem, K.J.P. van, M.P. Simaons, P.W. Plaisier and J.F. Lange. 2003. The ethiology of indirect inguinal hernias: congenital and/or acquired. *Hernia*, 7: 76-79.
- Wolter, K.G., Y. Hsu, C.L. Smith, A. Nechustan, X. Xi and R.J. Youle. 1997. Movement of Bax from the cytosol to mitochondria during apoptosis. *The journal of cell biology*, 139(5): 1281-1292.
- Yerle, M., G. Echard, A. Robic, A. Mairal, C. Dubut-Fontana, J. Riquet, P. Pinton, D. Milan, Y. Lahbib-Mansais and J. Gellin. 1996. A somatic cell hybrid panel for pig regional gene mapping characterized by molecular cytogenetics. *Cytogenet Cell Genet*, 73: 194–202.
- Yerle, M., O. Gallman, Y. Lahbib-Mansais and J. Gellin. 1992. Localization of the pig luteinizing hormone/choriogonadotropin receptor gene (LHCGR) by radioactive and nonradioactive in situ hybridization. *Cytogenet Cell Genet*, 59(1): 48-51.
- Yerle, M., P. Pinton, A. Robic, A. Alfonso, Y. Palvadeau, C. Delcros, R. Hawken, L. Alexander, C. Beattie, L. Schook, D. Milan and J. Gellin. 1998. Construction of a whole-genome radiation hybrid panel for high-resolution gene mapping in pigs. *Cytogenet Cell Genet*, 82: 182–188.
- Zhang, A., Y. Wu, H.W.L. Lai and D.T. Yew. 2004. Apoptosis-A brief review. *Neuroembryology*, 3: 47-59.
- Zimmer, A., A.M. Zimmer, J. Baffi, T. Usdin, K. Reynolds, M. Koenig, M. Palkovits and E. Mezey. 1998. Hypoalgesia in mice with a targeted deletion of the tachykinin 1 gene. *Proc. Natl. Acad. Sci*, 95: 2630-2635.