

เอกสารอ้างอิง

- จรัญ จันทลักษณ์. 2540. สถิติวิธีวิเคราะห์และวางแผนงานวิจัย. ภาควิชาสัตวบาล คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์. 468 น.
- ถิรนนท์ ศรีภักษ์ชัย สัญชัย จตุรสิทธา พันทิพา พงษ์เพ็ญจันทร์ และวิบูลย์ รัตนาปนันท. 2548. ผลของอาหารที่มีน้ำมันปลา เพศ และน้ำหนักมาต่างกันต่อสมรรถภาพการผลิต และคุณภาพซากของสุกรรุ่น-ขุน. *Kamphaengsaen Acad. J.* 3. (3): 20-31.
- ชัยณรงค์ กันธพนิต. 2529. วิทยาศาสตร์เนื้อสัตว์. ภาควิชาสัตวบาล คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์. 276 น.
- นิธิยารัตนาปนันท วิบูลย์ รัตนาปนันท. 2543. คำศัพท์ทางโภชนาศาสตร์. มหาวิทยาลัยเชียงใหม่. 119 น.
- ปีทมา อุทชะเสน สัญชัย จตุรสิทธา บัวฉัตร วุฒิธรรมคณาพร พันทิพา พงษ์เพ็ญจันทร์ และบุญลือ เผือกผ่อง. 2543. การศึกษาเปรียบเทียบการเสริมน้ำมันปลาที่ระดับต่างๆ ในอาหารสุกรต่อสมรรถภาพการผลิตและคุณภาพซาก. *แก่นเกษตร.* 28. 2:79-88.
- ปีทมา อุทชะเสน. 2544. ผลของการเสริมน้ำมันปลาในระดับที่ต่างกัน ในอาหารสุกรต่อสมรรถภาพการผลิต คุณภาพซาก และเนื้อ. วิทยานิพนธ์. ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาสัตวศาสตร์ บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่. 141 น.
- พันทิพา พงษ์เพ็ญจันทร์. 2546. ทฤษฎีและวิธีการวิเคราะห์อาหารและอาหารสัตว์. ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 107 น.
- ไพโรจน์ วิริยจारी. 2535. การวางแผนการวิเคราะห์ทางด้านประสาทสัมผัส. ภาควิชาวิทยาศาสตร์และเทคโนโลยีการอาหาร คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 275 น.
- บัวฉัตร วุฒิธรรมคณาพร. 2543. การศึกษาเปรียบเทียบการวิเคราะห์โคเลสเตอรอล ไตรกลีเซอไรด์ และไลโปโปรตีน โดยวิธีใช้ enzyme และวิธี colorimetry ในพลาสมาของสุกรขุน. ปัญหาพิเศษปริญญาโท ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 57 น.
- บัวฉัตร วุฒิธรรมคณาพร. 2544. ผลของการเพิ่มกรดไขมันโอเมก้า-3 โดยการเสริมน้ำมันปลาพู่ในสูตรอาหารต่อสมรรถภาพการผลิต คุณภาพซากและไขมันของสุกรเพศผู้ตอนและสุกร เพศเมีย. วิทยานิพนธ์. ปริญญาวิทยาศาสตรมหาบัณฑิต คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 169 น.

- รัชนีวรรณ เขียวสะอาด. 2548. ระยะเวลาที่เหมาะสมในการเลี้ยงสุกรด้วยอาหารน้ำมันปลาทูน่าเพื่อเพิ่มกรดไขมันโอเมก้า 3 ในเนื้อสุกร. วิทยานิพนธ์. ปริญญาวิทยาศาสตรมหาบัณฑิต คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 154 น.
- สัญญาชัย จตุรสิทธิ์ธา. 2543. เทคโนโลยีเนื้อสัตว์. ธนบรรณการพิมพ์, เชียงใหม่. 244 น.
- สัญญาชัย จตุรสิทธิ์ธา. 2547. การจัดการเนื้อสัตว์. โรงพิมพ์มิ่งเมือง เชียงใหม่. 170 น.
- อุษณีย์ วินิจเขตคำนวน. 2547. ชีวเคมีของลิปิดและไลโปโปรตีน. ภาควิชาชีวเคมี คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่. ดาวคอมพิวกราฟฟิค. 194 น.
- Allen, C.D., D.L. Fletcher, J.K. Northcutt and S.M. Russell. 1998. The relationship of broiler breast color to meat quality and shelf-life. *J. Poult. Sci.* 77: 361-366.
- AOAC. 1995. Official Methods of Analysis. (15th Ed.) Association of Official Analytical Chemists, Arlington, VA. USA.
- Banerjee, I., S. Saha and J. Dutta. 1992. Comparison of the effects of dietary fish oils with different n-3 polyunsaturated fatty acid compositions on plasma and liver lipids in rats. *Lipids.* 27(6): 425-428.
- Barasi, M. E. 2003. Human Nutrition a Health Perspective. ARNOLD, London, UK. 402p.
- Bavelaar, F.J. and A.C. Beynen. 2002. Relationships between dietary fatty acid composition and either melting point or fatty acid profile of adipose tissue in broilers. *Meat Sci.* 64:133- 140.
- Bee, G., S. Gebert and R. Messikommer. 2002. Effect of dietary energy supply and fat source on the acid pattern of adipose and lean tissues and lipogenesis in the pig. *J. Anim. Sci.* 80:1564-1574.
- Bee, G., R. Messikommer and S. Gebert. 1999. Dietary fats and energy levels different tissue lipogenic enzyme activity in finishing pig. *Fett. Lipids.* 101: 336-342.
- Berdanier, C. D. 2000. Advanced Nutrition: Macronutrients, CRC Press. London. UK. 327 p.
- Biggs, H.G., J.M. Erikson and W.R. Moorehead. 1975. A manual colorimetric assay of triglycerides in serum. *Clin. Chem.* 21:437-441.
- British Nutrition Foundation. 1999. n-3 fatty acids and health. In: *Briefing paper*. London: British Nutrition Foundation.
- Bryhni, E.A., N.P. Kjos, R. Ofstad and M. Hunt. 2002. Polyunsaturated fat and fish oil in diets for growing-finishing pigs: effects on fatty acid composition and meat, fat, and sausage quality. *Meat. Sci.* 62: 1-8.

- California Olive Industry._____. Metabolism of the omega-6 and omega-3 essential fatty acids. [Online]. Available: www.calolive.org/nutritionists/findings/findings_2002q2.html. [10 January 2007].
- Chizzolini, R., E. Novelli, A. Badiani, P. Rosa and G. Delbono. 1993. Objective measurement of pork quality : evaluation of various techniques. *Meat. Sci.* 34: 49-77.
- Chrystall, B. 1999. Meat texture measurement. *In: Quality Attributes and Their Measurement in Meat, Poultry and Fish Products.* Eds. A.M. Pearson and T.R. Dutson. Aspen Publishers Inc. Gaithersburg, Maryland, USA. 316-336 p.
- Corino, C., S. Magni, E. Pagliarini, R. Rossi, G. Pastorelli and L.M. Chiesa. 2002. Effect of dietary fats on meat quality and sensory characteristics of heavy pig loins. *Meat Sci.* 60: 1-8.
- De Lange, C.F.M., S.H. Birkett and P.C.H. Morel. 2001. Protein, fat and bone tissue growth in swine. *In: Swine Nutrition.* Eds. A.J. Lewis and L.L. Southern. CRC Press LLC. London. UK. 65-84 p.
- De Smet, S., K. Raes and D. Demeyer. 2004. Meat fatty acid composition as affected by fatness and genetic factor: a review. *Anim. Res.* 53: 81-94.
- De Sousa, R.V., E.T. Fialaho, J.A. De Freitas Lima, P.V.R. Logato and R.T.F. De Freitas. 2003. Performance and carcass traits of finishing pigs from 70 to 100 kg fed with rations supplemented with different oils. *Ciênc. agrotec., Lavras. Edição Especial.* 1679-1684.
- Ding, S.T., A. Lapillonne, W.C. Heird and H.J. Mersmann. 2003. Dietary fat has minimal effects on fatty acid metabolism transcript concentrations in pigs. *J. Anim. Sci.* 81:423-431.
- Enser, M., R.I. Richardson, J.D. Wood, B.P. Gill and P.R. Sheard. 2000. Feeding linseed to increase the n-3 PUFA of pork: fatty acids composition of muscle, adipose tissue, liver and sausages. *Meat Sci.* 55: 201-212.
- Enser, M. 1991. Animal carcass fats and fish oils: *In: Analysis of Oilseeds, Fats and Fatty Foods.* Eds. J. B. Rossel and J. L. R. Pritchard . Elsevier Applied Science, London. UK. 329-394 p.
- Estévez, M., J. Ventanas and R. Cava. 2004. Lipolytic and oxidative changes during refrigeration of cooked loin chops from three lines of free-range-reared Iberian pigs slaughtered at 90 kg live weight and industrial genotype pigs. *Food Chem.* 87:367-376.

- Fernandez, M.L., K.L. West, S. Roy and T. Ramjiganesh. 2001. Dietary fat saturation and gender/hormonal status modulate plasma lipids and lipoprotein composition. *J. Nutri. Biochem.* 12: 703–710.
- Fernandez, X., J. Mourot, B. Leuret, S. Gilbert and G. Monin. 2000. Influence of intramuscular fat content on lipid composition, sensory qualities and consumer acceptability of cured cooked ham. *J. Sci. Food Agri.* 80, (6): 705 – 710.
- Fernandez, X., J. Mourot, A. Mounier and P. Ecolan. 1995. Effect of muscle type and food deprivation for 24h on the composition of the lipidic fraction in muscle of Large White pigs. *Meat Sci.* 41:335-343.
- Fisher, A.V., D.M. Green, C.T. Whittemore, J.D. Wood and C.P. Schofield. 2003. Growth of carcass components and its relation with conformation in pigs of three types. *Meat Sci.* 65, (1): 639-650.
- Fletcher, D.L. 1999. Poultry meat colour. *In: Poultry Meat Science.* Eds. R.I. Richardson and G.C. Mead. CAB International publishing, London UK. 159-175 p.
- Folch, J., M. Lee and G.H.S. Stanley. 1957. A simple method for the isolation and purification of total lipids from animal tissue. *J. Biol. Chem.* 226:497-509.
- Fontanillas, R., A. Barroeta, M.D. Baucells and F. Guardiola. 1998. Backfat fatty acid evolution in swine fed diets high in either *cis*-monounsaturated, *trans*, or (n-3) fats. *J. Anim. Sci.* 76: 1045-1055.
- Fowler, V. 1999. Fishmeal and taint; On behalf of the fishmeal information network, FIN nutritional. The Forum, Minerva Business Park, Peterborough, Cambs.
- Fritsche, K.L., S.C. Huang and N.A. Cassity. 1993. Enrichment of omega-3 fatty acids in suckling pigs by maternal dietary fish oil supplementation. *J. Anim. Sci.* 71:1841-1847.
- Friesen, K.G., J.L. Nelssen, R.D. Goodband, M.D. Tokach, J.A. Unruh, D.H. Kropf and B.J. Kerr. 1995. The effect of dietary lysine on growth, carcass composition, and lipid metabolism in high-lean growth gilts fed from 72 to 136 kilograms. *J. Anim. Sci.* 73: 3392–3401.
- Harrison, K. 2006. Linolenic Acid (ALA) [Online]. Available: [http:// www.3dchem.com/molecules.asp?ID=240](http://www.3dchem.com/molecules.asp?ID=240) [2007, March 22].
- Harrison, K. 2006. Eicosapentaenoic acid, EPA [Online]. Available: [http:// www.3dchem.com/molecules.asp?ID=239](http://www.3dchem.com/molecules.asp?ID=239) [2007, March 22].

- Harrison, K. 2006. Docosahexaenoic acid, DHA [Online]. Available: [http:// www.3dchem.com/molecules.asp?ID=238](http://www.3dchem.com/molecules.asp?ID=238) [2007, March 22].
- Henry, Y., B. Seve, A. Mounier and P. Ganier. 1996. Growth performance and brain neurotransmitters in pigs as affected by tryptophan, protein and sex. *J. Anim. Sci.* 74: 2700-2710.
- Holub, B. J. 2002. Clinical nutrition: 4. Omega-3 fatty acids in cardiovascular care. *JAMC.* 166(5): 608-615.
- Honikel, K.O., and R. Hamm. 1999. Measurement of water-holding capacity and juiciness. *In: Quality Attributes and Their Measurement in Meat, Poultry and Fish Products.* Eds. A.M. Pearson and T.R. Dutson. Aspen Publishers Inc. Gaithersburg, Maryland, USA. 125-161 p.
- Hoz, L., C.J. Lopez-Bote, M.I. Cambero, M. D'Arrigo, C. Pin, C. Santos and J.A. Ordóñez. 2003. Effect of dietary linseed oil and α -tocopherol on pork tenderloin (*Psoas major*) muscle. *Meat Sci.* 65: 1039-1044.
- Hrdinka, C., W. Zollitsch, W.Knaus and F. Lettner. 1996. Effects of dietary fatty acid pattern on melting point and composition of adipose tissue and intramuscular fat of broiler. *Poult. Sci.* 75: 208-215.
- Irie, M. and M. Sakimoto. 1992. Fat characteristics of pig fed fish oil containing eicosapentaenoic and docosahexaenoic acid. *J. Anim. Sci.* 70:470-477.
- James, S.J. and C. James. 2002. Drip production in meat refrigeration. *In: Meat Refrigeration.* CRC Pres, Boca Raton FL, USA. 21-42 p.
- Jaturasitha, S., Y. Wudthithumkanaporn, P. Rurksasen and M. Kreuzer. 2002a. Enrichment of pork with omega-3 fatty acids by tuna oil supplements: Effect on performance as well as sensory, nutritional and processing properties of pork. *Asian-Aust. J. Anim. Sci.* 15(11):1622-1633.
- Jones, D.B., J.D. Hancocks, D.L. Harmon and C.E. Walker. 1992. Effects of exogenous emulsifiers and fat sources nutrient digestibility, serum lipids, and growth performance in weaning pigs. *J. Anim. Sci.* 70:3473-3482
- Jung, D.H., H.G. Biggs and W.R. Moorehead. 1975. Colorimetry of serum cholesterol with use of ferric acetate uranyl acetate and ferrous sulfate / sulfuric acid reagents. *Clin. Chem.* 21:1526-1530.

- Karrick, N.L. 1990. Nutrition value of fish oil as animal feed (Chapter 9). *In: Fish Oils in Nutrition*. Eds. E. Maurice Stansby. Van Nostrand Reinhold. NY, USA. 331 p.
- Kolacz, R., A. Korniewicz, Z. Dobrzanski, D. Korniewicz and Z. Usydus. 2003. Effect of dietary modified fish meal (MFM) on physicochemical and sensory properties of pig loin. *Electronic Journal of Polish Agricultural Universities, Animal Husbandry*. Volume 6, Issue 2.
- Kouba, M., M. Enser, F.M. Whittington, G.R. Nute and J.D. Wood. 2003. Effect of high-linolenic acid diet on lipogenic enzyme activities, fatty acid composition, and meat quality in growing pig. *J. Anim Sci.* 81:1967-1979.
- Kracht, W., H. Jeroch, W. Matzke, K. Nürnberg, K. Ender and W. Schumann. 1996. The influence of feeding rapeseed on growth and carcass fat quality of pigs. *Fett/Lipid* 98: 343-351.
- Kris-Etherton, P.M., W.S. Harris, and L.J. Appel. 2002. Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease. AHA Scientific Statement. *Circulation* 106:2747-2757.
- Kristensen, L., M. Therkildsen, B. Riis, M.T. Sorensen, N. Oksbjerg, P.P. Purslow and P. Ertbjerg. 2002. Dietary-induced changes of muscle growth rate in pigs. Effect on in vivo and postmortem muscle proteolysis and meat quality. *J. Anim. Sci.* 80: 2862–2871.
- Lands, W.E.M., A. Morris and B. Libelt. 1990. Quantitative effects of dietary polyunsaturated fats on the composition of fatty acids in rat tissues. *Lipids*. 25:505–516.
- Larick, D.K., B.E. Turner, W.D. Schoenherr, W.T. Coffey and D.H. Pilkington. 1992. Volatile compound content and fatty acid composition of pork as influenced by linolenic acid content of the diet. *J. Anim. Sci.* 70:1397–1403.
- Lawrie, R.A., 1998. *Lawrie's Meat Science*, 6th Edition. Woodhead publishing limited press, Cambridge, UK. 349 p.
- Lewis, A.J. and L.L. Southern. 2001. *Swine Nutrition*, 2th Edition. CRC press. London UK. 1009 p.
- Leseigneur, A., E. David and G. Gandemer. 1991. Lipid composition of pork muscle in relation to the metabolic type of the fibres. *Meat Sci.* 29:229-241.
- Leskanich C.O., K.R. Matthews, C.C. Warkup, R.C. Noble and M. Hazzledine. 1997. The effect of dietary oil containing (*n*-3) fatty acids on the fatty acid, physicochemical, and organoleptic characteristics of pig meat and fat. *J. Anim. Sci.* 75:673–683.
- Lin, J.H., L.H. Lin and C.C. Kuo. 2002. Effect of dietary fish oil on acid composition, lipid oxidation and sensory property of chicken frankfurters during storage. *Meat Sci.* 60:161-167.

- Macdougall, D.B. 1999. Colour of meat. *In: Quality Attributes and Their Measurement in Meat, Poultry and Fish Products*. Eds. A.M. Pearson and T.R. Dutson. Aspen Publishers Inc. Gaithersburg, Maryland, USA. 80-93 p.
- Maggie, B. C. 2004. Omega-3 fatty acids. *American Academy of Family Physicians*. 70: 133-140.
- Manilla, H.A., F. Husveth and K. Nemeth. 1999. Effects of dietary fat origin on the performance of broiler chickens and on the fatty acid composition of selected tissues. *Acta Agrarian Kaposvariensis*. 3: 47-57.
- Maw, S.J., V.R. Fowler, M. Hamilton and A.M. Petchey. 2003. Physical characteristics of pig fat and their relation to fatty acid composition. *Meat Sci*. 63: 185-190.
- Mead, A., G. Atkinson, D. Albin, D. Alpey, S. Baic, O. Boyd, L. Cadigan, L. Clutton, L. Craig, C. Flanagan, P. Greene, E. Griffiths, N. J. Lee, M. Li, L. McKechnie, J. Ottaway, K. Paterson, L. Perrin, P. Rigby, D. Stone, R. Vine, J. Whitehead, L. Wray and L. Hooper. 2006. Dietetic guidelines on food and nutrition in the secondary prevention of cardiovascular disease—evidence from systematic reviews of randomized controlled trials. *J Hum Nutr Diet*, 19: 401-419.
- Mehta, J., L.M. Lopez and T. Wargovich. 1987. Eicosapentaenoic acid: Its relevance in atherosclerosis and coronary artery disease. *Amer. J. Cardio.*, 59: 155-159.
- Miller, M.F., S.D. Shackelford, K.D. Hayden and J.O. Reagan. 1990. Determination of the alteration in fatty acid profiles, sensory characteristics and carcass trait of swine fed elevated levels of monounsaturated fats in the diet. *J. Anim. Sci*. 68:1624-1631.
- MLC, 1989. Stotfold pig development unit, First result. Meat and Livestock Commission, Milton Keynes, England.
- Mokady, S.A. 1995. Marine unicellular algae in diet of pregnant and lactating rat as a source of omega-3 fatty acid for developing brain of their progeny. *J. Sci. and Agric.*, 68: 133-139.
- Morrison, W.R. and L.M. Smith. 1964. Preparation of fatty acid methyl esters and dimethyl acetals from lipids with boron fluoride - methanol. *J. Lipid Res*. 5:600-608.
- Muesing, R.A., P. Griffin and P. Mitchell. 1995. Corn oil and beef tallow elicit different postprandial responses in triglycerides and cholesterol, but similar changes in constituents of high-density lipoprotein [online]. *Journal of the American College of Nutrition*, Vol 14, Issue 1; 53-60. Available: <http://www.jacn.org/cgi/content/abstract/14/1/53.html> (30 January 2007)

- Murray, R.K. and Granmer, D.K. 2003. Membranes: Structure & Function. *In: Harper's Illustrated Biochemistry*. 26th editions. McGraw-Hill Companies, Inc., press. 415-433.
- Nguyen, L.Q., M.C.G.A. Nuijens, H. Everts, N. Salden and A.C. Beynen. 2003. Mathematical relationships between the intake of n-6 and n-3 polyunsaturated fatty acids and their contents in adipose tissue of growing pigs. *Meat Sci.* 65:1399-1406.
- NRC (National Research Council). 1998. Nutrient Requirements of Swine. 10th Edition. National Academy Press, Washington, DC.
- Pascual, J.V., M. Rafecas, M.A. Canela, J. Boatella, R. Bou, M.D. Baucells and R. Codony. 2006. Effect of increasing amounts of a linoleic-rich dietary fat on the fat composition of four pig breeds. Part I: Back fat fatty acid evolution. *Food Chem.* 96: 538-548.
- Pedersoli, W.M. 1978. Physical exercise, atherogenic diet, and serum lipids in swine. *Curr Ther Res* 23:464-473.
- Pinchasov, Y. and I. Nir. 1992 Effect of dietary polyunsaturated acid concentration on performance, fat deposition and carcass fatty acid composition in broiler chickens. *Poult. Sci.* 71: 1504-1512.
- Pond, W.G., H.J. Mersmann and L.D. Young. 1986. Heritability of plasma cholesterol and triglyceride concentrations in swine. *Proc. SOC. Exp. Biol. Med.* 182:221.
- Pond, W.G., H.J. Mersmann, P.D. Klein, L.L. Ferlic, W.W. Wong, D.L. Hachey, P.A. Schoknecht and S. Zhang. 1993. Body weight gain is correlated with serum cholesterol at 8 weeks of age in pigs selected for four generations for low or high serum cholesterol. *J. Anim. Sci.* 71: 2406-2411.
- Romans J.R., R.C. Johnson, D.M. Wulf, G.W. Libal and W.J. Costello. 1995. Effects of ground flaxseed in swine diets on pig performance and on physical and sensory characteristics and omega-3 fatty acid content of pork: I. dietary level of flaxseed. *J. Anim. Sci.*, 73: 1982-1986.
- Rossell, J.B. 1994. Measurement of Rancidity. *In: Rancidity in Foods*. Eds. J.C. Allen and R.J. Hamilton. Blackie Academic & Professional, London, UK. 22-53 p.
- Rustan, A.C., J.O. Nossen, E.N. Christiansen and C.A. Drevon. 1988. Eicosapentaenoic acid reduces hepatic synthesis and secretion of triacylglycerol by decreasing the activity of acyl-coenzyme A:1, 2-diacylglycerol acyltransferase. *J. Lipid Res.* 29: 1417-1426.
- SAS. 2001. Institute Inc., SAS/STAT Software: Changes and Enhancements, Release 8.2, Cary, NC.

- Sardi, L., G. Martelli, L. Lambertini, P. Parisini and A. Mordenti. 2006. Effect of a dietary supplement of DHA-rich marine algae on Italian heavy pig production parameters. *Lives. Sci.* 103: 95-103.
- Schmidt, E.B., H.A. Skou, J.H. Christensen and J. Dyerberg. 2000. N-3 fatty acids from fish and coronary artery disease: implications for public health. *Publ. Health Nutr.* 3(1): 91-98.
- Sheard, P.R., M. Enser, J.D. Wood, G.R. Nute, B.P. Gill and R.I. Richardson. 2000. Shelf life and quality of pork and pork products with raised n-3 PUFA. *Meat Sci.* 55: 213-221.
- Simopoulos, A.P. 2002. The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomed Pharmacother.* 56: 365-379.
- Simopoulos, A.P. 2001. Evolutionary aspects of diet, essential fatty acids and cardiovascular disease. *Eur. Heart J. Suppl.* 3:8D-21D.
- Simopoulos, A. P. 1991. Omega-3 fatty acids in health and disease and in growth and development. *American Journal of Clinical Nutrition.* 54: 438-63.
- Specht-Overholt, S., J.R. Romans, M.J. Marchello, R.S. Izard, M.G. Crews, D.M. Simon, W.J. Costello and P.D. Evenson. 1997. Fatty acid composition of commercially manufactured omega-3 enriched pork products, haddock, and mackerel. *J. Anim Sci.* 75: 2335-2343.
- Spurlock, M.E., K.L. Houseknecht, C.P. Portocarrero, S.G. Cornelius, G.M. Willis, and C.A. Bidwell. 2000. Regulation of pparg but not obese gene expression by dietary fat supplementation. *J. Nutr. Biochem.* 11: 260-266.
- Stein, H.H., J.D. Hahn and R.A. Easter. 1996. Effects of decreasing dietary energy concentration in finishing pigs on carcass composition. *J. Anim. Sci.* 74 (Suppl.1): 65. (Abstr.)
- Teye. G.A., P.R. Sheard, F.M. Whittington, G.R. Nute, A. Stewart and J.D. Wood. 2006. Influence of dietary oils and protein level on pork quality. 1. Effects on muscle fatty acid composition, carcass, meat and eating quality. *Meat Sci.* 73: 157-165.
- Therkildsen, M., B. Riis, A. Karlsson, L. Kristensen, P. Ertbjerg, P.P. Purslow, M. Dall Aaslyng and N. Oksbjerg. 2002. Compensatory growth response in pigs, muscle protein turn-over and meat texture: effects of restriction/realimentation period. *J. Anim. Sci.* 75: 367-377.
- Thomas, T.R., J. Pellechia, R.S. Rector, G.Y. Sun, M.S. Sturek and M.H. Laughlin. 2002. Exercise training does not reduce hyperlipidemia in pigs fed a high-fat diet. *Metabolism.* 51: 1587-1595.

- Van O.G, D.R Gross and A.M. Spiekerman: 1987. Effects of eight weeks of physical conditioning on atherosclerotic plaque in swine. *Am. J. Vet. Res.* 48: 51-55, 1987
- Van Oeckel, M.J., M. Casteels, N. Warnants, L.V. Damme and C.V. Boucque. 1996. Omega-3 fatty acids in pig nutrition: implications for the intrinsic and sensory quality of the meat. *Meat Sci.* 44: 55-63.
- Virgili, R. M. Degni, C. Schivazappa, V. Faeti, E. Poletti, G. Marchetto, M.T. Pacchioli and A. Mordenti. 2003. Effect of age at slaughter on carcass traits and meat quality of Italian heavy pigs. *J. Anim. Sci.* 81: 2448-2456.
- Voet, D. and J.G. Voet. 1995. *Biochemistry*. John Wiley and Sons Press. New York, Chichester, Brisbane, Toronto and Singapore. 1360 p.
- Wardlaw, G.M. and P.M. Insel. 1995. *Perspective in Nutrition*. 3rd. Von Hoffman Press, Mosby, USA. 388 p.
- Warnants, N., M.J. van Oeckel and C.V. Boucqué. 1996. Incorporation of dietary polyunsaturated fatty acids in pork tissues and its implications for the quality of the end products. *Meat Sci.* 44: 125-144.
- Whittemore, C.T. 1998. *The Science and Practice of Pig Production*. 2nd Edition. Blackwell Science, USA, 624 p.
- Wistuba, T.J., E.B. Kegley and J.K. Apple. 2006. Influence of fish oil in finishing diets on growth performance, carcass characteristics, and sensory evaluation of cattle. *J. Anim. Sci.* 84: 902-909
- Young, L.D., W.G. Pond and H.J. Mersmann. 1993. Direct and correlated response to divergent selection for serum cholesterol concentration on day 56 in swine. *J. Anim. Sci.* 71: 1742-1753.