

เอกสารอ้างอิง

- กรมวิชาการเกษตร. 2545. เกษตรดีที่เหมาะสมสำหรับข้าวโพดเลี้ยงสัตว์. กรมวิชาการเกษตร
กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ. 22 หน้า.
- เฉลิมพล แซมเพชร. 2535. สรีรวิทยาการผลิตพืชไร่. โอ เอส พริ้นติ้ง เฮ้าส์. กรุงเทพฯ. 188 หน้า.
- เฉลิมพล แซมเพชร. 2542. สรีรวิทยาการผลิตพืชไร่. นพบุรีการพิมพ์. เชียงใหม่. 276 หน้า.
- สุภพงษ์ วายุภาพ. 2539. การศึกษาการเจริญเติบโตและผลผลิตของข้าวโพดพันธุ์ลูกผสมบางพันธุ์.
วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์. 109 หน้า.
- สถาบันวิจัยพืชไร่. 2539. เอกสารวิชาการเรื่อง พันธุ์พืชไร่. สถาบันวิจัยพืชไร่. กรมวิชาการเกษตร
กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ. 143 หน้า.
- สมชาย บุญประดับ, และมนตรี ชาศะศิริ. 2540. รายงานการวิจัยเรื่อง การปรับปรุงคุณภาพผลผลิต
ถั่วเขียวผิวดำเพื่อการส่งออก. สถานีทดลองพืชไร่พิษณุโลก. สถาบันวิจัยพืชไร่. กรม
วิชาการเกษตร กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ 166 หน้า.
- อภิพรธ พุกภักดี. 2523. สรีรวิทยาการผลิตพืชตระกูลถั่ว. ภาควิชาพืชไร่นา. คณะเกษตร
มหาวิทยาลัยเกษตรศาสตร์. 90 หน้า.
- อภิพรธ พุกภักดี. 2533. วิทยาศาสตร์การผลิตพืชตระกูลถั่ว. ภาควิชาพืชไร่นา. คณะเกษตร
มหาวิทยาลัยเกษตรศาสตร์. 538 หน้า.
- Awal M. A., Koshi H., and Ikeda T. 2006. Radiation interception and use by maize/peanut
intercrop canopy. *Agricultural and Forest Meteorology*. 139: 74-83.
- Baker D. N., and Meyer R. E. 1966. Influence of stand geometry on light interception and net
photosynthesis in cotton. *Crop Sci*. 6: 15-19.
- Black J. N. 1963. The interrelationship of solar radiation and leaf area index in determining the rate
of dry matter production of swards of subterranean clover (*Trifolium subterraneum*). *Aust.*
J. Agri. Res. 14: 20-38.
- Board J.E., and Harville B. G. 1996. Growth dynamics during the vegetative period affects yield
of narrow-row, late-planted soybean. *Agron. J.* 88: 567-572.
- Board J.E., Kamal M., and Harville B. G. 1992. Temporal importance of greater light interception
to increased yield in narrow-row soybean. *Agron. J.* 84: 575-579.

- Boote K.J., and Loomis R.S. 1991. The prediction of canopy assimilation. In: K.J. Boote and R.S. Loomis (Editors), *Modeling Crop Photosynthesis: From biochemistry to canopy*. CSSA Spec. Publ. 19. CSSA and ASA, Madison, WI. p. 109-140.
- Brougham R. W. 1956. Effect of intensity of defoliation on regrowth of pasture. *Aust. J. Agric Res.* 7: 377-387.
- Chang Jen-hu. 1971. Climate and Agriculture: An ecological survey. *Ann. Bot.* 40: 603-613.
- Curtis P.E., Ogren W.E., and Hageman R.H. 1969. Varietal effect in soybean photosynthesis and photorespiration. *Crop Sci.* 9: 323-326.
- de Wit C. T. 1965. Photosynthesis of leaf canopies. Agricultural Research Reports No. 663, Pudoc, Wageningen.
- Donald W. M., and Hamblin J. 1976. The biological yield and harvest index of cereal as agronomic and plant breeding criteria. *Advances in Agronomy.* 18: 361-407.
- Dong S. T., and Hu C. H. 1993. Effect of plant population density on canopy net photosynthesis and their relation to grain yield in maize cultivars. *Photosynthetica.* 29: 25-32.
- Duncan W. G., Mac-Clond., McGraw D. E. R. L., and Boote K. 1978. Physiological aspect of peanut yield improvement. *Crop Sci.* 18: 1015-1020.
- Dwyer L.M., Tollenaar M., and Stewart. 1991. Change in plant density dependence of leaf photosynthesis of maize (*Zea mays* L.) Hybrids, 1958 to 1988. *Can J. Plant Sci.* 71: 1-11.
- Echarte L., and Andrade F. H. 2003. Harvest index stability of argentinean maize hybrids released between 1965 and 1993. *Field Crops Research.* 82: 1-12.
- Elmore R.W., Moomaw R. S., and Selley R.. 1990. Narrow-row Soybeans. Nebraska-Lincoln Univ. *Field Crops.* 890-963.
- Evans L. T. 1975. *Crop Physiology*. London. Cambridge University Press.
- Fageria N. K., Baliger V. C., and Jones C. V. 1991. *Growth and Mineral Nutrition of Field Crops*. Marcel Dekker, Inc. New York.
- Flenet. F., Kiniry. J.R., Board J.E., Westgate M.E., and Reicosky D.C. 1996. Row spacing effect on light extinction coefficients of corn, sorghum, soybean, and sunflower. *Agron. J.* 88: 185-190.


- Gardner F. P., and Auma E. O. 1989. Canopy structure, light interception, and yield and market quality of peanut genotypes as influenced by planting pattern and planting date. *Field Crops Research*. 20: 13-29.
- Gardner F.P., Pearce R. B., and Mitchell R. L. 1985. Physiology of crop plants. Iowa state Univ. Press : Amer, 327 pp.
- Ghosh D. C., and Singh B. P. 1994. Effect of cultural practices on leaf area index, light interception rate and grain yield of wet land rice. *Ind. J. Agri. Res.*, 28(4): 275-279.
- Hall D. O., Scurlock J. M. O., Bolhar-Nordenkamp H. R., Leegood R. C., and Long S. P. 1993. Photosynthesis and production in a changing environment: A field and laboratory manual. United Nation Environment Programme. 464 pp.
- Harvey R. G., Lauer J. G., Albright J. W., and Anthon T. M. 1997. Row spacing – population – weed level interaction study. In 1997 Wisconsin Weed Control Results. *Dept. of Agron. And Hort. Univ of Wisconsin*. 27: 77-78.
- Jootanon. O., Pongkao S., Anak T. N., Rungchang p., and Suwantaradon K. 1970. Crop production and management practices for improving yield of corn sorghum. Thailand National Corn and sorghum Program 1970. Annual Reporting Session.
- Kasanga H., and Monsi N. 1954. On the light transmission of leaves and its meaning for the production of matter in plant communities. *Jpn. J. Bot.* 14: 304-324.
- Larcher W. 1980. Physiological plant ecology. Berlin Heidelberg New York: Springer-Verlag.
- Larry C. P., Rosalind A. B., Reaper J. D., and Earl D. V. 2002. Radiation use efficiency and biomass production in soybean at different plant population densities. *Crop Sci.* 42: 172-177.
- Lawn R. J., and Williams J. H. 1986. Limits imposed by climatological factors. ACIAR² Workshop. Food legume improvement for Asian Farming Systems. Khon Kaen Thailand. 23 pp.
- Liu X., Jian J., Herbert S. J., Qivying Z., and Guanghua W. 2005. Yield components, dry matter, LAI and LAD of soybeans in Northeast China. *Field Crops Research*. 93: 85-93.
- Maddoni G. A., and Otegui M .E. 1996. Leaf area, light interception, and crop development in maize. *Field Crops Research*. 48: 81-87.

- Mark S. 2001. Population density:high or low. Available from. [http://www. Lgseeds.com/LG_News_21.asp](http://www.Lgseeds.com/LG_News_21.asp).
- Marvel J. N., Beyrouly C. A., and Gbur E. E. 1992. Response of soybean growth to root and canopy competition. *Crop Sci.* 32: 797-801.
- Milthorpe F. L., and Moorby J. 1974. An introduction to crop physiology. Cambridge Univ. Press.
- Mohammad J. Z., Amir G., and Jahanfar D. 2005. Effect of patterns of sunflower on yield and extinction coefficient. *Agron. Sustain. Dev.* 25: 513-518.
- Monsi M., and Saeki T. 1953. Über den Lichtfaktor in den Pflanzengesellschaften und seine Bedeutung für die Stoffproduktion. *Japanese Journal of Botany* 14: 22-52.
- Muchow R. C., Sinclair, T. R., and Bennett, J. M. 1990. Temperature and solar radiation effects on potential maize yield across locations. *Agron J.* 82: 338-343.
- Murata Y., and Matsushima S. 1975. In crop physiology. ed. L. T. Evans. London Cambridge Univ. Press.
- Nicoporovic A. A. 1960. Photosynthesis and the theory of obtaining high crop yield. In: Black J. N., and Watson D. J., ed. *Field Crop Abstr.* 13, 3: 169-175.
- Pablo A.B., Hernan R.S.R., Fernando H.A., and Hernan E.E. 2000. Row spacing effects at different levels of nitrogen availability in maize. *Agron. J.* 92: 283-288.
- Pommel B., Sohbi Y., and Andrieu B. 2001. Use of virtual 3D maize canopies to assess the effect of plot heterogeneity on radiation interception. *Agricultural and Forest Meteorology.* 110: 55-67.
- Porter H. K., Pal N., and Martin R. V. 1950. Physiological studies in plant nutrition. XV. Assimilation of carbon by the ear of barley and its relation to the accumulation of dry matter in the grain. *Ann. Bot. n. s.* 14: 55-68.
- Rachei K. O., and Roberts L. M. 1974. Grain legumes of the lowland and tropics. *Adv. In Agron.* 26: 2-118.
- Ritchie S. W., and Hanway J. J. 1989. How corn plant develops. Special Report No. 48. Iowa state university of science and technology cooperative extension service Ames, Iowa. 21 pp.
- Salisbury F. B., and Ross C. W. 1985. Plant Physiology. 3rd ed. Wadsworth Publishing Company, Belmont, California.

- Satatha K., David J. H., and Godfrey C. 2001. Genetic improvement in short season soybeans: I. Dry matter accumulation, partitioning, and leaf area duration. *Crop Sci.* 41: 391-398.
- Shaw R. H., and Weber C. R. 1967. Effect of canopy arrangement of light interception and yield of soybean. *Agron. J.* 54: 155-159.
- Shibles R.M., and Weber C.R. 1965. Leaf area, solar radiation interception and dry matter production by soybean. *Crop Sci.* 5: 575-577.
- Sionit N., and Kramer P. J. 1977. Effect of water stress using different stages of growth of soybean. *Agron. J.* 69: 274-278.
- Smith D. L., and Hamel C. 1998. Crop yield: physiology and processes. Springer-Verlag Berlin Heidelberg New York. p. 184-187.
- Squire G. R. 1993. The physiology of tropical crop production. The leaf canopy and root system. C. A. B. International Wallingford. U. K. p. 45-70.
- Steiner J. L. 1986. Dryland grain sorghum water use, light interception, and growth responses to Planting Geometry. *Agron. J.* 78: 720-726.
- Stewart D. W., Costa C., Dwyer L. M., Smith D. L., Hamilton R. I., and Ma B. L. 2003. Canopy structure, light interception, and photosynthesis in maize. *Agron. J.* 95: 1465-1474.
- Teh C. B. S., Simmonds L. P., Wheeler T. R. 2000. An equation for irregular distribution of leaf azimuth density. *Agricultural and Forest Meteorology.* 102: 223-234.
- Tetio K. F., and Gardner F. P. 1988. Responses of maize to plant population density. I. Canopy development, light relationships, and vegetative growth. *Agron. J.* 80: 930-935.
- Tollennarr M., and Aguilera A. 1992. Radiation use efficiency of an old and a new maize hybrid. *Agron. J.* 84: 536-541.
- Tsubo M., Walker S., and Mukhala E. 2001. Comparison of radiation use efficiency of mono-/inter-cropping systems with different row orientations. *Field Crops Research.* 71: 17-29.
- Vietor D. M., Ariyanayagam R. P., and Musgrave R. B. 1977. Photosynthetic selection of *Zea Mays* L. I. Plant age and leaf position effects and a relationship between leaf and canopy rate. *Crop Sci.* 17: 567-573.
- Watson D.J. 1958. The dependence of net assimilation rate on leaf area index. *Ann. Bot. N.S.* 22: 37-54.

Watanabe Y., Nakamura Y., and Ishi R. 1997. Relationship between starch accumulation and activities of the related enzymes in the leaf sheath as a temporary sink organ in rice (*Oryza sativa*). *Aust. J. Plant Physiol.* 24: 563-569.

Yoshida S. 1981. Fundamentals of rice crop science. International Rice Research Institute, Los Banos, Languna. Philippines.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved