


TABLE OF CONTENTS

	Page
Acknowledgement	iii
Abstract in English	iv
Abstract in Thai	vi
Table of Contents	viii
List of Tables	x
List of Figures	xi
Chapter 1 Introduction	1
Chapter 2 Literature Reviews	3
2.1 General information of <i>Dendrobium</i>	3
2.2 Orchid pollinia storage	7
2.3 NAA on delaying fruit drop	8
2.4 Cross pollination and inheritance	9
2.5 Identification by RAPD technique	13
Chapter 3 Effects of Temperature and Storage Period on Pollinia Viability of Some Fragrant <i>Dendrobium</i> Species	15
Chapter 4 Effects of NAA on Delaying Fruit Drop in the Cross Pollination Between <i>Dendrobium</i> Cultivars and Fragrant Species	27
Chapter 5 Phenotypic Distribution of Progenies Derived from the Cross Between <i>Dendrobium</i> Cultivars and Four Fragrant Species	32
Chapter 6 Hybrid Identification by RAPD Markers in the Crosses of <i>Dendrobium</i> Cultivars with Fragrant Species	45
Chapter 7 General Discussion	58
Chapter 8 Conclusion	61

References	63
Appendix	68
Curriculum Vitae	87



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES

Table	Page
1 Pollinia viability percentage of <i>Den. scabrilingue</i> at three levels of storage temperatures and fifteen storage periods.	18
2 Pollinia viability percentage of <i>Den. anosmum</i> at three levels of storage temperatures and fifteen storage periods.	20
3 Pollinia viability percentage of <i>Den. parishii</i> at three levels of storage temperatures and fifteen storage periods.	22
4 Pollinia viability percentage of <i>Den. peguanum</i> at three levels of storage temperatures and fifteen storage periods	24
5 Effects of NAA on delaying fruit drop in the cross of <i>Dendrobium</i> Jaquelyn Thomas and <i>Dendrobium scabrilingue</i> .	29
6 Effects of NAA on delaying fruit drop in the cross of <i>Dendrobium</i> Jaquelyn Thomas and <i>Dendrobium anosmum</i> .	30
7 Effects of NAA on delaying fruit drop in the cross of <i>Dendrobium</i> Jaquelyn Thomas and <i>Dendrobium parishii</i> .	30
8 Effects of NAA on delaying fruit drop in the cross of <i>Dendrobium</i> Jaquelyn Thomas and <i>Dendrobium peguanum</i> .	30
9 Quantitative characteristic frequencies of progenies derived from cross between <i>Den. Emma White</i> x <i>Den. parishii</i> and chi-square analysis of phenotypic ratio.	35
10 Qualitative characteristic frequencies of progenies derived from cross between <i>Den. Emma White</i> x <i>Den. parishii</i> and chi-square analysis of phenotypic ratio.	42

LIST OF FIGURES

Figure	Page
1 Crossability of species between sections in the genus <i>Dendrobium</i>	10
2 Four fragrant species and their pollinia. (A) <i>Den. scabrilingue</i> , (B) <i>Den. anosmum</i> , (C) <i>Den. parishii</i> , (D) <i>Den. peguanum</i> , (E) pollinia of <i>Den. scabrilingue</i> , (F) pollinia of <i>Den. anosmum</i> , (G) pollinia of <i>Den. parishii</i> and (H) pollinia of <i>Den. peguanum</i> .	16
3 <i>Dendrobium</i> cultivar and fragrant species used to test the effect of NAA. (A) <i>Den. Jaquelyn Thomas</i> as female plant, (B) <i>Den. scabrilingue</i> , (C) <i>Den. anosmum</i> , (D) <i>Den. parishii</i> and (E) <i>Den. peguanum</i> as pollen plants.	28
4 Parental lines of the cross. (A) <i>Den. Emma White</i> and (B) <i>Den. parishii</i> Rchb. f.	33
5 Distribution of progenies compared with parents and mid-parent. (A) pseudobulb length and (B) pseudobulb width.	37
6 Distribution of progenies compared with parents and mid-parent. (A) leaf length and (B) leaf width.	38
7 Distribution of progenies compared with parents and mid-parent. (A) number of leaves and (B) number of flowers.	39
8 Distribution of progenies compared with parents and mid-parent for inflorescence length.	40
9 Distribution of progenies compared with parents and mid-parent for flower width.	40
10 Distribution of progenies compared with parents and mid-parent for flower longevity.	41

- 11** Parental lines and progenies.
 (A) *Den. Emma White*, (B) *Den. Anna*, (C) *Den. Sonia 'Red'* and (D) *Den. parishii*.
 (E-H) Progenies derived from the cross between *Den. Emma White* and *Den. parishii*.
 (I-L) Progenies derived from the cross between *Den. Anna* and *Den. parishii*.
 (M-P) Progenies derived from the cross between *Den. Sonia 'Red'* and *Den. parishii*. 46
- 12** Polymorphic profiles obtained from *Den. Emma White* (D1), *Den. parishii* (D2),
Den. anosmum (D3), *Den. scabrilingue* (D4) and *Den. peguanum* (D5) after
 amplification with four primers, OPF 01, OPF 04, OPF 07 and OPF 10. 49
- 13** Polymorphic profiles obtained from parental lines, *Den. Emma White* as female
 parent (FP) and *Den. parishii* as pollen or male parent (MP) after amplification
 with four primers, OPF 01, OPF 04, OPF 07 and OPF 10. 50
- 14** Polymorphic profiles obtained from *Den. Emma White* (FP), *Den. parishii* (MP)
 and their ten progenies (H1-H10) after amplification with OPF 01 primer. 52
- 15** Polymorphic profiles obtained from *Den. Emma White* (FP), *Den. parishii* (MP)
 and their ten progenies (H1-H10) after amplification with OPF 04 primer. 52
- 16** Polymorphic profiles obtained from *Den. Emma White* (FP), *Den. parishii* (MP)
 and their ten progenies (H1-H10) after amplification with OPF 07 primer. 52
- 17** Polymorphic profiles obtained from *Den. Emma White* (FP), *Den. parishii* (MP)
 and their ten progenies (H1-H10) after amplification with OPF 10 primer. 53
- 18** Polymorphic profiles obtained from *Den. Anna* (FP), *Den. parishii* (MP)
 and their five scent, A1-A5, and non-scent, A6-A10, progenies after amplification
 with OPF 01 primer. 54
- 19** Polymorphic profiles obtained from *Den. Sonia 'Red'* (FP), *Den. parishii* (MP)
 and their five scent, S1-S5, and non-scent, S6-S10, progenies after amplification
 with OPF 01 primer. 54
- 20** Polymorphic profiles obtained from *Den. Anna* (FP), *Den. parishii* (MP)
 and their five scent, A1-A5, and non-scent, A6-A10, progenies after amplification
 with OPF 04 primer. 54

- 21 Polymorphic profiles obtained from *Den. Sonia 'Red'* (FP), *Den. parishii* (MP) and their five scent, S1-S5, and non-scent, S6-S10, progenies after amplification with OPF 04 primer. 55
- 22 Polymorphic profiles obtained from *Den. Anna* (FP), *Den. parishii* (MP) and their five scent, A1-A5, and non-scent, A6-A10, progenies after amplification with OPF 07 primer. 55
- 23 Polymorphic profiles obtained from *Den. Sonia 'Red'* (FP), *Den. parishii* (MP) and their five scent, S1-S5, and non-scent, S6-S10, progenies after amplification with OPF 07 primer. 55
- 24 Polymorphic profiles obtained from *Den. Anna* (FP), *Den. parishii* (MP) and their five scent, A1-A5, and non-scent, A6-A10, progenies after amplification with OPF 07 primer. 56
- 25 Polymorphic profiles obtained from *Den. Sonia 'Red'* (FP), *Den. parishii* (MP) and their five scent, S1-S5, and non-scent, S6-S10, progenies after amplification with OPF 10 primer. 56