

## TABLE OF CONTENTS

	<b>Page</b>
<b>Acknowledgement</b>	iii
<b>Abstract in Thai</b>	iv
<b>Abstract in English</b>	vi
<b>Table of contents</b>	viii
<b>List of Tables</b>	xi
<b>List of Figures</b>	xvii
<b>Abbreviations and Symbols</b>	xx
<b>Chapter 1</b> Introduction	1
<b>Chapter 2</b> Literature Reviews	4
1. Tangerine	4
1.1 Fruit structure	5
1.2 Fruit development	7
1.3 Maturation, ripening and senescence of citrus fruit	8
1.4 Fruit composition	11
2. Plant nutrients	15
3. Nutrient balance	16
4. Citrus nutrition	17
4.1 Nitrogen (N)	17
4.2 Phosphorus (P)	18
4.3 Potassium (K)	19
4.4 Calcium (Ca)	20
4.5 Magnesium (Mg)	20
4.6 Iron (Fe)	20
4.7 Manganese (Mn)	21

4.8 Copper (Cu)	21
4.9 Zinc (Zn)	22
4.10 Boron (B)	22
5. Diagnosis of nutrient problems	23
5.1 Plant tissue analysis	24
5.2 Soil testing	25
6. Achievement research in Thailand	28
<b>Chapter 3</b> Tangerine Production Systems in Chiang Mai Province	30
Introduction	30
Materials and Methods	30
Results and Discussion	31
Conclusions and Recommendations	41
<b>Chapter 4</b> Assessment of Appropriate Tangerine-Leaf Sampling	42
Position for Nutrient Analysis	
Introduction	42
Materials and Methods	42
Results and Discussion	44
Conclusions and Recommendations	45
<b>Chapter 5</b> Change of Leaf and Twig Nutrient Concentration During	48
Fruit Development	
Introduction	48
Materials and Methods	49
Results and Discussion	50
Conclusions and Recommendations	52
<b>Chapter 6</b> Changes of Nutrient Content and Fruit Components During	55
Fruit Development	
Introduction	55
Materials and Methods	55

Results and Discussion	56
Conclusions and Recommendations	61
<b>Chapter 7</b> Relationship between Fertilizer Application and Leaf Nutrient Concentrations for Yield and Quality	62
Introduction	62
Materials and Methods	62
Results and Discussion	63
Conclusions and Recommendations	63
<b>Chapter 8</b> Effect of Fertilizer Ratio on Yield and Quality of Fruit	87
Introduction	87
Materials and Methods	88
Results and Discussion	89
Conclusions and Recommendations	100
<b>Chapter 9</b> Use of Soil Analysis for Fertilizer Recommendation	101
Introduction	101
Materials and Methods	102
Results and Discussion	103
Conclusions and Recommendations	146
<b>Chapter 10</b> Conclusions	148
<b>References</b>	150
<b>Appendix A</b>	163
<b>Appendix B</b>	168
<b>Curriculum vitae</b>	170

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
3.1 Preceding crops found before tangerine cultivation in Fang district, Chiang Mai in 2006.	32
3.2 Land ownership certificate of tangerine orchardists in Fang district, Chiang Mai in 2006.	32
3.3 Cultivars of tangerine grown in Fang district, Chiang Mai in 2006.	34
3.4 Tree age of tangerine in Fang district, Chiang Mai in 2006.	34
3.5 Planting methods of tangerine in Fang district, Chiang Mai in 2006.	35
3.6 Tree spacing of tangerine in Fang district, Chiang Mai in 2006.	36
3.7 Irrigation systems of tangerine orchard in Fang district, Chiang Mai in 2006.	36
3.8 Source of irrigation water for tangerine orchard in Fang district, Chiang Mai in 2006.	37
3.9 Formula and quantity of fertilizer applied in tangerine at different stages in Fang district, Chiang Mai in 2006.	38
3.10 Source of knowledge gained by tangerine orchardists in Fang district, Chiang Mai in 2006.	40
3.11 Market flow of tangerine produce in Fang district, Chiang Mai in 2006.	41
4.1 Nutrient concentration in 90-day-old tangerine cv. Sainampueng leaf at different leaf position.	46
5.1 Concentration of elements in tangerine cv. Sainampueng leaf at different time of taking samples.	53
5.2 The nutrient concentration in tangerine cv. Sainampueng twig at different ages.	54

<b>Table</b>	<b>Page</b>
6.1 Fruit size, fruit weight, thickness of peel, peel colour, total soluble solids (TSS), vitamin C, juice percentage, pH of juice, titratable acidity (TA) and juice colour of tangerine cv. Sainampueng fruit at different ages.	58
6.2 Nutrient contents in tangerine cv. Sainampueng fruit at different ages.	60
7.1 The quantity of nitrogen, phosphorus and potassium fertilizer of tangerine cv. Sainampueng in the selected farmers' orchard.	64
7.2 The concentration of elements in soil of tangerine cv. Sainampueng in the selected farmers' orchard.	66
7.3 The quality (fruit size, thickness of peel, fruit weight, juice percentage, pH of juice, total soluble solids (TSS), titratable acidity (TA), vitamin C, yield and taste) of tangerine cv. Sainampueng.	69
7.4 The concentration of elements in tangerine cv. Sainampueng leaf.	72
8.1 Effect of adjusted N:P <sub>2</sub> O <sub>5</sub> :K <sub>2</sub> O ratio of the fertilizer on fruit size, peel thickness, fruit weight of 10-month-old tangerine cv. Sainampueng fruit.	92
8.2 Effect of adjusted N:P <sub>2</sub> O <sub>5</sub> :K <sub>2</sub> O ratio of the fertilizer on juice percentage, pH of juice, TSS, TA, TSS/TA ratio and vitamin C of 10-month-old tangerine cv. Sainampueng fruit.	96
8.3 Effect of adjusted N:P <sub>2</sub> O <sub>5</sub> :K <sub>2</sub> O ratio on nutrient concentration in leaf of 10 months old tangerine cv. Sainampueng fruit.	99
9.1 Properties of the loam soil before the experiment trial and their optimum nutrient concentration.	104
9.2 Properties of the clay soil before the experiment trial and their optimum nutrient concentration.	105

<b>Table</b>	<b>Page</b>
9.3 Application rate of fertilizers among the treatments which were conducted in loam soil.	106
9.4 Application rate of fertilizers among the treatments which were conducted in clay soil.	107
9.5 Soil properties of the treatments after the experiment which was conducted in loam soil and at the optimum nutrient concentration.	109
9.6 Soil properties of the treatments after the experiment which was conducted in clay soil and at the optimum nutrient concentration.	110
9.7 Nutrient concentration in leaf of tangerine cv. Sainampueng as affected by various fertilizer applications in loam soil.	112
9.8 Nutrient concentration in leaf of tangerine cv. Sainampueng as affected by various fertilizer applications in clay soil.	113
9.9 Fruit size of tangerine cv. Sainampueng between fertilizer application treatments.	115
9.10 Peel thickness of tangerine cv. Sainampueng between fertilizer application treatments.	116
9.11 Fruit weight of tangerine cv. Sainampueng between fertilizer application treatments.	117
9.12 Yield of tangerine cv. Sainampueng between fertilizer application treatments.	118
9.13 Juice percentage of tangerine cv. Sainampueng fruit between fertilizer application treatments.	119
9.14 The pH of tangerine cv. Sainampueng juice between fertilizer application treatments.	120
9.15 Vitamin C of tangerine cv. Sainampueng fruit between fertilizer application treatments.	121

<b>Table</b>	<b>Page</b>
9.16 Total soluble solids (TSS) of tangerine cv. Sainampueng fruit between fertilizer application treatments.	122
9.17 Titratable acidity (TA) of tangerine cv. Sainampueng fruit between fertilizer application treatments.	123
9.18 The TSS/TA ratio of tangerine cv. Sainampueng fruit between fertilizer application treatments.	124
9.19 Fruit size and peel thickness of tangerine cv. Sainampueng between fertilizer application treatments in loam soil.	125
9.20 Fruit weight and yield of tangerine cv. Sainampueng between fertilizer application treatments in loam soil.	126
9.21 Peel colour and juice colour of tangerine cv. Sainampueng between fertilizer application treatments in loam soil	127
9.22 Juice percentage and pH of juice of tangerine cv. Sainampueng fruit between fertilizer application treatments in loam soil.	128
9.23 Vitamin C and total soluble solids (TSS) of tangerine cv. Sainampueng fruit between fertilizer application treatments in loam soil.	129
9.24 Titratable acidity (TA) and TSS/TA ratio of tangerine cv. Sainampueng fruit between fertilizer application treatments in loam soil.	130
9.25 Fruit size and peel thickness of tangerine cv. Sainampueng between fertilizer application treatments in clay soil.	131
9.26 Fruit weight and yield of tangerine cv. Sainampueng between fertilizer application treatments in clay soil.	132
9.27 Peel colour and juice colour of tangerine cv. Sainampueng between fertilizer application treatments in clay soil	133

<b>Table</b>	<b>Page</b>
9.28 Juice percentage and pH of juice of tangerine cv. Sainampueng fruit between fertilizer application treatments in clay soil.	134
9.29 Vitamin C and total soluble solids (TSS) of tangerine cv. Sainampueng fruit between fertilizer application treatments in clay soil.	135
9.30 Titratable acidity (TA) and TSS/TA ratio of tangerine cv. Sainampueng fruit between fertilizer application treatments in clay soil.	136
9.31 Concentrations of nitrogen (N), phosphorus (P) and potassium (K) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in loam soil.	138
9.30 Concentrations of calcium (Ca) and magnesium (Mg) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in loam soil.	139
9.31 Concentrations of iron (Fe), manganese (Mn) and copper (Cu) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in loam soil.	140
9.32 Concentrations of zinc (Zn) and boron (B) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in loam soil.	141
9.33 Concentrations of nitrogen (N), phosphorus (P) and potassium (K) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in clay soil.	142



<b>Table</b>	<b>Page</b>
9.34 Concentrations of calcium (Ca) and magnesium (Mg) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in clay soil.	143
9.35 Concentrations of iron (Fe), manganese (Mn) and copper (Cu) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in clay soil.	144
9.36 Concentrations of zinc (Zn) and boron (B) in tangerine cv. Sainampueng fruits as affected by various fertilizer application treatments in clay soil.	145
9.37 The expense of fertilizer applied in the treatments of the tangerine cv. Sainampueng experimented in loam and clay soil.	147

## LIST OF FIGURES

Figure	Page
1.1 Conceptual frameworks for the use of nutrient balance for improving fruit yield and quality of tangerine ( <i>Citrus reticulata</i> Blanco) cv. Sainampueng.	3
4.1 Leaf position of tangerine cv. Sainampueng for nutrient concentration analysis.	44
4.2 Relationship between nutrient concentration in soil and concentration of elements in leaf.	47
5.1 Sampled leaves taken for nutrient concentration analysis.	50
7.1 Relationship between N fertilizer and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	74
7.2 Relationship between P fertilizer and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	75
7.3 Relationship between K fertilizer and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	76
7.4 Relationship between N concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	77
7.5 Relationship between P concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	78

<b>Figure</b>	<b>Page</b>
7.6 Relationship between K concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	79
7.7 Relationship between Ca concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	80
7.8 Relationship between Mg concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	81
7.9 Relationship between Fe concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	82
7.10 Relationship between Mn concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	83
7.11 Relationship between Cu concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	84
7.12 Relationship between Zn concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	85
7.13 Relationship between B concentration in leaves and fruit size, fruit weight, juice percentage, total soluble solids (TSS), titratable acidity (TA) and yield of tangerine cv. Sainampueng.	86
8.1 The effect of adjusted nutrient ratio of the fertilizer on fruit size of tangerine cv. Sainampueng.	89

<b>Figure</b>	<b>Page</b>
8.2 The effect of adjusted nutrient ratio of the fertilizer on peel thickness of tangerine cv. Sainampueng.	90
8.3 The effect of adjusted nutrient ratio of the fertilizer on fruit weight of tangerine cv. Sainampueng.	90
8.4 The effect of adjusted nutrient ratio of the fertilizer on juice percentage of tangerine cv. Sainampueng.	93
8.5 The effect of adjusted nutrient ratio of the fertilizer on pH of tangerine cv. Sainampueng juice.	93
8.6 The effect of adjusted nutrient ratio of the fertilizer on TSS of tangerine cv. Sainampueng fruit.	94
8.7 The effect of adjusted nutrient ratio of the fertilizer on TSS:TA ratio of tangerine cv. Sainampueng fruit.	94
8.8 The effect of adjusted nutrient ratio of the fertilizer on TA of tangerine cv. Sainampueng fruit.	95
8.9 The effect of adjusted nutrient ratio of the fertilizer on vitamin C of tangerine cv. Sainampueng fruit.	95
8.10 The effect of adjusted nutrient ratio of the fertilizer on nutrient content in tangerine cv. Sainampueng fruit.	98

## ABBREVIATIONS AND SYMBOLS

ก.	=	กรัม
กก.	=	กิโลกรัม
ซม.	=	เซนติเมตร
มก.	=	มิลลิกรัม
มล.	=	มิลลิลิตร
%	=	Percent
°C	=	Degree Celsius
&	=	Ampersand, And
I	=	One
II	=	Two
III	=	Three
/	=	Per
*	=	Significant differences
1 <sup>st</sup>	=	First
2 <sup>nd</sup>	=	Second
3 <sup>rd</sup>	=	Third
4 <sup>th</sup>	=	Fourth
5 <sup>th</sup>	=	Fifth
6 <sup>th</sup>	=	Sixth
AAS	=	Atomic Absorption Spectrophotometer
AD	=	anno Domini
ANOVA	=	Analysis of Variance
B	=	Boron
BC	=	Before Christ
Ca	=	Calcium

CA	=	Citric acid
CaCl <sub>2</sub>	=	Calcium chloride
cc	=	a metric unit of volume equal to one thousandth of a liter
Cl	=	Chlorine
cm	=	Centimeter
CNR	=	Critical Nutrient Range
CRD	=	Completely randomized design
Cu	=	Copper
cv.	=	Cultivar
CV	=	Coefficient of variation
DI water	=	Distilled water or Deionizer water
DRIS	=	Diagnosis and Recommendation Integrated System
DTPA	=	Diethylene triamine pentaacetic acid
EDTA	=	Ethylene diamine tetraacetic acid
<i>et al.</i>	=	and others
etc.	=	et cetera
e.g.	=	exempli gratia, for example
Fe	=	Iron
F – test	=	Statistical test
ha	=	Hectare
i.e.	=	id est, that is
IAA	=	Indoleacetic acid
g	=	Gram
G	=	Green
K	=	Potassium
K <sub>2</sub> O	=	Potassium oxide
kg	=	Kilogram
l	=	Liter


ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

La <sub>2</sub> O <sub>2</sub>	=	Lanthanum oxide
LSD	=	Least significant difference
m	=	Meter
M	=	Molar (mole/liter)
Mg	=	Magnesium
ml	=	Milliliter
mm	=	Millimeter
Mn	=	Manganese
$\bar{N}$	=	Normal
N	=	Nitrogen
N-15	=	Isotope of nitrogen
Na	=	Sodium
NH <sub>4</sub> OAc	=	Ammonium acetate
nm	=	Nanometer
No., no.	=	Number
ns	=	not significant difference
NSW	=	New South Wales
OM	=	Organic matter
P	=	Phosphorus
P <sub>2</sub> O <sub>5</sub>	=	Phosphorus oxide
PCR cycle	=	Polymerase chain reaction cycle
pH	=	a logarithmic measure used to state the acidity or alkalinity of a chemical solution
ppm	=	parts per million
R	=	Red
R <sup>2</sup>	=	The coefficient of determination
RNA	=	Ribonucleic acid
S	=	Sulfur

SG	=	Specific gravity
TA	=	Titratable acidity
TSS	=	Total soluble solids
USA	=	United States of America
Vitamin C	=	Ascorbic acid
Y	=	Yellow



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved