

REFERENCES

- Alam, S.N. 1999. Nutrient uptake by plants under stress conditions. In: Handbook of Plant and Water Stress. Pessarakli, M. 2nd Edition. University of Arizona. Tucson Arizona. U.S.A.
- Baenziger, M., Edmeades, G.O., Beck, D., and Bellon, M. 2000. Breeding for drought and nitrogen stress tolerance in maize: From theory to practice. Mexico, D. F: CIMMYT.
- Baligar, V.C., Fageria, N.K., and He, Z.L. 2001. Nutrient use efficiency in plants. *Commun. Soil Sci. Plant Anal* 32: 921-950.
- Barrs, H.D. 1968. Determination of water deficits in plant tissues. pp. 235-368. In: *Water Deficits and Plant Growth (Vol.1)*. In T. T. Kozlowski (ed). Academic Press, New York.
- Begg, J.E., and Turner, N.C. 1976. Crop water deficits. *Adv. Agron* 28: 161-207.
- Begg, J.E. 1980. Morphological adaptation of leaves to water stress. In: *Adaptation of Plant to Water Stress and High Temperature Stress*. In N.C. Turner, and P.J. Kramer (eds). pp. 33-42.
- Belfield, S., and Brown, C. 2008. *Maize: A Guide to Upland Production in Cambodia*. Field crop. Manual. NSW Dept. of Primary Industries, NSW. 43 pp. Australia.
- Blum, A. 1982. Evidence for genetic variability in drought resistance and its implication in plant breeding. pp. 53-68. In: *Drought Resistance in Crops with Emphasis on Rice*. IRRI, Laguna.

- Bohnert H J, Nelson D E, Jensen R G. 1995. Adaptation to environmental stresses. *The Plant Cell*, 7, 1099-1111.
- Bolanos, J., Edmeades, G.O., and Martinez, L. 1993. Eight cycles of selection for drought tolerance in lowland tropical maize. III. Response in drought-adaptive physiological and morphological traits. *Field crop Res* 31: 269-286.
- Bolao' os, J., Edmeades, G.O., and Martinetz, L., 1993. Eight cycles of selection for drought tolerance in lowland tropical, maize. III. Responses in drought adaptive physiological and morphological traits. *Field Crops Res.* 31, 269–286.
- Boyer, J.S., and McPherson, H.G. 1976. Physiology of water deficits in cereal grain. In: *Climate and Rice.* (Ed. IRRD). pp. 321-339. International Rice Research Institute, Manila: Philippines.
- Boyer, J.S. 1982. Plant productivity and environment. – *Science* 218: 443-448.
- Bray E A. 1997. Plant responses to water deficit. *Trend in Plant Science*, 2, 48-54.
- Brix, H. 1962. The effect of water stress on the rates of photosynthesis and respiration in tomato plant and loblolly pine seedling. *Physiol. Plant* 15: 10-20.
- Bulm, A. 1983. Genetic and physiological relationships in plant breeding for drought resistance. *Agric. Water Manage* 7: 195-205.
- Chakir, R. 2004. Effect of water stress at different development stages on vegetative and reproductive growth of maize. *Field Crops Res.* 89, 1–16.
- Carrow, R.N. 1996. Drought resistance aspects of turfgrasses in the southeast: Root-shoot responses. *Crop Sci.* 36:687–694.

- Chapman, S., Crossa, J., Basford, K.E., and Kroonenberg, P.M. 1997. Genotype by environment effects and selection for drought tolerance in tropical maize. II. Three mode pattern analysis. *Euphytica* 95: 11-20.
- Courtois, B., McLaren, G., Sinha, P., Prasad, K.K., Yadav, R., and Shen, L. 2000. Mapping QTLs associated with drought avoidance in upland rice. *Mol Breed* 6: 55-66.
- Cruz, R.T., Jordan, W.R., and Drew, M.C. 1992. Structural changes and associated reduction of hydraulic conductance in root of *Sorghum bicolor* L. following exposure to water deficit. *Plant physiol* 99: 203-212.
- Dwyer, L.M., and Stewart, D.W. 1985. Water extraction patterns and development of plant water deficits in maize (*Zea mays*). *Canadian J. Plant Sci* 65(4): 921-934.
- Eck, H.V. 1984. Irrigated maize yield response to nitrogen and water. *Agron. J* 76: 421-428.
- Edmeades, G.O., Bolanos, J., Laffite H.R., Rajaram, S., Pfeiffer, W., and Fischer, R.A. 1989. Traditional approaches to breeding for drought resistance in cereals. In: Baker F W G, ed, *Drought Resistance in Cereals*. ICSU and CABI, Paris and Wallingford, UK. pp. 27-52.
- Edmeades G O, Bolanos J, Hernandez M. 1993. Causes for silk delay in a lowland tropical maize population. *Crop Science*, 33, 1029-1035.

- Ekasingh, B., Gypmantasiri, P., Thong-ngam, K., and Grudloyma, P. 2004. Maize in Thailand : Production Systems, Constraints, and Research Priorities. CIMMYT. Mexico, D. F. 36 pp.
- FAO. 2003. World Wheat, Corn, and Rice Production.
www.nue.okstste.edu/crop_Information/world_wheat_production.htm
- Ferguson, I.B., and Clarkson, D.T. 1976. Ion uptake in relation to the development of a root hypodermis. *New Phytol* 77: 11–14.
- Fukai, S., and Cooper, M. 1995. Development of drought-resistant cultivars using physiomorphy- logical traits in rice. *Field Crops Res.* 40: 67-86.
- Fu F L, Feng Z L, Gao S B, Zhou S F, Li W C. 2008. Evaluation and quantitative inheritance of several drought-relative traits in maize. *Agricultural Sciences in China*, 7, 280-290.
- Garg, B.K., Burman, U., and Kathju, S. 2004. The influence of phosphorus nutrition on the physiological response of moth bean genotypes to drought. *J. Plant Nutr. Soil Sci.* 167: 503-508.
- Garg, B.K. 2003. Nutrient uptake and management under drought: nutrient-moisture interaction. *Curr. Agric* 27(1/2): 1-8.
- Grant, R.F., Jackson, B.S., Kiniry, J.R., and Arkin, G.F. 1989. Water deficit timing effects on yield componets in m maze. *Agron. J.* 81: 61-65.
- Hays, K.L., Barber, J.F., Kenna, M.P., and McCollum, T.G. 1991. Drought avoidance mecha- nisms of selected bermudagrass genotypes. *HortScience* 26:180–182.

- Heinigre, R.W. 2000. Irrigation and Drought Management. Crop Science Department. Available from: http://www.ces.ncsu.edu/plymouth/cropsci/maizeguide/Chapter_4.html.
- Henckel, P.A. 1964. Physiology of plants under drought. *Annu. Rev. Plant Physiol* 15: 363-386.
- Hillel, D., and Rosenzweig, C. 2002. Desertification in relation to climate variability and change. *Adv. Agron* 77: 1-38.
- Hsiao, T.C., and Acevedo, E. 1974. Plant responses to water deficits. Water-use efficiency and drought resistance. *Agric. Meteorol* 14: 59-84.
- Huang, B., Duncan, R.R., and Carrow, R.N. 1997. Drought-resistance mechanisms of seven warm-season turfgrasses under surface soil drying: II. Root aspects. *Crop Sci.* 37:1863-1869.
- Iljin, W.S. 1957. Drought resistance in plants and physiological processes. *Annu. Rev. Plant Physiol* 8: 257-274.
- Jia J, Fu J, Zheng J, Zhou X, Huai J, Wang J, Wang M, Zhang Y, Chen X, Zhang J, Zhao J, Su Z, Lv Y, Wang G. 2006. Annotation and expression pattern analysis of 2073 fulllength cDNAs from stress-induced maize (*Zea mays* L.) seedlings. *The Plant Journal*, 48, 710-727.
- Kiesselbach, T.A. 1916. Transpiration as a factor in crop production. *Nebr. Agril. Exp. Sta. Res. Bull.* 6.
- Kramer, P.J., and Boyer, J.S. 1995. Water relations of plant and soil. San Diego. CA: Academic Press.

- Kummerow, J. 1980. Adaptation of roots in water-stressed native vegetation. pp. 57-73. In: N. C. Turner and P. J. Kramer (eds). *Adaptation of Plants to Water and High Temperature Stress*. John Wiley and Sons, New York.
- Lahaye, P.A., and Epstein, E. 1971. Calcium and salt tolerance in bean plants. *Plant Physiol* 25: 213.
- Lauer, J. 2003. What happens within the maize plant when drought occurs. University of Wisconsin Extension. Available from <http://www.uwex.edu/ces/ag/issues/drought2003/maizeeffect.html>.
- Lebreton, C., Lazic-Jancis, V., Streed, A., Pekic, S., and Quarric, S.A. 1995. Identification of QTL for drought responses in maize and their use in testing causal relationships between traits. *Exp. Bot* 46: 853-865.
- Levitt, J. 1980. Responses of plant to environmental stress. In *Physiological Ecology*, 2nd edition. Volume 2 Academic Press, New York.
- Li, X.H., Gao, G.L., Liang, X.L., Yuan, L.X., Li, M.S., and Zhang, S.H. 2002. Genetic diversity of drought tolerance at flowering time in elite maize germplasm. *Acta Agron. Sin.* 28: 595-600.
- Lorens, G.F., Bennett, J.M., and Loggele, L.B. 1987. Differences in drought resistance between two maize hybrids: II. Component analysis and growth rates. *Agro. J* 79: 808-813.
- Ludlow M M, Muchow R C. 1990. A critical evaluation of traits for improving crop yields in water-limited environments. *Advances in Agronomy*, 43, 107-153.

- Mackill, D.J., Conffman, W.R., and Garrity, D.P. 1996. Rainfed lowland rice improvement. Los Banos (Philippines): IRRI.
- MAFF Cambodia. 2005. Agricultural Statistics, 2004-2005. Statistics Office Department of Planning, Statistics and International Cooperation, Ministry of Agriculture, Fisheries and Food, Phnom Penh.
- Marcum, K.B., Engelke, M.C., Morton, S.J., and White, R.H. 1995. Rooting characteristics and associated drought resistance of zoysiagrass. *Agron. J.* 87:534-538.
- Marschner, H. 1995. Mineral Nutrition of Higher Plants. 2nd Ed. Acad. Press, London.
- Monneveux, P., and Belhassen, E. 1996. The diversity of drought adaptation in the wild. *Plant Growth Regul* 20: 85-92.
- Misovic, M.S. 1985. Maize breeding methodologies for environmental stress. In Breeding strategies for maize production improvement in the tropics. In A. Brandolini, and F. Salamni (eds). pp: 207-227. Florence and Bergam, ITALY.
- Mitra, J. 2001. Genomics and genetic improvement of drought resistance in crop plants. *Current Sci* 80 (6): 758-763.
- Nesmith, D.S., and Ritchie, J.T. 1992. Effects of soil water-deficits during tassel emergence on development and yield component of maize (*Zea mays*). *Field Crops Res.* 28: 251-256.
- Nguyen, H.T., Babu, R.C., and Blum, A. 1997. Breeding for drought resistance in rice: Physiology and molecular genetics considerations. *Crop Sci* 17: 1426-1434.

- O'Toole, J.C., and Cruz, R.T. 1980. Response of leaf water potential, stomata resistance and leaf rolling to water stress. *Plant Physiol* 65: 428-432.
- Pandey, R.K., Herrera, W.A.T., and Pendleton, J.W. 1984b. Drought response of grain legume under irrigation gradient. II. Plant water status and canopy temperature. *Agron.J* 76: 553-557.
- Pantuwan, G., Fukai, S., Cooper, M., Rajatasereekul, S., and O'Toole, J.C. 2002. Yield response of rice (*Oryza sativa* L.) genotype to different type of drought under raised lowlands. Part1. Grains yield and yield components. *Field Crops Res* 73: 153-168.
- Passioura, J.B., Condon, A.G., and Richards, R.A. 1993. Water deficits, the development of leaf area and crop productivity. – In: Smith, J.A.C., Griffiths, H. (ed.): *Water Deficits. Plant Responses from Cell to Community*. Pp. 253-264. BIOS Scientific Publ., Oxford.
- Passioura, J.B. 1994. The yield of crops in relation to drought. In: *Physiology and Determination of Crop Yield*. In K.J. Boote, J.M. Bennett, T.R. Sinclair, and G.M. Paulsen (eds). pp. 343-359.
- Peterson, C.A. 1987. The exodermal casparian band of onion roots blocks the apoplastic movement of sulphate ions. *J. Exp. Bot* 38: 2068–2081.
- Ribaut, J.M., Jiang, C., Gonzalez-de-Leon, D., Edmeades, G.O., and Hoisington, D.A. 1997. Identification of quantitative trait loci under drought condition tropical maize. 2. Yield component and marker assisted selection strategies. *Theo Appr Genet* 94: 887-896.

- Salih, A.A., Ali, I.A., Lux, A., Luxova, M., Cohen, Y., Sugimoto, Y., and Inanaga, S. 1999. Rooting, water uptake, and xylem structure adaptation to drought of two sorghum cultivars. *Crop Sci* 39: 168-173.
- Sallah, P.Y.K., Obeng-Antwi, K., and Ewool, M.B. 2002. Potential of elite maize composites for drought tolerance in stress and non-drought stress environments. *African Crop Science Journal*, vol 10 (1): 1-9.
- Samarah, N., Mullen, R., and Cianzio, S. 2004. Size distribution and mineral nutrients of soybean seeds in response to drought stress. *J. Plant Nutr* 27: 815-835.
- Shinozaki K, Yamaguchi-Shinozaki K. 1997. Gene expression and signal transduction in water stress response. *Plant Physiology*, 115, 327-334.
- Tanguilig, G., Yambao, E.B., O'Toole, J.C., and De Datta, S.K. 1987. Water stress effects on leaf elongation, leaf water potential, Transpiration and nutrient uptake of rice, maize and soybean. *Plant and soil* 103: 155-168.
- Taylor, H.M. 1983. A program to increase plant available water through rooting modification. p. 463-472. In W. Bohm et al. (ed.) *Root ecology and its practical application: A contribution to the investigation of the whole plant*. Verlag Gumpenstein, Irdning, Austria.
- Schulze, E.D., Lange, O.L., Kappen, L., Evenari, M., and Buschbom, U. 1975a. In *Photosynthesis and Productivity in Different Enviroments*. In J.P. Cooper, (ed.). Cambridge University Press, Cambridge. pp.107-119.
- Schussler, J.R., and Westgate, M.E. 1994. Increasing assimilate reserves not prevent kernel aborting at low water potential in maize. *Crop Sci* 34: 1569-1576.

- Senthong, C., and Pandey, R.K. 1989. Response of five food legume crops to irrigation gradient imposed during reproductive growth. *Agron. J* 81: 680-686.
- Sharp, R.E., and Davies, W.J. 1989. Regulation of growth and development of plants growing with a restricted supply of water. In: *Plants under Stress*. Jones HG, Flowers TL, Jones MB, eds. Cambridge: Cambridge University Press, 71-93.
- Shaw, R.H., 1977. Climatic requirement. In: *Maize and Maize Improvement*. Sprague, G.F. (Ed.), *Agron. Monogr.* 18. ASA, CSSA, and SSSA, Madison, WI, pp. 315-341.
- Soinit, N., and Kramer, P.J. 1976. Water potential and stomatal resistance of sunflower and soybean subjected to water stress during various growth stages. *Plant Physiol* 58: 537-540.
- Stocker, O. 1960. In *Encyclopedia of Plant Physiology*. In A. Ppirson (ed). pp. 460-491 (Vol. 5). Springer-Verlag. Berlin.
- Stocker, O. 1960. Physiological and morphological changes in plant due to water deficiency. *Arid Zone Res* 15: 63-104.
- Turk, K.J., and Hall, A.E. 1980. Drought adaptation of cowpea II. Influence of drought on plant water status and relations with seed yield. *Agron. J* 72: 421-427.
- Turner, N.C. 1979. Drought resistance and adaptation to water deficits in crop plants. In: *Stress Physiology in Crop Plants*. Mussell H, Staples R C, eds, Wiley Interscience, New York. pp. 343-372.

- Wang, W., Vinocur, B., and Altman, A. 2003. Plant responses to drought, salinity and extreme temperatures: towards genetic engineering for stress tolerance. *Planta* 218, 1–14.
- Watt, M., Van derWeele, C.M., McCully, M.E., and Canny, M.J. 1996. Effects of local variations in soil moisture on hydrophobic deposits and dye diffusion in maize roots. *Bot. Acta* 109: 492–501.
- Westgate, M.E., and Boyer, J.S. 1985. Osmotic adjustment and the inhibition of leaf, root, stem and silk growth at low water potentials in maize. *Planta* 164: 540- 549.
- Westgate, M.E. 1994. Seed formation in maize during drought,. In *Physiology and Determination of Crop Yield*. In K.J. Boote., J.M. Bennett, T.R. Sinclair, and G. M. Paulsen (eds). pp. 361-364.
- White, R.H., Engelke, M.C., Morton, S.J., and Ruennele, B.A. 1993. Irrigation water requirement of zoysiagrass. *Int. Turfgrass Soc. Res. J.* 7:587–593.
- Wilson, J.M., and Allison, C.S. 1978. Effects of water stress on the growth of maize (*Zea mays L.*). *Rhod. J. Agric. Res* 16: 175-192.