

## REFERENCES

- Ahmad, G., M., R. Kudesia, S. and M. K. Srivastava. 2010. Evaluation of genetic diversity in pea (*Pisum sativum* L.) using RAPD analysis. Genetic Engineering and Biotechnology Journal. 2010 : 16.
- Aked, J. and J. L. Hall. 2006. Effect of powdery mildew infection on concentrations of apoplastic sugars in pea leaves. New Phytologist. 123(2): 283-288.
- Anonymous. 2011. The import of pea from China. Prachachat Newspaper. [Online]. Available [http://www.prachachat.net/view\\_news.php?newsid=20110907000000000](http://www.prachachat.net/view_news.php?newsid=20110907000000000) (2011, September 7).
- Aruminglyas, L. and I. C. Murfet. 1994. Flowering in *Pisum*: A Further gene controlling response to photoperiod. Jounal of Heredity. 85:12-17.
- Baenziger, S. 2005. Introduction to plant breeding. [Online]. Available <http://agronomy.unl.edu/815/bkcrs1.html> (2010, May 17).
- Barone, A. 2007. Molecular marker-assisted selection for resistance to pathogen in tomato. [Online]. Available <http://www.fao.org/biotech/docs/Barone.pdf> (2010, February 23)
- Beckingham, C. 2001. Snow peas and sugar snap peas. [Online]. Available [http://Snow peas and sugar snap peas Agfact H8.1.35.pdf](http://Snow%20peas%20and%20sugar%20snap%20peas%20Agfact%20H8.1.35.pdf) (2010, April 20).
- Bing, D. J., D. Beauchesne, T. K. Turkington, G. Clayton, A. G. Sloan, R. L. Conner, Y. Gan, C. Ver, D. Gehl, D. McLaren, T. Warkentin and K. F. Chang. 2006. Registration of 'Reward' field pea. Crop Science. 46: 2705-2706.
- Buakhao, T. 1993. A study on the inheritance of powdery mildew resistance in pea (*Pisum sativum* L.). M.S. Thesis, Kasetsart University. Thailand 131p.

- Chaitieng B., A. Kaga, O.K. Han, X.W. Wang, S. Wongkaew, P. Laosawan, N. Tomooka and D.A.Vaughan. 2002. Mapping a new source of resistance to powdery mildew in mungbean. *Plant Breeding.* 121: 521-525.
- Chumpirom R., L. Chumpirom and S. Kutrakul. 1989. Pod quality improvement of sugar pea (*Pisum sativum* L.) by hybridization. p.171-177 *In* The 37<sup>th</sup> Kasetsart University Annual Conference. Bangkok. [Online]. Available <http://202.28.199.3/tdc/browse.php?option=show..title...> (2012, January 11).
- Coyne, C.J., M. Pilet, G. Deniot, A. Baranger, S. Prioul and M.T. McClendon. 2000. Selected AFLP primer pairs for fine mapping in pea. *Pisum Genetics.* 32: 27-30.
- Dawkins, T.C.K., P.D. Hebblethwaite and M. McGowan, 1984. Soil compaction and the growth of vining peas. *Ann. Appl. Biol.*, 105: 329-343.
- De Ron, A. M., J. J. Magallanes, O. Martinez, P. Rodino and M. Santalla. 2005. Identifying superior snow pea breeding lines. *Hort. Sci.* 40(5): 1216-1220.
- Dirlewanger, E., P. G. Isaac, S. Ranade, M. Belajouza, R. Cousin and D, de Vienne. 1994. Restriction fragment length polymorphism analysis of loci associated with disease resistance genes and developmental traits in *Pisum sativum* L. *Theor. Appl. Genet.* 88: 17-27.
- Ek, M., M. Eklund, R. Von Post, C. Dayteg, T. Henriksson, P. Weibull, A. Ceplitis, P. Isaac and S. Tuvesson. 2005. Microsatellite marker for powdery mildew resistance in pea (*Pisum sativum*). *Hereditas.* 142: 86-91.
- Export-Import Bank of Thailand. 2004. The vegetable industry in Tropical Asia: Thailand. [Online]. Available [http://www.avrdc.org/publications/ socio/veg\\_industry/Thailand.pdf](http://www.avrdc.org/publications/ socio/veg_industry/Thailand.pdf) (2008, March 6).

- Fondevilla, S., T.L.W. Carver, M.T. Moreno and D. Rubiales. 2006. Macroscopic and histological characterization of genes *er1* and *er2* for powdery mildew resistance in pea. European Journal of Plant Pathology. 115: 309-321.
- Fondevilla, S., A.M. Torres, M.T. Moreno and D. Ruiales. 2007. Identification of new gene for resistance to powdery mildew in *Pisum fulvum*, a wild relative of pea. Breeding Science. 57: 181-184.
- Fondevilla, S., D. Rubiales and M. T. Moreno. 2008. Identification and validation of RAPD and SCAR markers linked to the gene *Er3* conferring resistance to *Erysiphe pisi* DC in pea. Mol. Breeding. 22: 193-200.
- Gaskell, M. 2010. Edible-pod pea production in California.: in Vegetable Production Series. Vegetable research and information center. University of California. USA. 4 p. Available <http://anrcatalog.ucdavis.edu/pdf/7233.pdf> (2012, January 19).
- Gritton E.T. and R.D. Ebert. 1975. Interaction of Planting Date and Powdery Mildew on Pea Plant Performance. Am. Soc. Horti. Sci. 100:137-142.
- Gritton, E.T. 1980. Field pea hybridization of crop plants. p. 347-356. In W.R. Fehr and H.H. Hadley (Eds.). American Society of Agronomy, Inc., and Crop Science Society of America, Inc., Wisconsin, USA.
- Gritton, E.T. 1986. Pea breeding. p. 283-319. In M.J. Bassett (Ed.). Breeding vegetable crops. The Avi publishing company, Inc., Connecticut, USA.
- Guimaraes, E. P., J. Ruane, B. D. Scherf, A. Sonnino and J. D. Dargie. 2007. Marker-Assisted Selection: current status and future perspectives in crops, livestock, forestry and fish. Food and Agriculture Organization of the United Nations, Rome. 474 p.

- Gupta, P.K., R.K. Varshne and P.C. Sharma. 1999. Molecular markers and their applications in wheat breeding. *Plant Breed.* 118: 369-390.
- Gupta, P.K., S. Rustgi, S. Sharma, R. Singh, N. Kumar and H.S. Ralyan. 2000. Transferable EST-SSR markers for the study of polymorphism and genetic diversity in bread wheat. *Mol Gen Genomics.* 230:315-323.
- Habib, N. and M. Zamin. 2003. Off-season pea cultivation in Dir Kohistan valley. *Asian Journal of Plant Sciences.* 2(3): 283-285.
- Harland, S.C. 1948. Inheritance of immunity to powdery mildew in Perurian form of *Pisum sativum*. *Heredity* 2: 263-269.
- Heringa, R.J., A.Van Norel and M.F. Tazelaar .1969. Resistance to powdery mildew (*Erysiphe polygoni* D.C.) in peas (*Pisum sativum* L.). *Euphytica.* 18: 163 - 169.
- Holton, T.A. 2003. Plant genotyping by analysis of microsatellites. p.15-27. *In* Henry, R.J. (ed.), *Plant genotyping-the DNA fingerprinting of plants*. CABI Publishing.
- Humphry, M. E., T. Magner, C. L. McIntyre, E. A.B. Aitken and C. J. Liu. 2003. Identification of a major locus conferring resistance to powdery mildew (*Erysiphe polygoni* DC) in mungbean (*Vigna radiata* L. Wilczek) by QTL analysis. *Genome.* 46(5): 738-744
- Iannotti, M. 2010. Controlling and preventing powdery mildew on plants. [Online]. Available <http://gardening.about.com/od/gardenproblems/PowderyMildew.htm> (2010, April 20).
- Janila, P. and B. Sharma. 2004. RAPD and SCAR markers for powdery mildew resistance gene *er* in pea. *Plant Breeding.* 123: 271-274.

- Jeufforoy, M.H. and M. Sebillotte. 1997. The end of flowering in pea: influence of plant nitrogen nutrition. European Journal of Agronomy. 6: 15-24.
- Kalloo, D. 1988. Vegetable Breeding, Volume I. Agri. Hiser. India. 239 p.
- Katooch, V., S. Sharma, S. Pathania, D.K. Banayal, S. K. Sharma and R. Rathour. 2010. Molecular mapping of pea powdery mildew resistance gene *er* 2 to pea linkage group III. Mol. Breeding. 25(2):229-237.
- Keller, M., J. Kollmann and P.J. Edward. 2000. Genetic introgression from distant provenance reduces fitness in local weed populations. Journal of Applied Ecology. 37(4): 647-659.
- Keller, B., C. Feuillet and M. Messmer. 2000. Genetics of disease resistance. In A.J. Slusarenko, R.S.S. Fraser, and L.C. van Loon (Eds.). Mechanisms of Resistance to Plant Diseases. Kluwer Academic Publishers, Dordrecht, Netherland. pp.101-160
- Kentucky Cooperative Extension Service. 2009. English and edible pod peas. Crop Diversification & Biofuel Research Education Center, University of Kentucky. 3 p. [Online]. Available <http://www.uky.edu/Ag/CDBREC/introsheets/peas.pdf> (2011, September 15).
- Khumphai, S., A. Wicescang, J. Saranar and P. Somlit. 2001. Varietal improvement of snow pea for powdery mildew resistance. Plant diseases Research Department of Agriculture [Online]. Available [http://www.doa.go.th/webice/library/libarary/plant\\_project46/502.pdf](http://www.doa.go.th/webice/library/libarary/plant_project46/502.pdf) (2010, May 16).
- Knott, C.M. 1997. A key of stages of development of the pea (*Pisum sativum* L.). Annals of Applied Bio. 3:233-245.

- Kongsombat, B., T. Maneewan, K. Boonyalesnirun and P. Dejkhumron. 1996. Seed yield comparison on 4 sweet pea varieties. pp. 120-128 *In* RIT 13<sup>rd</sup> Annual Conference Report, Rajamangala University of Technology. Thailand.
- Koveza, O. V., Z. G. Kokaeva, S. A. Gostimsky, T. V. Petrova and E. S. Osipova. 2001. Creation of a SCAR marker in pea (*Pisum sativum* L.) using RAPD Analysis. *Russian Journal of Genetics*. 37(4): 574-576.
- Koveza, O. V. and S. A. Gostimsky. 2005. Development and study of SCAR markers in pea (*Pisum sativum* L.). *Russian Journal of Genetics*. 41(11): 1254-1261.
- Kraft, J. M., and W. J. Kaiser. 1993. Screening for disease resistance in pea. p. 123-144. *In* K. B. Singh and M.C. Saxena (Eds.). Breeding for Stress tolerance in Cool-Season Food Legumes. A Wiley-Sayce Co-Publication. Netherland.
- Loridon, K., K. McPhee, J. Morin, P. Dubreuil, M. L. Pilet-Nayel, G. Aubert, C. Rameau, A. Baranger, C. Coyne, I. Lejeune-Henaut and J. Burstin. 2005. Microsatellite marker polymorphism and mapping in pea (*Pisum sativum* L.). *Theor. Appl. Genet.* 111: 1022-1031.
- Makasheva, R. K. 1986. The pea. National Science Foundation (U.S.). Kolos Publishers, Leningrad. 276 p.
- Manshardt, R. 2004. Crop improvement by conventional breeding or genetic engineering: How different are they. [Online]. Available <http://www.ctahr.hawaii.edu/oc/freepubs/pdf/BIO-5.pdf> (2010, May 17).
- McClean, P. 1997. Genetic linkage : recombination and estimating the distance between genes. (Online). Available: <http://www.ndsu.edu/pubweb/~mcclean/plsc431/linkage/linkage2.htm> (November 16, 2011).

- McDonald, B. A. and C. C. Linde, 2002. Pathogen population genetics, evolutionary potential, and durable resistance. Ann. Rev. Phytopathol. 40: 349-379.
- Melotto, M., L. Afanador and J. D. Kelly. 1996. Development of a SCAR marker linked to the *I* gene in common bean. Genome. 39(6): 1216-1219.
- Muehlbauer, F.J. and K.E. Mcphee. 1997. Pea. p. 429-459. In H. C. Wien (Ed.). The Physiology of Vegetable Crops. Department of fruit and vegetable science, Cornell University, Ithaca, New York.
- Munjal R.L., V. V. Chenulu and T.S. Hora. 1963. Assessment of Losses Due to Powdery Mildew (*Erysiphe polygoni*) on Pea. Indian Phytopathol. 19:260-267
- Mutlu, N., P. Miklas, J. Reiser and D. Coyne. 2004. Backcross breeding for improved resistance to common bacterial blight bean (*Phaseolus vulgaris* L.) Plant Breeding. 124:2
- Myers, J. R., J. R. Baggett and C. Lamborn. 2001. Origin, History, and Genetic Improvement of the Snap Pea (*Pisum sativum* L.). Pl. Breed. Rev. 21: 93-135.
- Nawab, N.N., G.M. Subhani, K. Mahmood, Q. Shakil and A. Saeed. 2008. Gentic variability, correlation and path analysis studies in garden pea (*Pisum sativum* L.). J.Agric.Res. 46: 4
- Nisar, M., A. Ghafoor, M. R. Khan and A. S. Qureshi. 2006. Screening of *Pisum sativum* L. germplasm against *Erysiphe pisi* Syd. Acta Biologica Cracoviensia Series Botanica. 48(2): 33-37.

- Nisar, M. and A. Ghafoor. 2009. Inheritance studies of *Pisum sativum* F<sub>1</sub>, F<sub>2</sub> and F<sub>3</sub> generation based on morphological traits and selection of high yielding powdery mildew resistance lines. Molecular Plant Breeding. 7(2): 355-340.
- Ondrej, M., R. Dostalova, M. Hybl, R. Tyller and R. Trojan. 2003. Utilization of afila types of pea (*Pisum sativum* L.) resistant to powdery mildew (*Erysiphe pisi* DC.) in the breeding programs. Plant Soil Environ. 49(11): 481-485.
- Ondrej, M., R. Dostalova, and L. Odstrcilova. 2005. Response of *Pisum sativum* germplasm resistant to *Erysiphe pisi* to inoculation with *E. baeumleri*, a new pathogen of pea. Plant Protect. Sci. 41:95-103.
- Pandian, A., R. Ford and P.W.J. Taylor. 2000. Transferability of sequence tagged microsatellite site (STMS) primers across four major pulses. Plant Mol Biol Rep. 18:1-8.
- Pataky J. K. and M. L. Carson 2004. Host Resistance. p. 295-233 *In* Trigiano, R.N., M.T. Windham and A.S. Windham (Eds.). Plant Pathology: Concepts and Laboratory Exercises. CRC Press, New York.
- Pongphal D., C. Seephueng, P. Ratanang, P. Reungpradit, P. Muengmoon, N. Wongnunta and P. Sankham. 2003. Investigations of Sweet Pea Fresh Pod and Commercial Seed Production. Royal Project Foundation Report 2003. Project no. 20102. Royal Project Foundation. Chiang Mai. 36 p.
- Rakshit, S., T. Mohapatra, S.K. Mishra. 2001. Marker assisted selection for powdery mildew resistance in pea (*Pisum sativum* L.). J. Genet Beed. 55: 343-348.
- Reid, J.B. 1978. Flowering in *Pisum*: the effect of age on the gene *Sn* and the site of action of gene *Hr*. Ann Bot. 44: 163-173.

- Reid, J.B. 1983. Internode length in *Pisum*: Do the internode length genes effect growth in dark-grown plant? *Plant Physiol.* 72:759-763.
- Richardson, H. 2008. Powdery mildew of field pea. [Online]. Available [http://www.land.vic.gov.au/DPI/nreninf.../Powdery\\_Mildew\\_of\\_Field\\_Pea.pdf](http://www.land.vic.gov.au/DPI/nreninf.../Powdery_Mildew_of_Field_Pea.pdf) (2010, May 17).
- Roche, R., M.H. Jeuffroy and B. Ney. 1999. Comparison of different models predicting the date of beginning of flowering in pea (*Pisum sativum* L.). *Ecological Modelling.* 118:213-226.
- Samec, P. and V. Nasinec. 1995. Detection of DNA polymorphism among pea cultivars using RAPD technique. *Biologia plantarum.* 37(3): 321-327.
- Sanchez, A. C., D.S. Brar, N. Haung, Z. Li and G. S. Khush. 2000. Sequence tagged site marker-assisted selection for three bacterial blight resistance genes in rice. *Crop Sci.* 40:792-797.
- Sardana, S., R. K. Mahajan, N. K. Gautam and B. Ram. 2007. Genetic variability in pea (*Pisum sativum* L.) germplasm for utilization. *SABRAO J. Breeding Genet.* 39 (1): 31-47.
- Schatz, B., G. Endre and K. McKay. 2003. Field pea production. North Dakota State University, Fargo, North Dakota, pp.1-8
- Sharma, B. 2003. Identification of recessive *er* gene for powdery mildew resistance in a landrace of *Pisum sativum* L. *Pisum. Genet.* 35: 471-473.
- Sharma B. and Y. Yadav. 2003. Pisum fulvum carries a recessive gene for powdery mildew resistance. *PISUM Genetics.* 35.
- Singh, R.K. and B.D. Chaudhary. 1977. Biometrical Method in Quantitative Genetic analysis. Kalyani Publishers, New Delhi, India. 302 p.

- Slusarenko, A.J., R.S.S. Fraser and L.C. Vanlorn. 2002. Mechanisms of resistance to plant disease. University of Manchester, U.K. 620 p.
- Smykal, P., R. Kalender, R. Foard, J. Macas and M. Griga. 2009. Evolutionary conserved lineage of Angela-family retrotransposons as a genome-wide microsatellite repeat dispersal agent. *Heredity*. 103:157-167.
- Stackelberg, M. V., S. Lindemann, M. Menke, S. Riessmann and H.J. Jacobsen. 2003. Identification of AFLP and STS markers closely linked to the *def* locus in pea. *Theor. Appl. Genet.* 106(7): 1293-1299.
- Tanksley, S.D., N.D. Young, A.H. Paterson, and M.D. Bonierbale. 1989. RFLP mapping in plant breeding: new tools for old science. *Bio/Technology*. 7: 257-264.
- Taramino, G. and S. Tingey. 1996. Simple sequence repeats for germplasm analysis and mapping in maize. *Genome*. 39: 277-287.
- Taran, B., T. Warkentin, D. J. Somers, D. Miranda, A. Vandenberg, S. Blade, S. Woods, D. Bing, A. Xue, D. Dekoeyer and G. Penner. 2003. Quantitative trait loci for lodging resistance, plant height, and partial resistance to mycosphaerella blight in field pea (*Pisum sativum* L.). *Theor. Appl. Genet.* 107: 1482-1491.
- Tautz D. and M. Renz. 1984. Simple sequences are ubiquitous repetitive components of eukaryote genome. *Nucleic Acids Res.* 12:4127-4138.
- The British Society of Plant Breeders. 2010. Biotechnology and plant breeding. [Online]. Available [http://www.saps.plantsci.cam.ac.uk/articles/broad\\_biotech.htm](http://www.saps.plantsci.cam.ac.uk/articles/broad_biotech.htm) (2010, May 17).

- Timmerman, G.M., T. J. Frew and N. F. Weeden. 1994. Linkage analysis of er-1, a recessive *Pisum sativum* gene for resistance to powdery mildew fungus (*Erysiphe pisi* D.C.). *Theor. Appl. Genet.* 88: 1050-1055.
- Timmerman, G.M., A.C. Russell, A. Hill, T.J. Frew and B.J. Gilpin. 1997. DNA markers for disease resistance breeding in peas (*Pisum sativum* L.). *Genetics. Proc. 50<sup>th</sup> N.Z. Plant Protection Conf.* p. 314-315.
- Tiwari, K. R., G. A. Penner and T. D. Warkentin. 1998. Identification of coupling and repulsion phase RAPD markers for powdery mildew resistance gene *er-1* in pea. *Genome.* 41: 440-444.
- Tracy, W. F. 2004. Breeding: The Backcross Method. [Online]. Available <http://www.informaworld.com/smpp/content~db=all~content=a713575817~frm=abslink> (2010, May 17).
- Vaid, A. and P. D. Tyagi. 1997. Genetics of powdery mildew resistance in pea. *Euphytica.* 96: 203-206.
- Vienne, de D. 2003. Molecular Markers in plant genetics and biotechnology. Science Publishers, Inc. UK. 235p.
- Viljanen Rollinson, S.L.H., R.E. Gaunt, C.M.A. Frampton, R.E. Falloon and D.L. McNeil. 1997. Component of quantitative resistance to powdery mildew (*Erysiphe pisi*) in pea (*Pisum sativum*). *Plant Pathology.* 47: 137-147.
- Wanasiri, N. 2007. Identification and classification of some powdery midew anamorpha using light and scanning electron microscopes. M.S. Thesis. Chiang Mai University, Thailand. 131p.

- Wei, F., K. Gobelmann-werner, S.M. Morroll, J. Kurth, L. Mao, R. wing, D. Leister, P. Schulze-Lefert and R.P. Wise. 1999. The *Mila* (Powdery mildew) resistance cluster is associated with three NBS-LRR gene families and suppressed recombination within a 240-kb DNA interval on chromosome 5s (1HS) of barley. *Genetics*. 153: 1929-1948.
- Wejvitan, P., W. Saengkaeow and A. Khumklang. 1996. The study on seed yield production of four sweet pea varieties in Sakon Nakhon Agricultural Research and Training Centre areas. p. 129-139 *In* RIT 13<sup>rd</sup> Annual Conference, Rajamangala University of Technology. Thailand.
- Wu, K. S. and S.D. Tanksley. 1993. Abundance, polymorphism and genetic mapping of microsatellite in rice. *Mol Gen Genet*. 241:225-235.
- Young, N., D. Danesh, D. Menancio-Hautea and L. Kumar. 1993. Mapping oligogenic resistance to powdery mildew in mungbean with RFLPs. *Theor. Appl. Genet.* 87: 243-249.
- Zhang, C. 2004. Implementation of marker-assisted selection for lodging resistance in pea breeding. M.S. thesis. University of Saskatchewan. Canada. 102 p.