

## REFERENCES

- Acharya L., Mukherjee A.K. and Panda P.C. 2011. Separation of the genera in the subtribe Cassiinae (Leguminosae: Caesalpinioideae) using molecular markers. *Acta Botanica Brasilica* 25(1): 223–233.
- Agrios G.N. 2005. *Plant Pathology*. 5<sup>th</sup> edition.
- Amino K. 1986. *Host Range and Geographical Distribution of the Powdery Mildew Fungi*. Japan Scientific Societies Press, Tokyo.
- Arnaud G. 1921. E'tudes sur les champignons (Parodiellinaceae, inclus Erysiphées). *Ann. Epiphyt.* 7: 82–113.
- Bappammal M., Hosagoudar V.B. and Udaiyan K. 1995. Powdery mildews of Tamil Nadu, India. *New Bot.* 22: 81–175.
- Berger G. 1938. Contribution à la connaissance de *Leveillula taurica* Arnaud. *Annales des Epiphyties*, N.S. 4(1): 21–25.
- Bélanger R.R., Bushnell W.R., Dik A.J. and Carver T.L.W. 2002. *The Powdery Mildews: A comprehensive Treatise*. The American Phytopathological Society. 292 pp.
- Berbee M.L. and Taylor J.W. 1993. Dating the evolutionary radiation of the true fungi. *Can J Bot* 71: 1114–1127.
- Blumer S. 1933. Die Erysiphaceen Mitteleuropas, mit besonderer Berücksichtigung der Schweiz. *Beitr. Kryptogamenflora der Schweiz* VII(1): 483 pp.
- Blumer S. 1967. *Echte Mehltäupilze (Erysiphaceae). Ein Bestimmungsbuch für die in Europa vorkommenden Arten*. Gustav Fischer, Jena, 436 pp.
- Boesewinkel H.J. 1980. The morphology of the imperfect states of powdery mildews (Erysiphaceae). *Bot. Rev.* 46(2): 167–224.
- Braun U. 1987. A monograph of the Erysiphales (powdery mildews). *Beihefte zur Nova Hedwigia* 89. Berlin, Germany.
- Braun U. 1995. *The Powdery Mildews (Erysiphales) of Europe*. Gustav Fischer Verlag, New York, USA, 337 pp.

- Braun U. 2011. The current systematics and taxonomy of the powdery mildews (Erysiphales): an overview. *Mycoscience* 52:210–212.
- Braun U., Cook R.T.A., Inman A.J. and Shin H.D., 2002. The taxonomy of the powdery mildew fungi. In Bélanger R, Dik AJ, Bushnell WR (Eds.): *The powdery mildews: a comprehensive treatise*. APS Press, St. Paul. p. 13–55.
- Braun U. and Cook R.T.A. 2012. Taxonomic manual of the Erysiphales (powdery mildew). CBS Biodiversity Series No. 11. CBS, Utrecht.
- Braun U. and Paul Y.S. 2009. The Indian Erysiphaceae revisited. *Beiheft Zur Nova Hedwigia* 89: 371–395.
- Brundza K. 1934. Medziaga Lietuvos Erysiphacejoms pazinti. *Z U. Akad. Metrascio, Kaunas (Kovno)* 1933: 107–197.
- Bolay A. 2005. Les oïdium de Suisse (Erysiphacées). *Cryptogamica Helvetica* 20. p. 1–176.
- Cook R.T.A., Inman A.J. and Billings C. 1997. Identification and classification of powdery mildew anamorphs using light and scanning electron microscopy and host range data. *Mycological Research* 101(8): 975–1002.
- Cook R.T.A. and Braun U. 2009. Conidial germination patterns in powdery mildews. *Mycological Research* 113: 616–636.
- Correll J.C., Gordon T.R. and Elliott V.J. 1988. The epidemiology of powdery mildew on tomatoes. *California Agriculture*, March-April.
- Cunnington J.H., Takamatsu S., Lawrie C. and Pascoe I.G. 2003. Molecular identification of anamorphic powdery mildews (Erysiphales). *Australasian Plant Pathology* 32: 421–428.
- de Bary A. 1863. Über die Fruchtkörperentwicklung der Ascomyceten. Leipzig.
- de Bary A. and Woronin M. 1870. Beiträge zur Morphologie und Physiologie der Pilze. *Abh. Senkenb. Naturf. Ges.* 7: 1–95.
- Edgar and Robert C. 2004. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* 32(5): 1792–1797.
- Eichmann R. and Hückelhoven R. 2008. Accommodation of powdery mildew fungi in intact plant cells. *Journal of Plant Physiology* 165: 5–18.

- Felsenstein J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* 39: 783–791.
- Ferraris T. 1912. *Flora italica cryptogama*, I. Hyphales.
- Foex E. 1913. Recherches sur *Oidiopsis taurica* (Lév.) Arn. *Bull. Soc. myc. Fr.* 29: 577–588.
- Fresenius G. 1852. *Beiträge zur Mykologie*. Heft 2. Frankfurt a.M.
- Glawe D.A., Dugan F.M., Liu Y. and Rogers J.D. 2005. First record and characterization of a powdery mildew on a member of the Juncaginaceae: *Leveillula taurica* on *Triglochin maritime*. *Mycological Progress* 4(4): 291–298.
- Glawe D.A. 2006. Synopsis of genera of Erysiphales (powdery mildew fungi) occurring in the Pacific Northwest. *Pacific Northwest Fungi* 1(12): 1–27.
- Glawe D.A. 2008. The Powdery Mildews: A Review of the World's Most Familiar (Yet Poorly known) Plant Pathogens. *The Annual Review of Phytopathology* 46: 27–51.
- Goldberg N. 2004. Powdery mildew on Chile peppers. New Mexico State University. Guide H-248: 1–2.
- Gorter G.J.M.A. 1988. Die Suid-Afrikaanse Erysiphaceae. *Ann. Univ. Stellenbosch* 3(1): 1–64.
- Götz M. and Boyle C. 1998. Haustorial function during development of cleistothecia in *Blumeria graminis* f. sp. *tritici*. *Plant Dis.* 82:507–511.
- Gubler W.D. 2012. Biology, Epidemiology, and Control of Powdery Mildew: Use of the UC Davis Powdery Mildew Risk Index. p. 1–7.
- Hibbett D.S., Binder M., Bischoff J.F., Blackwell M., Cannon P.F., Eriksson O.E., Huhndorf S., James T., Kirk P.M., Cking R.L., Lumbsch H.T., Lutzoni F., Matheny P.B., Mclaughlin D.J., Powell M.J., Redhead S., Schoch C.L., Spatafora J.W., Stalpers J.A., Vilgalys R., Aime M.C., Aptroot A., Bauer R., Begerow D., Benny G.L., Castlebury L.A., Crous P.W., Dai Y.C., Gams W., Geiser D.M., Griffith G.W., Gueidan C., Hawksworth D.L., Hestmark G., Hosaka K., Humber R.A., Hyde K.D., Ironside J.E., Ljalg U.K., Kurtzman C.P., Larsson K.H., Lichtwardt R., Longcore J., Dlikowska J.M., Miller A., Moncalvo J.M., Mozley-Standridge S., Oberwinkler F., Parmasto E., Reeb V.,

- Rogers J.D., Roux C., Ryvarden L., Sampaio J.P., Schu Bler A., Sugiyama J., Thorn R.G., Tibell L., Untereiner W.A., Walker C., Wang Z., Weir A., Weiss M., White M.M., Winka K., Yao Y.J. and Zhang N. Higher-level phylogenetic classification of the fungi. *Mycological Research* III: 509–547
- Hirata K. 1942. On the shape of the germ tubes of Erysiphaceae. *Bull. Chiba Coll. Hort.* 5: 34–39.
- Hirata K. 1955a. Comparison of powdery mildews and their host plants of Japan and the United States of America. *Bull. Fac. Agr. Niigata Univ.* 7: 146–152.
- Hirata K. 1955b. On the shape of the germ tubes of Erysiphaceae (II). *Bull. Fac. Agric. Niigata Univ.* 7: 24–36.
- Hirata T. and Takamatsu S. 1996. Nucleotide sequence diversity of rDNA internal transcribed spacer extracted from conidia and cleistothecia of several powdery mildew fungi. *Mycoscience* 37: 265–270.
- Homma Y. 1937. Erysiphaceae of Japan. *J. Fac. Agr. Hokkaido Imp. Univ.* 38: 183–461.
- Hughes S.J. 1953. Conidiophores, conidia, classification. *Can. J. Bot.* 31: 577–659.
- Jaczewski A.A. 1927. *Karmanyi opredelitel' gribov II. Muchnistorosyanye griby.* Leningrad: 626 pp.
- Jarvis W.R. 1964. Thermal and translocated induction of endophytic mycelium in two powdery mildews. *Nature* 203: 895.
- Khodaparast S.A., Takamatsu S. and Hedjaroude Gh. A. 2001. Phylogenetic structure of the genus *Leveillula* (Erysiphales: Erysiphaceae) inferred from the nucleotide sequences of the rDNA ITS region with special references to the *L. taurica* species complex. *Mycological Research* 105(8): 909–918.
- Khodaparast S.A., Takamatsu S., Harada M., Abbasi M. and Samadi S. 2011. Additional rDNA ITS sequences and its phylogenetic consequences for the genus *Leveillula* with emphasis on conidium morphology. *Mycol Progress* 11(3): 741–752.
- Kimbrough J.W. and Korf R.P. 1963. Nomenclatural notes V. *Uncinula polychaeta* and the genera *Pleochaeta* and *Uncinulopsis*. *Mycologia* 55(5): 619–626.
- Kirk P.M., Cannon P.F., Minter D.W. and Stalpers J.A. 2008. *Ainsworth & Bisby's Dictionary of the Fungi.* 10<sup>th</sup> edn. CAB International, Wallingford.

- Kirschner R. and Chen C.J. 2008. The *Ovulariopsis* anamorph of *Phyllactinia bauhinae* var. *cassiae*: first record outside India and morphological characterization. *Sydowia* 60(1): 57–67.
- Kishino H. and Hasegawa M. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in Hominoidea. *Journal of Molecular Evolution* 29:170–179.
- Kobayashi T. 2007. Index of fungi inhabiting woody plants in Japan. Host, Distribution and Literature. Zenkoku-Noson-Kyoiku Kyokai Publishing Co., Ltd.: 1227 pp.
- Kusaba M. and Tsuge T. 1995. Phylogeny of *Alternaria* fungi know to produce host-specific toxins on the basis of variation in internal transcribed spacers of ribosomal DNA. *Current Genetic* 28: 491–498.
- Léveillé J.H. 1851. Organisation et disposition méthodique des espèces qui composent le genre Erysiphé. *Ann. Sci. Nat., bot.*, 3 sér. 15: 109–179.
- Liberato J.R., Barreto R.W., Niinomi S. and Takamatsu S. 2006. *Queirozia turbinata* (Phyllactinieae, Erysiphaceae): a powdery mildew with a dematiaceous anamorph. *Mycological Research* 110: 567–574.
- Lievens B. and Thomma B.P.H.J. 2005. Recent developments in pathogen detection arrays: Implications for fungal plant pathogens and use in practice. *Phytopathology* 95: 1374–1380.
- Liné C. 1753. *Species plantarum* I. Stockholm.
- Liu T.Z. 2010. *The Erysipheae of inner Mongolia*. Inner Mongolia Science and Technology Press, Chifeng.
- Monkhung S., To-anun C. and Takamatsu S. 2011. Molecular approach to clarify taxonomy of powdery mildew on Chilli plants caused by *Oidiopsis sicula* in Thailand. *Journal of Agricultural Technology* 7(6): 1801–1808.
- Mori Y., Sato Y. and Takamatsu S. 2000a. Evolutionary analysis of the powdery mildew fungi (Erysiphales) using nucleotide sequences of the nuclear ribosomal DNA. *Mycologia* 92: 74–93.
- Mori Y., Sato Y. and Takamatsu S. 2000b. Molecular phylogeny and radiation time of Erysiphales inferred from the nuclear ribosomal DNA sequences. *Mycoscience* 41: 437–447.

- Neger F.W. 1902. Beiträge zur Biologie der Erysipheen II. Die Keimungserscheinungen der Conidien. Mitteilung. Flora 90: 221–272.
- Nelson S.C. 2008. Mango Powdery Mildew. UH–CTAHR, Plant Disease: PD-46.
- Nixon K.C. 1999. The Parsimony Ratchet, a new method for rapid parsimony analysis. Cladistics 15: 407–414.
- Nour M.A. 1957. *Leveillula clavata* sp. nov. Trans. Brit. Mycol. Soc. 40: 477–480.
- Palti J. 1988. The *Leveillula* mildews. Botanical Review 54: 423–535.
- Paul Y.S. and Thakur V.K. 2006. Indian Erysiphaceae. Scientific Publishers. Jodhpur, India. 134 pp.
- Pawar V.P. and Patil V.A. 2011. Occurrence of powdery mildew on some wild plants from Khandesh region of Maharashtra state. Recent Research in Science and Technology 3(5): 94–95.
- Pirozynski K.A. 1965. *Ovulariopsis* state of *Pleochaeta*. Mycologia 57: 826–828.
- Saenz G.S., Taylor J.W. and Gargas A. 1994. 18S rRNA gene sequences and supraordinal classification of the Erysiphales. Mycologia 86: 212–216.
- Salmon E.S. 1900a. A monograph of the Erysiphaceae. Mem. Torr. Bot. Club 9: 1–292.
- Salmon E.S. 1900b. The Erysiphaceae of Japan. Bull. Torr. Bot. Club 28: 437–450.
- Salmon E.S. 1906. On *Oidiopsis taurica* (Lev.), an endophytic member of Erysiphaceae. Ann. Bot. 20: 187–200.
- Schlechtendal D.J.L. 1819. Anhang zu der Abhandlung des Herrn Dr. Wallroth über das Genus Alphitomorpha. Verh. Ges. Naturf. Fr. Berlin 1: 46–51.
- Schoeman M.H., Manicom B.Q. and Wingfield M.J. 1995. Epidemiology of Powdery Mildew on Mango Blossoms. Plant Dis 79: 524–528.
- Schumann G.L. 1991. Plant Diseases: Their Biology and Social Impact. American Phytopathological Society (APS Press). 397 pp.
- Shah M.H., Mukhtar I. and Khan S.N. 2010. Medicinal importance and association of pathological constraints with *Dalbergia sissoo*. Pak. J. Phytopathol 22(2): 135–138.
- Sharma N.D. and Khare C.P. 1995. A check-list and selected bibliography of powdery mildew fungi of India. Department of mycology and plant pathology. India. 201 pp.

- Shenoy B.D., Jeewon R. and Hyde K.D. 2007. Impact of DNA sequence-data on the taxonomy of anamorphic fungi. *Fungal Diversity* 26: 1–54.
- Shimodaira H. and Hasegawa M. 1999. Multiple comparisons of log-likelihoods with applications to phylogenetic inference. *Molecular Biology and Evolution* 16: 1114–1116.
- Shin H.D. 1988. Erysiphaceae of Korea. Ph. D. Thesis, Seoul National University, Seoul, Korea. 305 pp.
- Shin H.D. 2000. Erysiphaceae of Korea. The National Institute of Agricultural Science and Technology, Suwon, Korea. 320 pp.
- Shin H.D. and La Y.J. 1993. Morphology of edge lines of chained immature conidia on conidiophores in powdery mildew fungi and their taxonomic significance. *Mycotaxon* 46: 445–451.
- Shin H.D. and Zheng R.Y. 1998. Anamorphic morphology of *Uncinula* and allied genera (I). *Mycotaxon* 66: 243–266.
- Sikes D.S. and Lewis P.O. 2001. Beta software, version 1. PAUPRat: PAUP implementation of the parsimony ratchet. Distributed by the authors. Department of Ecology and Evolutionary Biology, University of Connecticut, Storrs, CT.
- Smith G. 1900. The haustoria of the Erysiphaceae. *Bot. Gaz* 29: 153–184.
- Spencer D.H. 1978. *The Powdery Mildews*. Academic Press, London, New York, San Francisco, 565 pp.
- Swofford D.L. 2001. PAUP\*: *phylogenetic analysis using parsimony (and other methods)*, Version 4.0b8. Sinauer Associates, Sunderland, MA.
- Takamatsu S. 2004. Phylogeny and evolution of the powdery mildew fungi (Erysiphales, Ascomycota) inferred from nuclear ribosomal DNA sequences. *Mycoscience* 45: 147–157.
- Takamatsu S., Inagaki M., Niinomi S., Khodaparast S.A., Shin H.D., Grigaliunaite B. and Havrylenko M. 2008. Comprehensive molecular phylogenetic analysis and evolution of the genus *Phyllactinia* (Ascomycota: Erysiphales) and its allied genera. *Mycological Research* 112: 299–315.
- Takamatsu S. and Kano Y. 2001. PCR primers useful for nucleotide sequencing of rDNA of the powdery mildew fungi. *Mycoscience* 42: 135–139.

- Takamatsu S. and Matsuda S. 2004. Estimation of molecular clocks for ITS and 28S rDNA in Erysiphales. *Mycoscience* 45: 340–344.
- Tamura K., Peterson D., Peterson N., Stecher G., Nei M. and Kumar S. 2011. MEGA5: Molecular Evolutionary Genetics Analysis using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Molecular Biology and Evolution* 28 (10): 2731–2739.
- To-anun C., Kom-un S., Sunawan A., Sato Y. and Takamatsu S. 2005. A new subgenus, *Microidium*, of *Oidium* (Erysiphaceae) on *Phyllanthus*. *Mycoscience* 46: 1–8.
- Tsui C.K.M., Woodhall J., Chen W., Lévesque C.A., Lau A., Schoen C.D., Baschien C., Najafzadeh M.J. and Hoog G.S. 2011. Molecular techniques for pathogen identification and fungus detection in the environment. *IMA fungus vol. 2*: 177–189.
- Tulasne L.R. and Tulasne C.C. 1861. *Selecta Fungorum Carpologia*. Vol.1.
- Tulasne L.R. and Tulasne C.C. 1931. *Selecta fungorum carpologia I* (Translated by W. B. Grove). The Clarendon Press, Oxford: 191–235.
- Viéguas A.P. and Cardoso L. 1944. *Queirozia*, nova genero da familia Erysiphaceae. *Bol. Soc. Brasil. Agron., B*, 7(1): 1–6.
- Voytyuk S.V., Heluta V.P., Wasser S.P., Nevo E. and Takamatsu S. 2009. Biodiversity of the Powdery Mildew Fungi (Erysiphales, Ascomycota) of Israel. International Center for Cryptogamic Plants and fungi. Institute of Evolution. University of Haifa. Israel: 290 pp.
- Walsh S.P., Metzger D.A. and Higuchi R. 1991. Chelex 100 as a medium for simple extraction of DNA for PCR-based typing from forensic material. *BioTechniques* 10: 506–513.
- Wang Z., Johnston P.R., Takamatsu S., Spatafora J.W. and Hibbett D.S. 2006. Toward a phylogenetic classification of the Leotiomycetes based on rDNA data. *Mycologia* 98: 1065–1075.
- Webster J. 1980. *Introduction to fungi*. Second edition. Cambridge University.
- White T.J., Bruns T., Lee S. and Taylor J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TJ (eds) *PCR protocols: a guide to methods and applications*. Academic Press, New York: 315–322.



- Yarwood C.E. 1952. Some water relations of *Erysiphe polygoni* conidia. *Mycologia* 44: 506–522.
- Yarwood C.E. 1957. Powdery mildews. *Bot. Rev.* 13: 235–301.
- Yarwood C.E. 1963. Predisposition to powdery mildews. *Phytopathology* 53: 1144–1145.
- Yarwood C.E. 1973. Pyrenomycetes: Erysiphales. In: *The fungi: an advanced treatise*. Vol. IVA. Eds., Ainsworth G.C., Sparrow F.K., and Sussman A.S. Academic Press, New York. pp. 71–86.
- Yarwood C.E. 1978. History and taxonomy of powdery mildews. chapter 1., Spencer D.M.: *The powdery mildews*. pp. 1–32.
- Zaracovitis C. 1964. Factors in testing fungicides against powdery mildew., Benaki N.S. The germination of the conidia in vitro. *Annales de l'Institut Phytopathologique Benaki* 6: 73–106.
- Zaracovitis C. 1965. Attempts to identify powdery mildew fungi by conidial characters. *Transactions of the British Mycological Society* 48: 553–558.
- Zhi L.T. 2010. *The Erysiphaceae of Inner Mongolia*. Inner Mongolia Science and Technology Press. Chifeng
- Zopf W. 1887. Ueber einen neuen Inhaltskoerper in pflanzlichen Zellen. *Berichte der Deutschen Botanischen Gesellschaft* 5: 275–280.