

REFERENCES

- Alfredsson, G., Branzell, C., Granelli, K., Lundström, A. 2005. Simple and rapid screening and confirmation of tetracyclines in honey and egg by a dipstick test and LC–MS/MS. *Analytica Chimica Acta*, 529(1-2): 47-51.
- Ali, A. A. 2005. Honey, milk and antibiotics. *African Journal and biotechnology*, 4(13):1580-1587.
- Alippi, A. M. 2000. Is terramycin losing its effectiveness against AFB. *Bee Biz*, 11: 27-29.
- Allen, K.L., Molan, P.C., Reid, G.M. 1991. A survey of the antibacterial activity of some New Zealand honeys. *Journal of Pharmacy and Pharmacology*, 43(12): 817-822.
- Alpat, U., Sunay, E. A. 2008. "A Three Year Program for Monitoring Residues of Nathphalene in Pine Honey from Turkey", Advances in Apimondia, International Honey Commission. 1st World Honeydew Honey Symposium, 1 - 3.August, 2008, Tzarevo, Bulgaria, p. 32-33.
- Amacher, D. E., Martin, B.A. 1997. Tetracycline-induced steatosis in primary canine hepatocyte cultures. *Fundamental and Applied Toxicology*, 40(2): 256-263.
- Amoore, J. E., Hautala, E. 1983. "Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatiles for 214 industrial chemicals in air and water dilution". *Journal of Applied Toxicology*, 3 (6): 272–290.
- Anklam, E., 1998. A review of the analytical methods to determine the geographical and botanical origin of honey. *Food Chemistry*, 63(4): 549–562.
- Annex of Commission Decision 2002/657/EC (OJ L221, p8, 17/08/2002) of 12 August 2002 implementing Council Directive 96/23/EC concerning the performances of analytical methods and the interpretation of results. (Online). Available <http://eur-lex.europa.eu/en/tools/about.htm> (9 March 2010)
- Aranda, M., Cisternas, E., Villegas, R. 2006. Determination of oxytetracycline in honey by ion-pair HPLC with cation C-SPE. *Journal of Food and Plants Chemistry*, 1(1): 12-15.

- Blasco, C., Fernandes, M., Pena, A., Lino, C., Silveira, M. I., Font, G. & Pico, Y. 2003. Assessment of pesticide residues in honey samples from Portugal and Spain. . *Journal of Agricultural and Food Chemistry*, 51, pp. 8132 – 8138
- Bogdanov, S. 1984. Characterisation of antibacterial substances in honey. *Lebensm Wiss Technol*, 17(2): 74-6.
- Bogdanov, S. 1997. Nature and origin of the antibacterial substances in honey. *Lebensmittelwissenschaft und Technologie*, 30: 748-753.
- Bogdanov, S., Kilchenmann, V., Imdorf, A. 1998. Acaricide residues in some bee products. *Journal of Apicultural Research*, 37, 57–67.
- Bogdanov, S. 2003. Current status of analytical methods for the detection of residues in bee products. *APIACTA*, 38: 190-197.
- Bogdanov, S. 2006. Contaminants of bee products. *Apidologie*, 37: 1-18
- Bogdanov, S. Jurendic, T., Sieber, R., Gallmann, P. 2008. Honey for nutrition and health: a review. *Journal of the American College of Nutrition*, 27(6): 677-689.
- Bureau of Livestock Standard Certification. 2006. Short course of veterinary medicine supervisor in bee farm, 2nd period on 2006. Ministry of Agriculture and Cooperatives, Department of Livestock Development. 19-21 June 2006. Ratcha Thewi, Bangkok, Thailand.
- Carrasco-Pancorbo, A., Casado-Terrones, S., Segura-Carretero, A. and Fernández-Gutiérrez, A. 2008 Reversed-phase high-performance liquid chromatography coupled to ultraviolet and electrospray time-of-flight mass spectrometry on-line detection for the separation of eight tetracyclines in honey samples. *Journal of Chromatography A*, 1195(1-2): 107-116.
- Ceyhan, N., Ugur, A. 2001. Investigation of in vitro antimicrobial activity of honey. *Rivista di biologia*, 94 (2): 363-371.
- Caldow, M., Fussell, R.J., Smith, F., Sharman, M. 2007. Development and validation of an analytical method for total amitraz in fruit and honey with quantification by gas chromatography-mass spectrometry. *Food Additive Contamination*, 24(3):280-4.

- Chelikani, P., Fita, I., Loewen, P.C. 2004. Diversity of structures and properties among catalases. *Cellular and Molecular Life Science*, 61 (2): 192–208.
- Chlebo, R. 2006. “Bees and Pesticides”, *Pesticide Residues in Food - Regulation, Monitoring, Policy*; Seminar 23/24 June 2006, Modra-Harmónia, Slovakia.
- Cobanoglu, S., Tuze, S., Tarihi, G., Tarihi, K. 2008. Determination of amitraz (varroaset) residue in honey by high performance liquid chromatography. *Tarım Bilimleri Dergisi*, 14(2): 169-174.
- Codex Alimentarius Commission Standards. 2001. Rev.2 (2001), *Codex Standard for Honey*, FAO Rome.
- Codex Alimentarius Commission. 2010. Agenda Items 10. *Comments on discussion paper on veterinary drugs in honey production of Thailand*, FAO Rome.
- Corry, J. E. L., Sharma, M.R. 1983. *Detection of antibiotic residues in milk and animal tissues. Antibiotics: Assessment of antimicrobial activity and resistance*. Russell, A. D., Quesnel L. B., Edited, (pp.349-361), London: Academic press, Inc.
- Deboyser, D., Goethals, F., Krack, G., Roberfroid, M. 1989. Investigation into the mechanism of tetracycline-induced steatosis: study in isolated hepatocytes. *Toxicology and Applied Pharmacology*, 97 (3): 473-479.
- Department of Agriculture Extension. 2009. Meeting of development in economical insect product with link others. 3-5 April 2009. Sirinart Garden Hotel, Chiang Mai, Thailand.
- Department of Biological Sciences of Waikato University at Hamilton, New Zealand. 2010. “Honey as an antimicrobial agent.” (Online). Available http://bio.waikato.ac.nz/honey/honey_intro.shtml (9 November 2010).
- Devillers, M., Morlot, M., Pham-Delègue, H., Doré, C. J. 2004. Classification of monofloral honeys based on their quality control data. *Food Chemistry*, 86: 305–312.
- Dinkov, D., Kanelov, I., Zhelyazkova, I., Vashin, I., 2005. Persistence of tetracycline and oxytetracycline in bee honey after improper application on bee families. *Bulgarian Journal of Veterinary Medicine*, 8(3) : 205-209.

- DSM Nutritional Products company. 2010. "Premi®Test" (Online). Available http://www.dsm.com/en_US/html/premitest/home.htm (9 November 2010).
- Dustmann, J.H. 1979. Antibacterial effect of honey. *Apiacta*, 14: 7-11.
- Emil, F. V., Went, F. W. 1949. Some pH Changes in nutrient solutions. *Botanical Gazette*, 110(4): 605.
- European union. 2002 note DGAL/SDSPA/SDRRCC/N2002-8031 (18 February 2002), according to European Union Directive 96/23/EC. Paris: Ministry of Agriculture.
- Faucon, J. P., Martel A.C., Antinelli J. F. 2001. Sondage sur la qualite des miels de lavende-lavandin. *Annales de Falsification et d' Expertise Chimiques*, 91:251.
- Galli, W., Washington, A. J. 1995 Antimicrobial susceptibility test; dilution & disk diffusion methods. Manual of clinical microbiology. 6 th ed., pp.1327-1332.
- Gallina, A., Benetti, C., Giancarlo, B., Baggio, A., Manzinello, C., Dainese, N., Mutinelli, F. 2005. Antibiotics residues in honey: validation procedure honey analytical methods validation. *Apiacta*, 40: 45-49.
- Geertsen, G., Pedersen, B. 2009. Determination of residual tetracyclines in honey by HPLC-UV; Optimizing and validation. In proceedings of Euroresidue IV Conference. Residues of Veterinary Drugs in Foods; van Ginkel, L.A., Ruiter, A., Eds.; Veidhoven, The Netherlands, 2000; pp 460-464.
- Gordon, L. 1989. Quantitative determination of oxytetracycline in honey by cylinder plate microbioassay. *Australian Journal of Agricultural Research*, 40 (4): 933-940.
- Harizanis, C. P., Alissandrakis, E., P. -A. Tarantilis, A. P., Polissiou, M. 2008. Solid-Phase Microextraction/Gas-Chromatographic/Mass Spectrometric Analysis of P-Dichlorobenzene and Naphthalene in Honey. *Food Additives and Contaminants*, 25: 10, 1274-1279.
- Heering, W., Usleber, E., Dietrich, R., Martlbauer, E. 1998. Immunochemical screening for antimicrobial drug residues in commercial honey. *Analyst*, 123: 2759-2762.

- Hejazy, M., Amoli, S. J., Esfahani, A. T. 2010. Determination of Amitraz residue by headspace Gas Chromatography in honey and Beeswax samples from Iran. *International Journal of Veterinary Research*, 2(1): 56-59.
- Hindler, F.J., Jorgensen, H.F. 2007. Diagnostic microbiology. 3 rd edition. In Connie, R. mahon, Danald, C. Lehman, George Manuselis (Ed.), antimicrobial susceptibility testing (pp. 333), Missouri: Saunders Elsevier.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. (1994). Bergey's Manual of Determinative Bacteriology. Ninth Edition, Williams & Wilkins, USA, pp: 559-565.
- Hopingarner, R., Nelson, K. 1987. American foulbrood cleanup rate using three terramycin treatments. *American Bee Journal*, 128 : 120–121.
- Hornitzky, Z. A. M., Smith, A. L. 1999. Sensitivity of Australian *Melissococcus pluton* isolates to oxytetracycline hydrochloride. *Australian Journal of Experimental Agriculture*, 39(7): 881 – 883
- Horwitz, W. 2000. “Microbiological methods for antibiotics” in AOAC international. 17th ed. Gaithersburg, Md., pp.38.
- International Organisation for Standardisation (ISO) 4833 (1991). Methods for Microbiological Examination of Food and Animal Feeding Stuffs. *Enumeration of Microorganisms - Colony Count Techniques at 30 degree C*. Geneva. Switzerland: ISO.
- International Organisation for Standardisation (ISO) 21527-2 (2008). Microbiology of food and animal feeding stuffs - Horizontal method for the enumeration of yeasts and moulds - Part 2: Colony count technique in products with water activity less than or equal to 0.95. Geneva. Switzerland: ISO.
- Jawetz, E., Melnick, L.J., Adelburg, A. E. 1984. Review of medical microbiology. 16th Edition. Los altos: Lange medical Publications.
- Jeon, M. and Rhee-Paeng, I. 2008 Quantitative detection of tetracycline residues in honey by a simple sensitive immunoassay. *Analytica Chimica Acta*, 626(2): 180-185.

- Johnson, S. Jadon, N. 2010. Antibiotic Residues in Honey. Research report of Center for science and environment, Tughlakabad Institution Area, New Delhi, India.
- Jimenez, J; Bernal, J; de Nozal, M; Toribio, L (1997). Characterisation and monitoring of Amitraz degradation products in honey. *Journal of High Resolution Chromotography*, 18: 81-84.
- Khismatullin, R., Kuzyaev, R., Lyapunov, Y., Elovikova, E. 2003. Modification of microbiological detection method of tetracycline in honey. *Apiacta*, 38: 246-248.
- Khong, P. S., Hamme, A. Y., Guy, A. P. 2005 Analysis of tetracyclines in honey by high-performance liquid chromatography/tandem mass spectrometry. *Rapid Communications in Mass Spectrometry*, 19(4): 493-502.
- Kirsop, B. 1985. The current status of culture collections and their contribution to biotechnology. *Critical Reviews in Biotechnology*, 2: 287-314.
- Lehnert, T., Shimanki H. 1980. European foulbrood disease control in honeybee colonies used for blueberry and cranberry pollination. *American Bee Journal*, 120: 429-430.
- Liawruangrath, B., Vinitchaikui D., Natakankitkul, S., Sirithunyaluk B., Piyamongkon S., Putiyanan, S. 2006. *Determination of chloramphenicol residue in honey and royal jelly*. Research report of Faculty of Pharmacy, Chiang Mai University, Thailand.
- Linton, A. H., 1983. Theory of antibiotic inhibition zone formation, dise sensitivity methods and MIC determinations. *Antibiotics*. in A. D. Russell, L. B., Quesnel (Ed.), *Assessment of antimicrobial activity and resistance* (pp.19-29), London : Academic Press.
- Lodesani, M; Pellacani, A; Bergomi, S; Carpana, E; Rabitti, T; Lasagni, P (1992). Residue determination for some products used against Varroa infestation in bees. *Apidologie*, 23(3): 257-272.
- Maneetup, C. 2004. Honey procurement in 2004. *Nestle Honey Bulletin*, 2 (2): 2-3.

- Martel, A. C., Zeggane, S., Drajnudel, P., Faucon, J.P., Aubert, M. 2006. Tetracycline residues in honey after hive treatment. *Food Additives and Contaminants*, 23(3) : 265-273.
- Mascaretti, O. A. 2003. *Bacteria versus antibacterial agents: an integrated approach*. Wasington. ASM Press.
- McKee, B. 2003. Prevention of residues in honey: A future perspective. *APIACTA*, 38: 173-177.
- Ministry of Public Health. 2000 (B.E. 2543). *Honey*. The declaration of the Ministry of Public Health No. 211.
- Mitchell, J., Griffiths, M.W., McEwen, S.A., McNab, W.B., Yee, A.J. 1998. Antimicrobial drug residues in milk and meat: causes, concerns, prevalence, regulations, tests, and test performance. *Journal of Food Protection*, 61 (6), 742-756.
- Miyagi, T., Peng, C. Y. S., Chuang, R. Y., Mussen, E. C., Spivak, M. S., Doi, R. H. 2000. Verification of oxytetracycline-resistant American foulbrood pathogen *Paenibacillus larvae* in the United States. *Journal of Invertebrate Pathology*, 75: 95–96.
- Molan, P. C. 1992a. The antibacterial activity of honey 1. The nature of the antibacterial activity. *Bee World*, 73(2):5-28.
- Molan, P. C. 1992b. The antibacterial activity of honey 2. Variation in the potency of the antibacterial activity. *Bee World*, 73(2):59-76.
- Moreno-Cerezo, J., Cordoba-Diaz, M. M. Cordoba-Diaz, D. Cordoba-Borrego, M. 2001. A stability study of tetracycline and tetracycline cyclodextrins in tablets using a new HPLC method. *Journal of Pharmaceutical and Biomedical Analysis*. 26: 417–426.
- Morlot, M., Beaune, P. 2003. An experience with Charm II system. *Apiacta*, 38: 226-234.

- Mundo, A. M., Padilla-Zakour, I. O., Worobo, W. R. 2004. Growth inhibition of foodborne pathogens and food spoilage organisms by select raw honeys. *International Journal of Food Microbiology*, 97: 1–8.
- Mutinelli, F. 2003. European legislation governing the authorization of veterinary medicinal products with particular reference to the use of drugs for the control of honey bee diseases. *APIACTA*, 38: 156-168.
- Nakazawa, H., Fujita, M. H., Takeba, K. 1992. Problem on residual antibacterial agents in livestock products(2). *Chikusan no Kenkyu*, 46 : 135-139.
- National Bureau of Agricultural Commodity and Food Standard. 2003. *Thai agricultural commodity and food standard 8200-2003*. Good agricultural practice for bee farms. Ministry of Agricultural Cooperatives, Thailand.
- National Honey Board. 1999. “pH and acids in honey” (Online). Available <http://www.nhb.org> (9 December 2010).
- National Honey Board. 2010. “Honey Color and Flavor” (Online). Available <http://www.nhb.org> (9 December 2010).
- Nazina, T. P., Poltaraus, A. B., Novikova, E.V., Grigoryan, A.A., Ivanova, A.E., Lysenko, A.M., Petrunyaka, V.V., Osipov, G.A., Belyaev, S.S., Ivanov, M.V. 2001a. Notification that new names and new combinations have appeared in volume 50, part 2, of the IJSEM". *International Journal of Systematic and Evolutionary Microbiology*, 51(3): 795. 2001.
- Nazina, T.N., Tourova, T. P., Poltaraus, A. B., Novikova, E.V., Grigoryan, A.A. Ivanova, A.E., Lysenko, A.M., Petrunyaka, V.V., Osipov, G.A., Belyaev, S.S., Ivanov, M.V. 2001b. Taxonomic study of aerobic thermophilic bacilli: descriptions of *Geobacillus subterraneus* gen. nov., sp. nov. and *Geobacillus uzenensis* sp. nov. from petroleum reservoirs and transfer of *Bacillus stearothermophilus*, *Bacillus thermocatenulatus*, *Bacillus thermoleovorans*, *Bacillus kaustophilus*, *Bacillus thermodenitrificans* to *Geobacillus* as the new

- combinations *G. stearothermophilus*, *G. thermodentrificans*. *International Journal of Systematic and Evolutionary Microbiology*, 51: 433-446.
- Nzeako, B. C, Hamdi, J. 2000. Antimicrobial potential of honey on some microbial isolates. *Medical Science*, 2: 75–9.
- Parish, M., Davidson, M. P. 1993. Method for evaluation. 2 nd Edition. in P.M. Davidson (Ed.), *Antimicrobials in food* (pp. 598-593), New York : Marcel Dekker.
- Passantino A., Russo C. 2008. Maximum residue levels of veterinary medicines in relation to food safety: European community legislation and ethical aspects. *Journal for Verbraucherschutz und Lebensmittelsicherheit*, 3 (2008): 351-358
- Pastor-Navarro, N., Morais, S., Maquieira, Á., and Puchades, R. 2007 Synthesis of haptens and development of a sensitive immunoassay for tetracycline residues: Application to honey samples. *Analytica Chimica Acta*, 594(2), 211-218.
- Pathomchai K., Sujaritpun J. 2007. *Identification and quantitative analysis of drug residues and its products*. A special problem submitted to the Faculty of Pharmacy, Chiang Mai University. pp.42-45.
- Patricia, E. L., Alexandre, L. C., Jenny, M. W. 2005. Bactericidal activity of different honeys against pathogenic bacteric. *Archives of medical research*, 36: 464-467.
- Pena, A., Pelantova, N., Lino, M. C., Silveira, N. M. I., Solich, P. 2005. Validation of an analytical methodology for determination of oxytetracycline and tetracycline residues in honey by HPLC with fluorescence detection. *Journal of Agricultural and Food Chemistry*, 53: 3784-3788.
- Petkov, R. 2000. A comparison of the methods for detection of tetracycline residuals in bee honey. *Veterinay Medicine* (Sofia), 6(1): 28-31.
- Pochalearn, C. 2007. Regional Bureau of Animal Health and Sanitary 5th, Department of Livestock Development, Ministry of agriculture and cooperatives of Thailand, personal communication.
- Quesnel, L.B., Russell A.D. 1983. Introduction. Antibiotics: Assessment of antimicrobial activity and resistance. in A. D. Russell, L. B., Quesnel (Ed.), *Assessment of antimicrobial activity and resistance* (pp.1), London : Academic press.

- Radwan, S.S., El-Essawy, A. A., Sarhan, M. M. 1984. Experimental evidence for the occurrence in honey of specific substances active against microorganisms. *Zentralblatt für Mikrobiologie*, 139: 249-255.
- Reybroeck, R., Ooghe, S., Brabander, H., Daeseleire, E. 2007. Validation of the tetrasensor honey test Kit for the screening of tetracyclines in honey. *Journal of Agricultural and Food Chemistry*, 55: 8359-8366.
- Reybroeck, W. 2003. Residues of antibiotics and sulphonamides in honey on the Belgian market, *Apiacta* 38, 23-30.
- Reyed, M. 2007. Novel hybrid entrapment approach for probiotic cultures and its application during lyophilization. *The Internal Journal of Microbiology*. 3(2): 1-7.
- Rosenkranz, P., Aumeier, P., Ziegelmann, B. 2010. Biology and control of Varroa destructor. *Journal of Invertebrate Pathology*, 103:96-119.
- Sinetanu, K., Chalermchaikit, T. Kanarut, S. 2001. “Antimicrobial residue detection system for Chicken and swine”, Technical Report for production and supporton, The Thailand Research Fund, Bangkok.
- Smith, L. M. 1932. The effect of heat on sugar solutions used for culture media, Physiological Research Laboratories. July: 1467-1472.
- Smith, R. D. 2006. Veterinary Clinical Epidemiology. 3 nd Edition. (pp.33-39), Newyork: CRC press.
- Snowdon, J.A., Cliver, D.O. 1996. Microorganisms in honey. *International Journal of Food Microbiology*, 31(1-3):1-26.
- Solomon, J. R.D., Santhi, S.V., Jayaraj, V. 2006. Prevalence of antibiotics in nectar and honey in south Tamilnadu, India. *Integrative Biosciences*, 10 : 163-167.
- Spivak, M. 2000. Preventative antibiotic treatments for honey bees. *American Bee Journal*, 140: 867–868.
- Stead, S., Richmond, S. , Sharman, M., J Stark, J., Geijp, E. 2005. A new approach for detection of antimicrobial drugs in food: Premi®Test coupled to scanner technology. *Analytica Chimica Acta*, 529(1-2): 83-88.

- Suijidta, P. 2008. Honey and drug residue standard section 1. Part of analysis drug residues and hormones. Group of Authenticated Quality Meat and Animal Products, Office of Authenticated Quality Domestic Animals, Department of Livestock Development. (In Thai).
- Taokaenchana N., Sangsrichan S. 2010. HPLC-Fluorescence Detection Method for Quantitative Determination of Tetracycline Antibiotic Residues in Honey. *Naresuan Science Journal*, 6(2):147-155.
- Taormina, P.J., Niemira, B.A., Beuchat, L.R. 2001. Inhibitory activity of honey against foodborne pathogens as influenced by the presence of hydrogen peroxide and level of antioxidant power. *International Journal of Food Microbiology*, 69 (3): 217-225.
- The Veterinary Residues Committee. 2007. Annual Report on Surveillance for Veterinary Residues in Food in the UK 2007. Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Website: www.vet-residues-committee.gov.uk.
- Thompson, H. M., Waite, R. J., Wilkins, S., Brown, M. A., Bigwood, T., Shaw, M., Ridgway, C., Sharman, M. 2005. Effects of European foulbrood treatment regime on oxytetracycline levels in honey extracted from treated honeybee (*Apis mellifera*) colonies and toxicity to brood. *Food Additives and Contaminants*, 22 : 573–578.
- Thrusfield, M., Ortega C., Blas, de. I., Noordhuizen , P. J., Frankena, K. 2001. Win Episcope 2.0: improved epidemiological software for veterinary medicine. *Vet Recort*, 148(18): 567-72.
- Tucker, G. Featherstone, S. 2010. Microbiology of Heat Preserved Foods, in Essentials of Thermal Processing, Wiley-Blackwell, Oxford, UK.
- Waite, R. J., Brown, M. A., Thompson, H. M., Brew, M. H. 2003. Controlling European foulbrood with the shook swarm method and oxytetracycline in the UK. *Bee World*, 82 : 130–138.
- Wallner K. 1999. Varroacides and their residues in bee products. *Apidologie*, 30, 235–248.

- Wan, G. H., Cui, H., Zheng, H. S., Zhou, J., Liu, L. J. Yu, X. F. 2005. Determination of tetracyclines residues in honey using high performance liquid chromatography with potassium permanganate sodium sulfite-(beta) -cyclodextrin chemiluminescence detection. *Journal of Chromatography B*, 824(1-2): 57-64.
- White, J. W., Subers, M.H., Schepartz, A.I. 1963. The identification of inhibine, the antibacterial factor in honey, as hydrogen peroxide and its origin in a honey glucose-oxidase system. *Biochimica et Biophysica ACTA*, 73: 57-70.
- White, J. W. 1978. Honey. *Advances in Food Research*, 4: 287–374.
- White, J. W. 1979. Composition of honey. In E. Crane (Ed.). Honey: A comprehensive survey (pp. 157-158) London: Heinemann.
- White, J.W. 1980. Detection of honey adulteration by carbohydrate analysis. *Journal of the Association of Official Analytical Chemists*, 63: 11–18.
- Wikipedia. 2010. “Sulfur” (Online). Available <http://en.wikipedia.org/wiki/Sulfur> (5 April 2010).
- Willix, D.J., Molan, P.C., Harfoot, C.G. 1992. A comparison of the sensitivity of wound-infecting species of bacteria to the antibacterial activity of manuka honey and other honey. *Journal of Applied Bacteriology*, 73 (5): 388-394.
- Wim R. 2003. Residues of antibiotics and sulphonamides in honey on the Belgian market. *Apiacta*, 38 : 23-30.
- Wongsiri, S. 1995. Effects of agriculture development on honey bees in Thailand. *Bee World*, 76 (1) : 3-5.
- Wu, Y., Fassihi, R. 2005. Stability of metronidazole, tetracycline HCl and famotidine alone and in combination. *International Journal of Pharmaceutics* 290:1–13.
- Yasuichiro, S., Tetsuya, Y., Itaru, U. 1996. Heme content of catalase I from *Geobacillus stearothermophilus*. *Journal of Fermentation and Bioengineering*, 81(3): 259-261.