

REFERENCES

- American Thoracic Society. Diagnosis and treatment of disease caused by nontuberculous mycobacteria. *Am J Respir Crit Care Med* 1997; 156: S1-S25.
- Arbeit RD, Slutsky A, Barber TW, Maslow JN, Niemczyk S, Falkinham JO III, O'Connor GT, von Reyn CF. Genetic diversity among strains of *Mycobacterium avium* causing monoclonal and polyclonal bacteremia in patients with AIDS. *J Infect Dis* 1993; 167: 1384-1390.
- Aronson T, Holtzman A, Glover N, Boian M, Froman S, Berlin OGW, Hill H, Stelma G JR. Comparison of large restriction fragments of *Mycobacterium avium* isolates recovered from AIDS and non-AIDS patients with those of isolates from portable water. *J Clin Microbiol* 1999; 37(4): 1008-1012.
- Baily TM, Akhtar M, Ali MA. Fine needle aspiration biopsy in the diagnosis of tuberculosis. *Acta Cytol* 1985; 29: 732-736.
- Baron EJ, Young LS. Amikacin, ethambutol, and rifampin of treatment of disseminated *Mycobacterium avium-intracellulare* infections in patients with acquired immune deficiency syndrome. *Diagn Microbiol Infect Dis* 1986; 5: 251-220.
- Barrow WW, Danis TL, Wright EL, Labrousse V, Bachelet M, Rastogi N. Immuno-modulatory spectrum of lipids associated with *Mycobacterium avium* serovar 8. *Infect Immun* 1995; 63: 126-133.
- Bauer J, Andersen AB. Stability of insertion sequence IS1245, a marker for differentiation of *Mycobacterium avium* strains. *J Clin Microbiol* 1999; 37: 442-444.
- Belisle JT, Brennan PJ. Molecular basis of colony morphology in *Mycobacterium avium*. *Res Microbiol* 1994; 145: 237-242.

- Benson CA, Cohn DL, Williams P. A phase III prospective, randomized, double-blind study of the safety and efficacy of clarithromycin vs. rifabutin vs. clarithromycin and rifabutin for prevention of *Mycobacterium avium* complex disease in HIV positive patients with CD4 cells \leq 100 cells/ml. Program and abstract of the 3rd Conference on Retrovirus and Opportunistic Infections, Washington, DC. Infectious Diseases Society of America 1996, Abstract 205.
- Bermudez LE, Goodman JR. *Mycobacterium tuberculosis* invades and replicates within type II alveolar cells. *Infect Immun* 1996; 64: 1400-1406.
- Bermudez LE, Petrofsky M, Goodman JR. Exposure to low oxygen tension and increased osmolarity enhance the ability of *Mycobacterium avium* to enter intestinal epithelial (HT-29) cells. *Infect Immun* 1997; 65: 3768-3772.
- Bermudez LE, Young LS. Oxidative and non-oxidative intracellular killing of *Mycobacterium avium* complex. *Microb Pathogenesis* 1989; 7: 289-297.
- Bermudez LE, Young LS. Factors affecting invasion of HT-29 and Hep-2 epithelial cells by organisms of the *Mycobacterium avium* complex. *Infect Immun* 1994; 62: 2021-2026.
- Bermudez LE, Young LS, Enkel H. Interaction of *Mycobacterium avium* complex with human macrophages: roles of membrane receptors and serum proteins. *Infect Immun* 1991; 59: 1697-1702.
- Bono M, Jemmi T, Bernascoti C, Burki D, Telenti A, Bodmer T. Genotyping characterization of *Mycobacterium avium* strains recovered from animals and their comparison to human strains. *Appl Environ* 1995; 61: 371-373.
- Brenann PJ, Goren MB 1979. Structural studies on the type-specific antigens and lipids of *M. avium*-*M. intracellulare*-*M. scrofulaceum* complex. *J Biol Chem* 254: 4205-4211.
- Brenann PJ, Aspinall GO, Nam Shin JE 1981. Structure of the specific oligosaccharides from the peptidoglycolipid antigens of serovars in the *M. avium*-*M. intracellulare*-*M. scrofulaceum* complex. *J Biol Chem* 256: 6817-6822.
- Brown BA, Wallace RJ, Griffith DE, Girard W. Clarithromycin-induced hepatotoxicity. *Clin Infect Dis* 1995; 20: 1073-1074.

- Butler WR, Kilburn JO. Identification of major slow growing pathogenic mycobacteria and *Mycobacterium gordonae* by high-performance liquid chromatography of their mycolic acids. *J Clin Microbiol* 1988; 26: 50-53.
- Chaissen RE, Benson CA, Dube MP, et al. Clarithromycin therapy for bacteremic *Mycobacterium avium* complex disease. *Ann Intern Med* 1994; 121: 905-911.
- Chaissen RE, Keiser P, Pierce M, Fessel WJ, Ruskin J, Lahart C, Meek K. Controlled trial of clarithromycin/ethambutol with or without clofazimine for *Mycobacterium avium* complex bacteremia in AIDS. The Third International Conference on the Macrolides, Azalides and Streptogramins, Lisbon, Portugal. Abstract 7.16.
- Chariyalertsak S, Sirisanthana T, Supparatpinyo K, Nelson KE. Seasonal variation of disseminated *Penicillium marneffei* infections in northern Thailand: a clue to the reservoir. *J Infect Dis* 1996; 173: 1490-1493 (a).
- Chariyalertsak S, Vanittanakom P, Nelson KE, Sirisanthana T, Vanittanakom N. *Rhizomys sumatrenis* and *Canomys badius*, new natural animal hosts of *Penicillium marneffei*. *J Med Vet Mycol* 1996; 34: 105-110 (b).
- Chester FD. A manual of determination bacteriology. The Macmillan Co.; New York, 1901.
- Christensen EE, Dietz GW, Ahn CH, Chapman JS, Murray RC, Anderson J, Hursst GA. Pulmonary manifestations of *Mycobacterium intracellulare*. *Am J Radiol* 1979; 133: 59-66.
- Chuchottaworn C, Sathapatayawongs B, Tansuphsawadikul S, Suwanagool S, Kantipong P, Pornchaipoonthavee. Prevalence of disseminated of *Mycobacterium avium* complex infection in Thai AIDS patients. *J Med Assoc Thai* 1999; 82(7): 643-647.
- Chujor CS, Kuhn B, Schwerer B, Bernheimer H, Levis WR, Bevec D. Specific inhibition of mRNA accumulation for lymphokines in human T cell line Jurket by mycobacterial lipoalabinomannan antigen. *Clin Exp Immunol* 1992; 87: 398-403.
- Clark-Curtiss JE. Genome structure of mycobacteria, *Molecular Biology of the Mycobacteria*, ed. McFadden JJ, Harcourt Brance Jovanovich, London, 77-96.
- Conde MB, Figueira CM, Moraes R, Fonseca LS, DeRiemer K, Kritski AL. Predictive value of the acid fast smear for detection of *Mycobacterium tuberculosis* in respiratory

- specimens in a reference center of HIV/Aids in Rio de Janeiro, Brazil. Mem Inst Oswaldo Cruz 1999; 94: 787-790.
- Corpe RF. Surgical management of pulmonary disease due to *Mycobacterium avium-intracellulare*. Rev Infect Dis 1981; 3: 1064-1067.
- Covert TC, Rodgers MR, Reyes AL, Stelma GN JR. Occurrence of nontuberculous mycobacteria in environmental samples. Appl Environ Microbiol 1999; 2492-2496.
- Crawford JT, Bates JH. Restriction endonuclease mapping and cloning of *Mycobacterium intracellulare* plasmid pLR7. Gene 1984; 27: 331-333.
- Crawford JT, Bates JH. Phage typing of *Mycobacterium avium-intracellulare-scrofulaceum* complex: a study of strains of diverse geographic and host origin. Am Rev Respir Dis 1985; 132: 386-389.
- Crawford JT, Bates JH. Analysis of plasmids in *Mycobacterium avium-intracellulare* isolates from persons with acquired immunodeficiency syndrome. Am Rev Respir Dis 1986; 134: 659-661.
- Crawford JT, Fitzhugh JK, Bates JH. Phage typing of *Mycobacterium avium-intracellulare-scrofulaceum* complex. Am Rev Respir Dis 1981; 124: 559-562.
- Davis TL, Glnkel SZV, Bland LR, Wright EL, Barrow WW. Eicosanoid and cytokine profiles of the mono mac 6 monocytic human cell line induced by mycobacterial lipids, Abstract U178. ASM, New Orleans (1996).
- Damsker B, Bottone EJ. *Mycobacterium avium-Mycobacterium intracellulare* from the intestinal tract of patients with the acquired immunodeficiency syndrome: concepts regarding acquisition a pathogenesis. J Infect Dis 1985; 151: 179-180.
- Dautzenberg B, Piperno D, Diot P, Truffot-Pernot C, Chauvin JP, and the Clarithromycin Study Group of France. Clarithromycin in the treatment of *Mycobacterium avium* lung infections in patients without AIDS. Chest 1995; 107: 1035-1040.
- Del Beccaro MA, Mendelman PM, Nolan C. Diagnostic usefulness of mycobacterial skin testing antigens in childhood lymphadenitis. Pediatr Infect Dis J 1989; 8: 206-210.
- Devallois A, Rastogi N. Computer-assisted analysis of *Mycobacterium avium* fingerprints using insertion elements IS1245 and IS1311 in a Caribbean setting. Res Microbiol 1997; 148: 703-713.

- Di Lonardo M, Isola NC, Ambroggi M, Rybko A, Poggi S. Mycobacteria in HIV-infected patients in Buenos Aires. *Tuber Lung Dis* 1995; 76(3): 185-189.
- Doherty TM, Sher A. Defects in cell-mediated immunity after chronic, but not innate, resistance of mice to *Mycobacterium avium* infection. *J Immunol* 1997; 158: 4822-4831.
- Dye C, Scheele S, Dolin P, Pathania V, Raviglione MC. Global burden of tuberculosis: estimated incidence, prevalence, and mortality by country. WHO Global Surveillance and Monitoring Project. *JAMA* 1999; 282: 677-686.
- Egglemeijer F, Kroom FP, Dijkmans BAC, Van't Wout JW. Tenosynovitis due to *Mycobacterium avium-intracellulare*: case report and a review of the literature. *Clin Exp Rheum* 1992; 10: 169-171.
- Escuyer V, Haddad N, Frehel C, Berche P. Molecular characterization of a surface-exposed superoxide dismutase of *Mycobacterium avium*. *Microb Pathogenesis* 1996; 20: 41-55.
- Etzkorn ET, Sigfredo A, McAllister CK, Matthels J, Ognebene AJ. Medical therapy of *Mycobacterium avium-intracellulare* pulmonary disease. *Am Rev Respir Dis* 1986; 134: 442-445.
- Falkinham JO III. Epidemiology of *Mycobacterium avium* infection in the pre- and post-HIV era. *Res Microbiol* 1994; 145: 169-172.
- Falkinham JO III. Epidemiology of infection by nontuberculous mycobacteria. *Clin Microbiol Rev* 1996; 9: 177-215.
- Feizabadi MM, Robertson ID, Cousins DV, Dawson D, Chew W, Gilbert GL, Hamson DJ. Genetic characterization of *Mycobacterium avium* isolates recovered from humans and animals in Australia. *Epidemiol Infect* 1996; 116: 41-49.
- Franzblau SG, Takeda T, Nakamura M. Mycobacterial plasmids: screening and possible relationship to antibiotic resistance in *Mycobacterium avium-Mycobacterium intracellulare*. *Microbiol Immunol* 1986; 30:903-907.
- Frehel C, deChastellier C, Lang T, Rastogi N. Evidence for inhibition of fusion of lysosomal and prelysosomal compartments with phagosomes in macrophages infected with pathogenic *Mycobacterium avium*. *Infect Immun* 1986; 52: 252-262.
- Gangadharam PR, Perumal VK, Crawford JT, Bates JH. Association of plasmids and virulence of *Mycobacterium avium* complex. *Am Rev Respir Dis* 1988; 137: 212-214.

- Garriga X, Cortes P, Rodriguez P, March F, Prats G, Coll P. Comparison of IS1245 restriction fragment length polymorphism and pulsed-field gel electrophoresis for typing clinical isolates of *Mycobacterium avium* subsp *avium*. *Int J Tuberc Lung Dis* 2000; 4: 463-472.
- Grange JM. *Mycobacteria and human disease* 2nd ed. London : Arnold, 1996.
- Grange JM, Yates MD, Boughton E. The avian tubercle bacillus and its relatives. *J Appl Bacteriol* 1990; 68: 411-431.
- Green EP, Tizard ML, Moss MT, Thompson J, Winterbourne DJ, McFadden JJ, Hermon-Taylor J. Sequence and characteristics of IS900, an insertion element identified in a human Crohn's disease isolate of *Mycobacterium paratuberculosis*. *Nucleic Acids Res* 1989; 17: 9063-9073.
- Green PA, von Reyn CF, Smith RP Jr. *Mycobacterium avium* complex parotid lymphadenitis: successful therapy with clarithromycin and ethambutol. *Pediatr Infect Dis* 1993; 12: 615-617.
- Gribetz AR, Damsker B, Bottone EJ, Kirshner PA, Tierstein AS. Solitary pulmonary nodules due to nontuberculous mycobacterial infection. *Am J Med* 1981; 70: 39-43.
- Griffith DE, Brown BA, Girard WM, Wallace RJ. Adverse events associated with high-dose rifabutin in macrolide-containing regimens for the treatment of *Mycobacterium avium* complex lung disease. *Clin Infect Dis* 1995; 21: 594-598.
- Guerrero C, Bernascoti C, Burki D, Bodmer T, Telenti A. A novel insertion element from *Mycobacterium avium*, IS1245 is a specific target for analysis of strain relatedness. *J Clin Microbiol* 1995; 33: 304-307.
- Gupta SK, Chugh TD, Sheikh ZA, Al-Rubah NAR. Cytodiagnosis of tuberculous lymphadenitis. *Acta Cytol* 1993; 37: 329-332.
- Havlir DV, Dube MP, Sattler FR, Forthal DN, Kemper CA, Dunne MW, Parenti DM, Lavelle JP, White AC Jr, Witt MD, Bozzette SA, McCutchan JA. Prophylaxis against disseminated *Mycobacterium avium* complex with weekly azithromycin, daily rifabutin, or both. *N Engl J Med* 1996; 335: 392-398.

- Havilir DV, Kemper CA, Deresinski S. Reproducibility of lysis-centrifugation cultures for quantification of *Mycobacterium avium* complex bacteremia. *J Clin Microbiol* 1993; 31: 1794-1798.
- Heifets L, Mor LN, Vanderkolk J. *Mycobacterium avium* strains resistant to clarithromycin and azithromycin. *Antimicrob Agents Chemother* 1993; 37: 2364-2370.
- Hellinger WC, Smilack JD, Greider JL Jr, Alvarez S, Trigg SP, Brewer NS, Edson RS. Localized soft-tissue infections with *Mycobacterium avium*/*Mycobacterium intracellulare* complex in immunocompetent patients: granulomatous tenosynovitis of the hand or wrist. *Clin Infect Dis* 1995; 21: 65-69.
- Hellyer TJ, Brown IN, Dale JW, Easmon CS. Plasmid analysis of *Mycobacterium avium-intracellulare* (MAI) isolated in the United Kingdom from patients with or without AIDS. *J Med Microbiol* 1991; 34: 225-231.
- Hooper LC, Barrow WW. Decreased mitogenic response of murine spleen cells following intraperitoneal injection of serovar-specific glycopeptidolipid antigens from *Mycobacterium avium* complex. *Adv Exper Med Biol* 1988; 239: 309-325.
- Hoover DR, Graham NMH, Bacellar H, Murphy R, Visscher B, Anderson R, McArthur J. An epidemiologic analysis of *Mycobacterium avium* complex disease in homosexual men infected with human immunodeficiency virus type 1. *Clin Infect Dis* 1995; 20: 1250-1258.
- Horsburgh CR. *Mycobacterium avium* complex infection in the acquired immunodeficiency syndrome. *N Engl J Med* 1991; 324: 1332-1334.
- Hsu N, Goodman JR, Young LS, Bermudez LE. Interaction between *Mycobacterium avium* complex and intestinal mucosal cells *in vivo*. Abstracts, Ed., 36th ICAAC, American Society for Microbiology 1996.
- Huebner RE, Schein MF, Cauthen GM, Geiter LJ, O'Brien RJ. Usefulness of skin testing with mycobacterial antigens in children with cervical lymphadenopathy. *Pediatr Infect Dis J* 1992; 11: 450-456.
- Ichiyama S, Shimokata K, Tsukamura. The isolation of *Mycobacterium avium* complex from soil water and dust. *Microbiol Immunol* 1988; 32: 733-739.

- Inderlied CB, Kemper CA, Bermudez LEM. The *Mycobacterium avium* complex. Clin Microbiol Rev 1993; 6: 266-310.
- Iseman M. *Mycobacterium avium* complex and the normal host. The order side of the coin. N Engl J Med 1989; 321: 896-898.
- Jensen AG, Bebbedson J, Rosdahl VT. Plasmid profiles of *Mycobacterium avium-intracellulare* isolated from patients with HIV or cervical lymphadenitis and from environmental samples. Scand J Infect Dis 1989; 21: 645-649.
- Jonas V, Knott C, Henderson DP, Snead SJ, Warren NG. Detection of *Mycobacterium avium* complex strains using acridinium ester-labeled DNA probes, U-7, p.166. Abstr. 92nd Gen Meet Am Soc Microbiol 1992. American Society for Microbiology, Washington, D.C.
- Jucker MT, Falkinham JO. Epidemiology of infection by nontuberculous mycobacteria. IX. Evidence for two DNA homology groups among small plasmids in *Mycobacterium avium*, *Mycobacterium intracellulare*, and *Mycobacterium scrofulaceum*. Am Rev Respir Dis 1990; 142: 858-862.
- Kaplan G, Gandhi RR, Weinstein DE, Levis WR, Patarroyo ME, Brennan PJ, Cohn ZA. *Mycobacterium leprae* antigen-induced suppression of T cell proliferation in vitro. J Immunol 1987; 138: 3028-3034.
- Kent PT, Kubica GP. Public health mycobacteriology: a guide for the level III laboratory. Atlanta: Centers for Disease Control. 1995, p 125.
- Kim SY, Goodman JR, Petrosky M, Bermudaz LE. *Mycobacterium avium* infection of the gut mucosa in mice is associated with later inflammatory response and ultimately results in areas of intestinal cell necrosis. J med Microbiol 1998; 47: 725-731.
- Kölbel HK. Electron microscopy, The mycobacteria: A sourcebook, eds Kubica GP, Wayne LG, Marcel Dekker, New York 1984; 249-313.
- Komijn RE, de Haas PEW, Schneider MME, Eger T, Nieuwenhuijs JHM, van den Hoek RJ, Bakker D, van Zijl Erveld FG, van Soolingen D. Prevalence of *Mycobacterium avium* in slaughter pigs on the Netherlands and comparison of IS1245 restriction fragment length polymorphism patterns of porcine and human isolates. J Clin Microbiol 1999; 37: 1254-1259.

- Kemper CA, Havlir D, Bartok AE, Kane C, Camp B, Lane N, Derenski SC. Transient bacteremia due to *Mycobacterium avium* complex in patients with AIDS. *J Infect Dis* 1994; 170: 488-493.
- Kunze ZM, Wall S, Appelberg R, Silva MT, Portaels F, McFadden JJ. IS901, a new member of a widespread class of atypical insertion sequences, is associated with pathogenicity in *Mycobacterium avium*. *Mol Microbiol* 1991; 5: 2265-2272.
- Kunze ZM, Portaels F, McFadden JJ. Biologically distinct subtypes of *Mycobacterium avium* differ in possession of insertion sequence IS901. *J Clin Microbiol* 1992; 30: 2366-2372.
- Kyriakopoulos AM, Tassios PT, Matsiota-Bernard P, Marinis E, Tsaousidou S, Legakis NJ. Characterization to species level of *Mycobacterium avium* complex strains from human immunodeficiency virus-positive and -negative patients. *J Clin Microbiol* 1997; 35(11): 3001-3003.
- Lai KK, Stottmeier KD, Sherman IH, McCabe WR. Mycobacterial cervical lymphadenopathy. *JAMA* 1984; 251: 1286-1288.
- Lappayawichit P, Rienthong S, Rienthong D, Chuchottaworn C, Chaiprasert A, Panbangred W, Saringcarinkul H, Palittapongarnpim P. Differentiation of *Mycobacterium* species by restriction enzyme analysis of amplified 16S-23S ribosomal DNA spacer sequences. *Tubercle Lung Dis* 1996; 77: 257-263.
- Lari N, Cavallini M, Rindi L, Iona E, Fattorini L, Garzelli C. Typing of human *Mycobacterium avium* isolates in Italy by IS1245-based restriction fragment length polymorphism analysis. *J Clin Microbiol* 1998; 36: 3694-3697.
- Lau SK, Wei WI, Kwan S, Yew WW. Combined use of fine-needle aspiration cytologic examination and tuberculin skin test in the diagnosis of cervical tuberculous lymphadenitis. *Arch Otolaryngol Head Neck Surg* 1991; 117: 87-90.
- Leao SC, Briones MRS, Sircili MP, Balian SC, Mores N, Ferreira-Neto JS. Identification of two novel *Mycobacterium avium* allelic variants in pig and human isolates from Brazil by PCR-restriction enzyme analysis. *J Clin Microbiol* 1999; 37: 2592-2597.
- Lebrun L, Espinasse F, Poveda JD, Vincent-Levy-Frebault V. Evaluation for nonradioactive DNA probes for identification of mycobacteria. *J Clin Microbiol* 1992; 30: 2476-2478.

- Legrand E, Sola C, Verdol B, Rastogi N. Genetic diversity of *Mycobacterium avium* recovered from AIDS patients in the Caribbean as studied by a consensus IS1245-RFLP method and pulsed-field gel electrophoresis. *Res Microbiol* 2000; 151: 271-283.
- Lincoln EM, Gilbert LA. Disease in children due to mycobacteria other than *Mycobacterium tuberculosis*. *Am Rev Respir Dis* 1972; 105: 683-714.
- Marchevsky A, Damsker B, Gribetz A, Tepper S, Geller SA. The spectrum of pathology of nontuberculous mycobacterial infections in open-lung biopsy specimens. *Am J Clin Pathol* 1982; 78: 695-700.
- Mathew P, Kuo YH, Vazirani B, Eng RHK, Weinstein MP. Are three sputum acid-fast bacillus smears necessary for discontinuing tuberculosis isolation? *J Clin Microbiol* 2002; 40: 3482-3484.
- McAdam RA, Quan S, Guilhot C. Mycobacterial transposons and their application. In Hatfull GF and Jacobs WR Jr. (Ed.), *Molecular genetics of mycobacteria*. ASM press. Washington D.C., pp. 69-83, 2000.
- McNeil MA, Tsang AY, Brenann PJ. Structure and antigenicity of the specific oligosaccharide hapten from the glycopeptidolipid antigen of *M. avium* serotype 4, the dominant mycobacterium isolated from patients with AIDS. *J Biol Chem* 1987; 262: 2630-2635.
- Minikin DE, Goodfellow M. Lipid composition in the classification and identification of acid-fast bacteria, *Microbiological Classification and Identification*, in Goodfellow M. and Board RG. (Ed.), Academic Press, London, 189-256, 1980.
- Mizuguchi Y, Fukunaga M, Taniguchi H. Plasmid deoxyribonucleic acid and translucent-to-opaque variation in *Mycobacterium intracellulare* 103. *J Bacteriol* 1981; 146: 656-659.
- Modilevsky T, Sattler FR, Barnes PF. Mycobacterial disease in patients with human immunodeficiency virus infection. *Arch Intern Med* 1989; 149: 2201-2205.
- Moran JF, Alexander LG, Staub EW, Young WG, Sealy WC. Long-term results of pulmonary resection for atypical mycobacteria disease. *Ann Thorac Surg* 1983; 35: 597-604.
- Musial CE, Tice LS, Stockman L, Roberts GD. Identification of mycobacteria from culture by using the GenProbe Diagnostic System for *Mycobacterium avium* complex and *Mycobacterium tuberculosis* complex. *J Clin Microbiol* 1988; 26: 2120-2123.

- Nightingale SD, Byrd LT, Southern PM, Jockusch JD, Cal SX, Wynne BA. Incidence of *Mycobacterium avium-intracellulare* complex in human immunodeficiency virus-positive patients. *J Infect Dis* 1992; 165: 1082-1085.
- Nightingale SD, Cameron DW, Gordin FM, Sullam PM, Cohn DL, Chaisson RE, Eron LE, Sparti PD, Bihari B, Kaufman DL, Stern JJ, Pearce DD, Weinberg WG, LaMarca A, Siegal FP. Two controlled trials of rifabutin prophylaxis against *Mycobacterium avium* complex infections in AIDS. *N Engl J Med* 1993; 329: 828-833.
- Nishimori K, Eguichi M, Nakaoka Y, Onodera Y, Ito T, Tanaka K. Distribution of IS901 in strains of *Mycobacterium avium* complex from swine by using IS901-detecting primers that discriminate between *M. avium* and *Mycobacterium intracellulare*. *J Clin Microbiol* 1995; 33: 2102-2106.
- Ogata K, Linzer BA, Zuberia RI, Ganz T, Weber R, Catanzaro A. Activity of defensins from human neutrophilic granulocytes against *M. avium-M. intracellulare*. *Infect Immun* 1992; 60: 4720-4725.
- O'Grady D, Flynn O, Costello E, Quigley F, Gogarty A, McGuirk J, O'Rourke J, Gibbons N. Restriction fragment length polymorphism analysis of *Mycobacterium avium* isolates from animal and human sources. *Int J Tuberc Lung Dis* 2000; 4: 278-281.
- Oliveira RS, Sircili MP, Ueki SYM, Telles MAS, Schnabel B, Briones MRS, Leao SC. PCR-restriction enzyme analysis of a bone marrow isolate from a human immunodeficiency virus-positive patient discloses polyclonal infection with two *Mycobacterium avium* strains. *J Clin Microbiol* 2000; 38: 4643-4645.
- Panunto AC, Villares MCB, Ramos MC. IS1245 restriction fragment length polymorphism typing of *Mycobacterium avium* from patients admitted to a reference hospital in Campinas, Brazil. *Braz J Med Biol Res* 2003; 36: 1397-1401.
- Pestel-Caron M, Arbeit RD. Characterization of IS1245 for strain typing of *Mycobacterium avium*. *J Clin Microbiol* 1998; 36: 1859-1863.
- Pethel ML, Falkinham III JO. Plasmid-influenced changes in *Mycobacterium avium* catalase activity. *Infect Immun* 1989; 57: 1714-1718.

- Picardeau M, Varnerot A, Lecompte T, Brel F, May T, Vincent V. Use of different molecular typing techniques for bacteriological follow-up in a clinical trial with AIDS patients with *Mycobacterium avium* bacteremia. *J Clin Microbiol* 1997; 35 :2503-2510.
- Picardeau M, Vincent V. typing of *Mycobacterium avium* isolates by PCR. *J Clin Microbiol* 1996; 34: 389-392.
- Pierce M, Cramptom S, Henry D, Heifits L, LaMarca *et al.* A randomized trial of clarithromycin as prophylaxis against disseminated *Mycobacterium avium* complex infection in patients with advanced acquired immunodeficiency syndrome. *N Engl J Med* 1996; 335: 384-391.
- Prince DS, Peterson DD, Steiner RM, Gottlieb JE, Scott R, Israel HL, Figueroa WG, Fish JE. Infection with *Mycobacterium avium* complex in patients without predisposing conditions. *N Engl J Med* 1989; 321: 863-868.
- Rao SP. Identification of a β 1 integrin. *Infect Immun* 1992; 60: 3632-3657.
- Ritacco V, Kremer K, van der Laan T, Pijnenburg JEM, de Haas PEW, van Soolingen D. Use of IS901 and IS1245 in RFLP typing of *Mycobacterium avium* complex: relatedness among serovar reference strains, human and animal isolates. *Int J Tubercle Lung Dis* 1998; 2: 242-251.
- Roecklein JA, Swartz RP, Yeager H. Nonopsonic uptake of *Mycobacterium avium* complex by human monocytes and alveolar macrophages. *J Lab Clin Med* 1992; 119: 772-781.
- Roiz MP, Palenque E, Guerrero C, Garcia MJ. Use of restriction length polymorphism as a genetic marker for typing *Mycobacterium avium* strains. *J Clin Microbiol* 1995; 33:1389-1391.
- Runyon EH. Anonymous mycobacteria in pulmonary disease. *Med Clin North America* 1959; 43: 273-290.
- Runyon EH. Ten mycobacterial pathogens. *Tubercule* 1974; 55: 235-240.
- Saito H, Tomioka H, Sato K, Tasaka H, Dawson DJ. Identification of various serovars strains of *Mycobacterium avium* complex by using DNA probes specific for *Mycobacterium avium* and *Mycobacterium intracellulare*. *J Clin Microbiol* 1990; 28: 1694-1697.
- Sangari FJ, Petrofsky M, Bermudez LE. *Mycobacterium avium* infection of epithelial cells results in inhibition or delay in the release of IL-8 and RANTES. *Infect Immun* 1999; 67:????.

- Sansila A, Hongmanee P, Chuchottaworn C, Rienthong S, Rienthong D, Palittapongarnpim P. Differentiation between *Mycobacterium tuberculosis* and *Mycobacterium avium* by amplification of the 16S-23S ribosomal DNA spacer. *J Clin Microbiol* 1998; 36: 2399-2403.
- Sarmiento A, Appelberg R. Involvement of reactive oxygen intermediates in tumor necrotic factors alpha-dependent bacteriostasis of *Mycobacterium avium*. *Infect Immun* 1996; 64: 3224-3230.
- Schaad UB, Votteler TP, McCracken GH, Nelson JD. Management of atypical mycobacterial lymphadenitis in childhood: a review based on 380 cases. *J Pediatr* 1979; 95: 356-360.
- Schwartz DC, Cantor CR. Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis. *Cell* 1984; 37: 67-75.
- Shafran SD, Deschenes J, Miller M, Phillips P, Toma E. Uveitis and pseudojaundice during a regimen of clarithromycin, rifabutin, and ethambutol. *N Engl J Med* 1994; 330: 438-439.
- Sibley LD, Hunter SW, Brennan PJ, Krahenbuhl JL. Mycobacterial lipoalabinomannan inhibits gamma interferon-mediated activation of macrophages. *Infect Immun* 1988; 56: 1232-1236.
- Snider DE, Jones WD, Good RC. The usefulness of phage typing *Mycobacterium tuberculosis* isolates. *AM Rev Respir Dis* 1984; 130: 1095-1099.
- Sola C, Devallois A, Goh KS, Legrand E, Rastogi N. Molecular characterization of *Mycobacterium avium* complex isolates from Caribbean patients by DT1/DT6-PCR, nonradioactive southern hybridization, and the Accuprobe system. *Current Microbiology* 1996; 33: 352-358.
- Southern EM. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol* 1975; 98: 503-517.
- Stewart MG, Starke JR, Coker NJ. Nontuberculous mycobacterial infections of the head and neck. *Arch Otolaryngol Head Neck Surg* 1994; 120: 873-876.
- Stone AB, Schelonka RL, Drehner DM, McMahon DP, Ascher DP. Disseminated *Mycobacterium avium* complex in non-human immunodeficiency virus-infected pediatric patients. *Pediatr Infect Dis J* 1992; 11: 960-964.

- Stormer RS, Falkinham III JO. Differences in antimicrobial susceptibility of pigmented and unpigmented colonial variants of *Mycobacterium avium*. J Clin Microbiol 1989; 27: 2459-2465.
- Sturgill-Koszycki S, Schlesinger PH, Chakraborty P, Haddix PL, Collins HL, Fok AK, Allen RD, Gluck SL. Lack of acidification in mycobacterium phagosomes produced by exclusion of the vesicular proton-ATPase. Science 1994; 263: 678-681.
- Taylor TB, Patterson C, Hale Y, Safranek WW. Routine use of PCR-restriction fragment length polymorphism analysis for identification of mycobacteria growing in liquid media. J Clin Microbiol 1997; 35: 79-85.
- Telenti A, Marchesi F, Balz M, Bally F, Böttger EC, Bodmer T. Rapid identification of mycobacteria to the species level by polymerase chain reaction and restriction enzyme analysis. J Clin Microbiol 1993; 31: 175-178.
- Tenover FC, Crawford JT, Huebner RE, Geiter LJ, Horsburgh CR Jr, Good RC. The resurgence of tuberculosis: is your laboratory ready? J Clin Microbiol 1993; 31: 767-770.
- Thierry D, Vincent V, Clement F, Guesdon J-L. Isolation of specific DNA fragments of *Mycobacterium avium* and their possible use in diagnosis. J Clin Microbiol 1993; 31: 1048-1054.
- Thorel MF, Krichevsky M, Frebault-Levy VV. Numerical taxonomy of mycobactin-dependent mycobacteria, amended description of *Mycobacterium avium*, and description of *Mycobacterium avium* subsp. *avium* nov., *Mycobacterium avium* subsp. *paratuberculosis* nov., and *Mycobacterium avium* subsp. *silvaticum* nov. Int J Syst Bacteriol 1990; 40: 254-260.
- Torriani FJ, Behling CA, McCutchan JA, Haubrich RH, Havlir DV. Disseminated *Mycobacterium avium* complex: correlation between blood and tissue burden. J Infect Dis 1996; 173: 942-943.
- Torriani F, Maslow JN, Kornbluth R, Arbeit RD, McCutchan JA, Hasegawa P, Keays L, Havlir D. Analysis of *Mycobacterium avium* complex isolates infecting multiple organs of AIDS patients using pulsed field gel electrophoresis. Interscience Conference on Antimicrobial agents and Chemotherapy, San Francisco (American Society for Microbiology, 1995).

- Tsuyuguchi I, Kawasumi H, Takashima T, Tsuyuguchi T, Kishimoto S. *Mycobacterium avium-Mycobacterium intracellulare* complex-induced suppression of T-cell proliferation in vitro by regulation of monocyte accessory cell activity. *Infect Immun* 1990; 58: 1369-1378.
- van Solingen D, Bauer J, Ritacco V, Leao SC, Pavlik I, Vincent V, Rastoqi N, Gori A. IS1245 restriction fragment length polymorphism typing of *Mycobacterium avium* isolates: proposal for standardization. *J Clin Microbiol* 1998; 36: 3051-3054.
- von Reyn CF, Green PA, McCormick D, Huitt GA, Marsh BJ, Magnusson M, Barber TW. Dual skin testing with *Mycobacterium avium* sensitin and purified protein derivative: an open study of patients with *M. avium* complex infection or tuberculosis. *Clin Infect Dis* 1994; 19: 15-20.
- von Reyn CF, Maslow JN, Barber TW, Falkinham JO III, Arbeit RD. Persistent colonization of portable water as a source of *Mycobacterium avium* infection in AIDS. *Lancet* 1994; 343: 1137-1141.
- Wallace RJ Jr, Brown BA, Griffith DE, Girard WM, Murphy DT. Clarithromycin regimens for pulmonary *Mycobacterium avium* complex: the first 50 patients. *Am J Respir Crit Care Med* 1996; 153: 1766-1772.
- Wallace RJ Jr, O'Brien R, Glassroth J, Raleigh J, Dutt A. Diagnosis and treatment of disease caused by nontuberculous mycobacteria. *Am Rev Respir Dis* 1990; 142: 940-953.
- Wasem CF, McCarthy CM, Murray LW. Multilocus enzyme electrophoresis analysis of the *Mycobacterium avium* complex and other mycobacteria. *J Clin Microbiol* 1991; 29: 264-271.
- Wayne LG, Kubica GP. The mycobacteria, *Bergey's manual of systematic bacteriology*, 8th edn, eds Sneath PHA, Mair NS et al., Williams & Wilkins, Baltimore, MD 1986; 1436-1457.
- Wayne LG, Sramek HA. Agents of newly recognized or infrequently encountered mycobacterial diseases. *Clin Microbiol Rev* 1992; 5: 1-25.
- Wolinsky E. Nontuberculous mycobacteria and associated diseases. *Am Rev Resp Dis* 1979; 119: 107-182.

- Wolinsky E. Mycobacterial lymphadenitis in children: a prospective study of 105 nontuberculous cases with long-term follow-up. *Clin Infect Dis* 1995; 20: 945-963.
- Woodley CL, David HL. Effect of temperature on the rate of transparent to opaque colony type transition in *Mycobacterium avium*. *Antimicrob Agents Chemother* 1976; 9: 113-119.
- Yajko DM, Chin DP, Gonzalez PC, Nassos PS, Hopewell PC, Reingold AL, Horsburgh CR Jr, Yakrus MA, Ostroff SM, Hadley WK. *Mycobacterium avium* complex in water, food and soil samples collected from the environment of HIV-infected individuals. *J Acquir Immune Defic Syndr Hum Retrovirol* 1995; 9: 176-182.
- Yakrus MA, Reeves MW, Hunter SB. Characterization of isolates of *Mycobacterium avium* serotypes 4 and 8 from patients with AIDS by multilocus enzyme electrophoresis. *J Clin Microbiol* 1992; 30: 1474-1478.
- Yoder S, Argueta C, Holtzman A, Aronson T, Berlin OGW, Tomasek P, Glover N, Froman S, Stelma G JR. PCR comparison of *Mycobacterium avium* isolates obtained from patients and foods. *Appl Environ Microbiol* 1999; 65: 2650-2653.