TABLE OF CONTENTS

9181816	PAGE
ACKNOWLEDGEMENT	iii
ABSTRACT (IN ENGLISH)	iv
ABSTRACT (IN THAI)	vi
LIST OF TABLE	xiii
LIST OF FIGURES	xiv
ABBREVIATIONS	xvii
	2
CHAPTER I INTRODUCTION	9
1.1 Statement of problems	1
1.2 Literature review	4
1.2.1 Cancer	4
1.2.1.1 Causes of cancer	5
1.2.1.2 Oncogenes and tumor suppressor genes	7
1.2.1.3 Cancer chemotherapy	9
1.2.2 Leukemia	12
1.2.2.1 Causes of leukemia	14
1.2.2.2 Acute lymphocytic leukemia	19
1.2.2.3 Acute myelogenous leukemia	26
1.2.2.4 Chronic lymphocytic leukemia	39
1.2.2.5 Chronic Myelogenous leukemia	42
1.2.3 Wilms' tumor (WT1) gene and its product (WT1 protien)	47
1.2.3.1 Function of WT1 (Tumors suppressor gene versus	' e (
oncogene)	51
1.2.3.2 WT and WT1 mRNA in human hematopoietic	52
1.2.4 Garcinia mangostana Linn.	54
1.3 Objectives	60

CHAPTER II MATERIALS AND METHODS

2.1		61
2.2	Cell and cell culture condition	61
2.3	Mangosteen peel fractions extracts	61
2.4	Mangosteen peel fraction extracts treatments	62
2.5	3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide	
	(MTT) assay	62
2.6	Preparation of total RNA extract	63
	2.6.1 Total RNA extraction	63
	2.6.2 Measurement of purity and concentration of total RNA extract	63
2.7	Effect of mangostin fractions on WT1 gene expression	64
2.8	Preparation of nuclear protein extract for	
17	WT1 protein measurement	64
	2.8.1 Nuclear protein extraction	64
	2.8.2 Measurement of protein concentration	65
2.9	Protein determination by SDS-PAGE and Western blot analysis	67
	2.9.1 Sodium dodecyl sulfate polyacrylamide gel electrophoresis	
	(SDS-PAGE)	67
	2.9.2 Western blot analysis for WT1 protein detection	68
	2.9.3 Western blot analysis for GAPDH protein detection	69
2.10	Cytotoxicity of mangosteen peel fractions on leukemic cell lines by	
	MTT assay	69
2.11	Determination of the levels of WT1 mRNA in leukemic cell lines	69
2.12	Determination of the levels of WT1 protein in leukemic cell lines	70
2.13	Effect of magosteen peel fractions on WTI gene expression	70
2.14	Effect of magosteen peel fractions on WTI gene expression in	sit
	a dose dependent manner	70
2.15	Effect of magosteen peel fractions on WTI gene expression in	
	a time dependent manner	71
2.16	Effect of magosteen peel fractions on WT1 protein expression	71
2.17	Effect of mangosteen peel fractions on WT1 protein expression in	
	a dose dependent manner	71

2.18 Effect of	of magosteen fractions on WT1 protein expression in a time	
depende	ent manner	71
	III RESULTS	
	mangosteen peel fraction extracted by different of	
organic s	olvent's polarity	73
3.2 Cytotoxic	city of mangosteen peel fraction extracts on leukemic	
cell lines		73
3.3 Effect of	mangosteen peel fraction extracts on WT1 gene expression in	
leukemic	cell lines	78
3.3.1	Effect of mangosteen peel fraction extracts on WT1 gene	1
202	expression in K562	78
3.3.2	Effect of mangosteen peel fraction extracts on WT1 gene	0
	expression in HL-60	79
3.3.3	Effect of mangosteen peel fractions on WT1 gene	
	expression in U937	79
3.3.4	Effect of mangosteen peel fractions on WT1 gene	
	expression in Molt4	79
3.4 Effect of	concentrations of mangosteen peel fraction extracts on	
WT1 gene	e expression in each leukemic cell lines	84
3.4.1	Effect of concentrations of ethyl acetate fraction on	
	WT1 gene expression in K562 cell line	84
3.4.2	Effect of concentrations of butanol fraction on WTI gene	
Jans	expression in H–60 cell line	85
3.4.3	Effect of concentrations of ethanol fraction on WT1 gene	
opyrigh	expression in U937 cell line	S 85
3.4.4	Effect of concentrations of ethanol fraction on WT1 gene	
	expression in Molt4 cell line	85
3.5 Effect of	duration of mangosteen peel fraction extracts on WT1 gene	
expressio	on in each leukemic cell lines	86
3.5.1	Effect of duration of ethyl acetate fraction on WT1 gene	
	expression in K562 cell line	86

3.5.2	Effect of duration of ethanol fraction on WT1 gene	
	expression in Molt4 cell line	87
3.5.3	Effect of duration of ethanol fraction on WT1 gene	
	expression in U937 cell line	87
3.5.4	Effect of duration of buthanol fraction on WTI gene	
	expression in HL-60 cell line	87
3.6 Effect of	mangosteen peel fraction extracts on WT1 protein expression on	
leukemio	e cell lines	96
3.6.1	Effect of mangosteen peel fraction extracts on WT1 protien	
	expression in K562	97
3.6.2	Effect of mangosteen peel fraction extracts on WT1 protien	
1	expression in Molt4	97
3.7 Effect o	of concentration of mangosteen peel fraction extracts on	
WT1 pr	rotein expression on leukemic cell lines	100
3.7.1	Effect of concentration of ethyl acetate fraction on WT1 protein	
	level in K562 cell line	100
3.7.2	Effect of duration of ethyl acetate fraction on WT1 protein	
	level in K562 cell line	101
3.7.3	Effect of concentration of ethanol fraction on WT1 protein	
	level in Molt4 cell line	101
3.7.4	Effect of duration of ethanol fraction on WT1 protein	
	level in Molt4 cell line	101
3 11 2 11 2	2.1.20200000000000000000000000000000000	
CHAPTER I	v discussion 11381	107
COCHAPTER V CONCLUSION Chiang Mai University		
REFERENCE ghts reserve 111		
APPENDIX		128
CIRRCULU	M VITAE	140

LIST OF TABLES

TA	BLE 231819163	PAGE
1	Some of major tumor suppressor genes Some of major oncogenes Major class of anticancer drugs	9
2	Some of major oncogenes	10
3	Major class of anticancer drugs	12
4	Classification of leukemia	15
5	Feature of the French – American – British Classification for ALL	22
6	Cytochemical staining in acute lymphoblastic leukemia	24
7	Classification of acute myelogeneous leukemia	40
8	Preparation of bovine serum albumin standard solution	66
9	Summarize of IC ₅₀ and IC ₂₀ (µg/mL) of mangosteen fractions extract	78
10	Summarized of percentage of WT1 mRNA levels when compared	//
	with vehicle control	84
11	Summarized of percentage of WT1 mRNA levels due to concentration	
	effect of mangosteen peel fraction extracts when compared with	
	vehicle control	86
12	Summarized of percentage of WT1 mRNA levels due to duration effect of	
	mangosteen peel fraction extracts when compared with vehicle control	96
13	Summarized of percentage of WT1 protein levels when compared with	
	vehicle control	97
2 14	Summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of WT1 protein levels due to concentration effective summarized of percentage of wt1 protein levels due to concentration effective summarized of percentage of wt1 protein levels due to concentration effective summarized of percentage summarized percentage summarized	ect
	of mangosteen peel fraction extracts when compared with vehicle control	106
C_{0} 15	Summarized of percentage of WT1 protein levels due to duration effect of	sity
Αİ	mangosteen peel fraction extracts when compared with vehicle control	e 106

LIST OF FIGURES

FIC	GURE -09181918	PAGE
1	The relationship of the acute and chronic myeloid and lymphoid	
	leukemias to normal hematopoietic and lymphoid development	16
2	The WT1 gene span 50 kb on human chromosome 11p13 and consists of	47
3	Structure of WT1 protein with variant functional domains	48
4	Schematic represent of the WT1 protein isoform	50
5	Garcinia mangostana Linn.	55
6	Chemical structure of Xanthone	59
7 -	Chemical structure of Mangostin	59
8	Standard curve of BSA	66
9	The effect of ethanol fraction extract on leukemic cell lines at the various	
	concentrations	74
10	The effect of hexane fraction extract on leukemic cell lines at the	
	various concentrations	74
11	The effect of ethyl acetate fraction extract on leukemic cell lines at the	
	various concentrations	75
12	The effect of butanol fraction extract on leukemic cell lines at the various	
	concentrations	75
13	The effect of methanol fraction extract on leukemic cell lines at the various	S
18	concentrations MAD ME A SHA	76
14	The effect of ethanol with BSA precipitate fraction fraction extract on	
O	leukemic cell lines at the various concentrations	76
15	The effect of xanthone fraction extract on leukemic cell lines at the various	
	concentrations & II & S II & S E II V	C 77 U

	16	The effect of Mangostine fraction extract on leukemic cell lines at the	
		various concentrations	77
	17	The effect of mangosteen peel fraction extracts to WT1 mRNA expression	
		on K562 by RT – PCR	80
	18	The effect of mangosteen peel fraction extracts to WT1 mRNA expression	
		on HL–60 by RT – PCR	81
	19	The effect of mangosten peel fraction extracts to WT1 mRNA expression	
		on U937 by RT – PCR.	82
	20	The effect of mangosteen peel fraction extracts to WT1 mRNA expression	
		on Molt4 by RT – PCR	83
	21	The WT1 mRNA levels in K562 cell line in 5, 10, 15 μ g/mL of	
		ethyl acetate for 2 days	88
	22	The WT1 mRNA levels in HL-60 cell line in 15, 20, 25 μg/mL of	
	\mathbb{I}	butanol for 2 days	89
	23	The WT1 mRNA levels in U937 cell line in 3, 5, 10 μg/mL of	
		ethanol for 2 days	90
	24	The WT1 mRNA levels in Molt4 cell line in 3, 7, 10 μg/mL of	
		ethanol for 2 days	91
	25	The WT1 mRNA levels in K562 cell line cultured in 10 µg/mL of	
		ethyl acetate fraction extract for 1, 2, and 3 days	92
	26	The WT1 mRNA levels in Molt4 cell line cultured in 7 μ g/mL of	
	(ethanol fraction extract for 1, 2, and 3 days	93
8	27	The WT1 mRNA levels in U937 cell line cultured in 5 μg/mL of	7.
G (ethanol fraction extract for 1, 2, and 3 days	94
	28	The WT1 mRNA levels in HL-60 cell line cultured in 20 μg/mL of	:4.
	p	buthanol fraction extract for 1, 2, and 3 days	95
A	29	The effect of mangosteen peel fraction extracts to WT1 protein levels in	98
*		K562 cell line cultured for 2 days	
	30	The effect of mangosteen peel fraction extracts to WT1 protein levels in	
		Molt4 cell line cultured for 2 days	99

31	The WT1 levels in K562 cell line cultured in 5, 10, and 15 μ g/mL of	
	ethyl acetate fraction extract for 2 days	102
32	The WT1 levels in K562 cell line cultured in 10 µg/mL of	
	ethyl acetate fraction extract for 1, 2, and 3 days	103
33	The WT1 levels in Molt4 cell line cultured in 3, 7, and 10 $\mu g/mL$ of	
	ethanol fraction extract for 2 days	104
34	The WT1 levels in Molt4 cell line cultured in 7 µg/mL of	
	ethanol fraction extract for 1, 2, and 3 days	105
	Q Julium	
٥		
	SON SON	
\mathbb{N}		
	MY A MADE A	
	TAI LINUVERS!	
	UNIV	

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS

% 231819	Percent
°C	Degree Celsius
μg	Microgram
μL	Microlitre
μΜ	Micromolar
aa	amino acid
ALL	Acute lymphocytic leukemia
AML	Acute myelogenous leukemia
AMLL	Acute mixed lineage leukemia
AMML	Acute myelomonocytic leukemia
APL	Acute promyelocytic leukemia
BM	Bone marrow
bp	Base pair
BSA	Bovine serum albumin
CD	Cluster of Differentiation
CLL	Chronic lymphocytic leukemia
CML	Chronic myelogenous leukemia
CNS	Central nervous system
	Carbon dioxide
DEPC DUTIES	Diethyl pyrocarbonate
on the chia	Decilitre
DMSO	Dimethyl sulfoxide
DNA rights	Deoxyribonucleic acid
EBV	Epstein-Barr virus
ECL	Enhanced chemiluminescence
e.g.	exempli gratia (for example)
ELISA	Enzyme linked immunosobent assay
et. al.	et alibi (and others)

FBS Fetal bovine serum

Gram

GAPDH Glyceraldehyde-3-phosphate

Dehydrogenase

h Hour

HEPES N-2-hydroxyethylpiperazine-N-2-

ethanesulfonic acid

HIV Human immunodeficiency virus

HL-60 Human promyeloid leukemia

HLA Human leukocyte antigen

HPV Human papilloma virus

IARC International Agency for Research on

Cancer

IC₂₀ Inhibitory concentration at 20% growth

IC₅₀ Inhibitory concentration at 50% growth

i.e. id est (that is)

IgG Immunoglobulin G

kb Kilobase

kDa Kilodalton

kg Kilogram

KTS Lysine-threonine-serine

L Litre

LAP Leukocyte alkaline phosphatase

K562 Human erythroid leukemia

mg/11211 U/ Chia Milligram al

MIC Morphologic - cytogenetic

min Minute

mL Millilitre

Molt4 Human lymphoblastic leukemia

MPO Myeloperoxidase

mRNA Messenger ribonucleic acid

MTT 3-(4, 5 dimethylthiazole-2yl)-2, 5 Diphenyltetrazolium bromide **NADH** Nicotinamide adenine dinucleotide Natural killer cell NK cell Nanometre nm OD Optical density **PAS** Periodic acid shift **PBS** Periodic acid shift **PBS** Phosphate buffer saline **PCR** Polymerase chain reaction **PLL** Prolymphocytic leukemia Parts per million ppm **RNA** Ribonucleic acid Revolution per minute rpm RPMI 1640 medium Roswell Park Memorial Institute 1640 Medium RT-PCR Reverse transcriptase polymerase chain 16 MA Reaction **SBB** Sudan Black B SD Standard deviation Sodium dodecyl sulfate-polyacrylamide **SDS-PAGE** Gel electrophoresis Second sec Tris acetate EDTA Terminal deoxynucleotidyl transferase

N, N, N, N, -tetramethyl ethylene

diamine