

REFERENCES

1. Aoyagia K, Rossb PD, Huangb C, Wasnichb RD, Hayashic T, Takemotoa TI. Prevalence of joint pain is higher among women in rural Japan than urban Japanese-American women in Hawaii. *Ann Rheum Dis.* 1999; 58: 315-9.
2. Brochet B, Michel P, Barberger-Gateau P, Dartigues JF. Population-based study of pain in elderly people: a descriptive survey. *Age Ageing.* 1998; 27: 279-84.
3. March LM, Brnabic AJ, Skinner JC, Schwarz JM, Finnegan T, Druce J, et al. Musculoskeletal disability among elderly people in the community. *Med J*
4. Demyttenaere K, Bruffaerts R, Lee S, Villa JP, Kovess V, Angermeyer MC, et al. Mental disorders among persons with chronic back or neck pain: results from the world mental health surveys. *Pain.* 2007; 129: 332-42.
5. Fejer R, Kyvik KO, Hartvigsen J. The prevalence of neck pain in the world population: a systematic critical review of the literature. *Eur Spine J.* 2006; 15: 834-48.
6. Hartvigsen J, Frederiksen H, Christensen K. Back and neck pain in seniors prevalence and impact. *Eur Spine J.* 2006; 15: 802-6.
7. Ariëns GAM, Mechelec Wv, Bongers PM, Bouter LM, Wal Gvd. Psychosocial risk factors neck pain: a systematic review. *Am J Ind Med.* 2001; 39: 180-93.
8. Mäkelä M, Heliövaara M, Sievers K, Impivaara O, Knekt P, Aromaa A. Prevalence, determinants, and consequences of chronic neck pain in Finland. *Am J Epidemiol.* 1991; 134: 1356-67.

9. Von Korff M, Crane P, Lanec M, Miglioretti DL, Simona G, Saunders K, et al. Chronic spinal pain and physical–mental comorbidity in the United States: results from the national comorbidity survey replica. *Pain*. 2005; 113: 331-9.
10. Chien A, Sterling M. Sensory hypoesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain. *Man Ther*. 2010; 15: 48-53.
11. Scott D, Jull G, Sterling M. Widespread sensory hypersensitivity is a feature of chronic whiplash-associated disorder but not chronic idiopathic neck pain. *Clin J Pain*. 2005; 21: 175-81.
12. Javanshir K, Ortega-Santiago R, Mohseni-Bandpei MA, Miangolarra-Page JC, Fernández-de-las-Peñas C. Exploration of somatosensory impairments in subjects with mechanical idiopathic neck pain: a preliminary study. *J Manipulative Physiol Ther*. 2010; 33: 493-9.
13. Johnston V, Jimmieson NL, Jull G, Souvlis T. Quantitative sensory measures distinguish office workers with varying levels of neck pain and disability. *Pain*. 2008; 137: 257-65.
14. Touche RL, Fernández-de-las-Peñas C, Fernández-Carnero J, Díaz-Parreñ S, Paris-Alemany A, Arendt-Nielsen L. Bilateral mechanical-pain sensitivity over the trigeminal region in patients with chronic mechanical neck pain. *J Pain*. 2010; 11: 256-63.
15. Gibson SJ, Farrell M. A review of age differences in the neurophysiology of nociception and the perceptual experience of pain. *Clin J Pain*. 2004; 20: 227-39.
16. Gibson SJ, Helme RD. Age-related differences in pain perception and report. *Clin Geriatr Med*. 2001; 17: 433-56.

17. Lautenbacher S, Kunz M, Nielsen P, Arendt-Nielsen L. Age effects on pain thresholds, temporal summation and spatial summation of heat and pressure pain. *Pain*. 2005; 115: 410-8.
18. Pickering G, Jourdan D, Eschalier A, Dubray C. Impact of age, gender and cognitive functioning on pain perception. *Gerontology*. 2002; 48: 112-8.
19. Herr KA, Garand L. Assessment and measurement of pain in older adults. *Clin Geriatr Med*. 2001; 17: 457-vi.
20. Kose N, Ekici G, Karakaya MG, Suvalci S, Demir B, Otman AS. The assessment of the pressure pain threshold and its correlation with depression and anxiety in geriatric nursing home residents with cognitive impairment. *The Pain Clinic*. 2004; 16: 201-6.
21. Uthaikhup S, Sterling M, Jull G. Psychological, cognitive and quality of life features in the elderly with chronic headache. *Gerontology*. 2009; 55: 683-93.
22. Wang SJ, Liu HC, Fuh JL, Liu CY, Wang PN, Lu SR. Comorbidity of headaches and depression in the elderly. *Pain*. 1999; 82: 239-43.
23. Lee YC, Lu B, Bathon JM, Haythornthwaite JA, Smith MT, Page GG, et al. Pain sensitivity and pain reactivity in osteoarthritis. *Arthritis Care Res*. 2011; 63: 320-7.
24. Uthaikhup S, Sterling M, Jull G. Widespread sensory hypersensitivity is not a feature chronic headache in elders. *Clin J Pain*. 2009; 25: 699-704.
25. Fernández-de-las-Peñas C, Arendt-Nielsen L, Cuadrado ML, Pareja JA. Generalized mechanical pain sensitivity over nerve tissues in patients with strictly unilateral migraine. *Clin J Pain*. 2009; 25: 401-6.

26. Fernández-de-las-Peñas C, Madeleine P, Cuadrado ML, Ge HY, Arendt-Nielsen L, Pareja JA. Pressure pain sensitivity mapping of the temporalis muscle revealed bilateral pressure hyperalgesia in patients with strictly unilateral migraine. *Cephalalgia*. 2009; 29: 670-6.
27. Grossi DB, Chaves TC, Gonçalves MC, Moreira VC, Canonica AC, Florencio LL, et al. Pressure pain threshold in the craniocervical muscles of women with episodic and chronic migraine a controlled study. *Arq Neuropsiquiatr*. 2011; 69: 607-12.
28. Isacsson A, Hanson BS, Ranstam J, Råstam L, Isacsson SO. Social network, social support and the prevalence of neck and low back pain after retirement. A population study of men born in 1914 in Malmö, Sweden. *Scand J Soc Med*. 1995; 23: 17-22.
29. Côté P, Hogg-Johnson S, Cassidy JD, Carroll L, Frank JW. The association between neck pain intensity, physical functioning, depressive symptomatology and time-to-claim-closure after whiplash. *J Clin Epidemiol*. 2001; 54: 275-86.
30. Chiu TT, Lam TH, Hedley AJ. Correlation among physical impairments, pain, disability, and patient satisfaction in patients with chronic neck pain. *Arch Phys Med Rehabil*. 2005; 86: 534-40.
31. International Association for the study of pain (IASP). Pain terms: a list with definitions and notes on usage. *Pain*. 1979; 6: 249-52.
32. Giordano J. The neurobiology of nociceptive and anti-nociceptive systems. *Pain Physician*. 2005; 8: 277-90.
33. de León-Casasola ÓA. Pain pathways and mechanisms of neuropathic pain. *Revista Mexicana de Anestesiología*. 2007; 30: S133-S8.

34. Ji RR, Kohno T, Moore KA, Woolf CJ. Central sensitization and LTP: do pain and memory share similar mechanisms?. *Trends Neurosci.* 2003; 26: 696-705.
35. Yarnitsky D, Pud D. Quantitative sensory testing. In: Binnie CD, Cooper R, Mauguere F, Osselton JW, Prior PF, Tedman BM, editors. *Clinical neurophysiology: EMG, nerve conduction and evoked potentials*. Revised and Enlarged ed. Amsterdam: Elsevier; 2004. p. 305-32.
36. Edwards RR, Fillingim RB. Age-associated differences in responses to noxious stimuli. *J Gerontol.* 2001; 56A: 180-5.
37. Valencia C, Fillingim RB, Gerorge SZ. Suprathreshold heat pain response is associated with clinical pain intensity for patients with shoulder pain. *J Pain.* 2011; 12: 133-40.
38. Ashina S, Bendtsen L, Ashina M, Magerl W, Jensen R. Generalized hyperalgesia in patients with chronic tension-type headache. *Cephalgia.* 2006; 26: 940-8.
39. Edwards RR, Sarlani E, Wesselmann U, Fillingim RB. Quantitative assessment of experimental pain perception: multiple domains of clinical relevance. *Pain.* 2005; 114: 315-9.
40. Hardy JD, Wolff HG, Goodel H. Experimental evidence on the nature of cutaneous hyperalgesia. *J Clin Invest.* 1950; 29: 115-40.
41. Harkins SW, Price DD, Martelli M. Effects of age on pain perception: thermonociception. *J Gerontol.* 1986; 41: 58-63.
42. Robinson ME, Bialosky JE, Bishop MD, Price DD, George SZ. Supra-threshold scaling, temporal summation, and after-sensation: relationships to each other and anxiety/fear. *J Pain Res.* 2010; 3: 25-32.

43. Yucel A, Andersen OK, Nielsen J, Arendt-Nielsen L. Heat hyperalgesia in humans: assessed by different stimulus temperature profiles. *Eur J Pain*. 2002; 6: 357-64.
44. Yarnitsky D, Ochoa JL. Studies of heat pain sensation in man: perception thresholds, rate of stimulus rise and reaction time. *Pain*. 1990; 40: 85-91.
45. Yarnitsky D, Simone DA, Dotson RM, Cline MA, Ochoa JL. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in human. *J Physiol*. 1992; 450: 581-92.
46. Pertovaara A. The influence of stimulus temperature rise rate, adapting temperature, and stimulus duration on suprathreshold responses evoked by noxious heat in the glabrous skin of the limb comparison of neuronal discharge in the rat spinal dorsal horn with human sensations. *Exp Brain Res*. 1999; 126: 482-94.
47. Serra J, Campero M, Ochoa J. Flare and hyperalgesia after intradermal capsaicin injection in human skin. *J Neurophysiol*. 1998; 80: 2801-10.
48. Lautenbacher S, Fillingim RB. Pathophysiology of pain perception. New York: Springer; 2004.
49. Rolke R, Baron R, Maier C, Tölle TR, Treede RD, Beyer A, et al. Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): standardized protocol and reference values. *Pain*. 2006; 123: 231-43.
50. Chesterton LS, Barlas P, Foster NE, Baxter GD, Wright CC. Gender differences in pressure pain threshold in healthy humans. *Pain*. 2003; 101: 259-66.

51. George SZ, Wittmer VT, Fillingim FB, Robinson ME. Sex and pain-related psychological variables are associated with thermal pain sensitivity for patients with chronic low back pain. *J Pain.* 2007; 8: 2-10.
52. Hirsh AT, George SZ, Bialosky JE, Robinson ME. Fear of pain, pain catastrophizing, and acute pain perception: relative prediction and timing of assessment. *J Pain.* 2008; 9: 806-12.
53. Lin YH, Hsieh SC, Chao CC, Chang YC, Hsieh ST. Influence of aging on thermal and vibratory thresholds of quantitative sensory testing. *J Peripher Nerv Syst.* 2005; 10: 269-81.
54. Verdú E, Ceballos D, Viches JJ, Navarro X. Influence of aging on peripheral nerve function and regeneration. *J Peripher Nerv Syst.* 2000; 5: 191-208.
55. Jacobs JM, Love S. Qualitative and quantitative morphology of human sural nerve at different ages. *Brain.* 1985; 108: 897-924.
56. Kanda T, Tsukagoshi H, Oda M, Miyamoto K, Tanabe H. Morphological changes in unmyelinated nerve fibers in the sural nerve with age. *Brain.* 1991; 114: 585-99.
57. O'sullivan DJ, Swallow M. The fibre size and content of the radial and sural nerves. *J Neurol Neurosurg Psychiat.* 1966; 31: 464-70.
58. Swallow M. Fibre size and content of the anterior tibial nerve of the foot. *J Neurol Neurosurg Psychiat.* 1966; 29: 205-13.
59. Dorfman LJ, Bosley TM. Age-related changes in peripheral and central nerve conduction in man. *Neurology.* 1979; 29: 38-44.

60. Kurokawa K, Mimori Y, Tanaka E, Kohriyama T, Nakamura S. Age-related changes in peripheral nerve conduction: compound muscle action potential duration and dispersion. *Gerontology*. 1999; 45: 168-73.
61. Fernandez HL, Hodges-Savola CA. Axoplasmic transport of calcitoninogenrelated peptide in rat peripheral nerve as a function of age. *Neurochem Res*. 1994; 19: 1369-77.
62. Quiton RL, Roys SR, Zhuo J, Keaser ML, Gullapalli RP, Greenspan JD. Age-related changes in nociceptive processing in the human brain. *Ann N Y Acad Sci*. 2007; 1097: 175-8.
63. Iwata K, Fukuoka T, Kondo E, Tsuboi Y, Tashiro A, Noguchi K, et al. Plastic changes in nociceptive transmission of the rat spinal cord with advancing age. *J Neurophysiol*. 2002; 87: 1086-93.
64. Ko ML, King MA, Gordon TL, Crisp T. The effects of aging on spinal neurochemistry in the rat. *Brain Res Bull*. 1997; 42: 95-8.
65. Bergman E, Johnson H, Zhang X, Hökfelt T, Ulvhake B. Neuropeptides and neurotrophin receptor mRNAs in primary sensory neurons of aged rats. *J Comp Neurol*. 1996; 375: 303-19.
66. DeKosky ST, Scheff SW, Markesberry WR. Laminar organization of cholinergic circuits in human frontal cortex in Alzheimer's disease and aging. *Neurology*. 1985; 35: 1425-31.

67. Hukkanen M, Platts LAM, Corbett SA, Santavirta S, Polak JM, Kontinen YT. Reciprocal age-related changes in GAP-43/B-50, substance P and calcitonin gene-related peptide (CGRP) expression in rat primary sensory neurones and their terminals in the dorsal horn of the spinal cord and subintima of the knee synovium. *Neurosci Res.* 2002; 42: 251-60.
68. Spokes EG. An analysis of factors influencing measurements of dopamine, noradrenaline, glutamate decarboxylase and choline acetylase in human postmortem brain tissue. *Brain.* 1979; 102: 333-46.
69. Marini I, Bortolotti F, Bartolucci ML, Inelmen EM, Gatto MR, Alessandri Bonetti G. Aging effect on pressure pain thresholds of head and neck muscles. *Aging Clin Exp Res.* 2011(in press).
70. Chakour MC, Gibson SJ, Bradbeer M, Helme RD. The effect of age on A δ and C-fiber thermal pain perception. *Pain.* 1996; 64: 143-52.
71. Schenk P, Laebli T, Klipstein A. Validity of pressure pain thresholds in female workers with and without recurrent low back pain. *Eur Spine J.* 2007; 16: 267-75.
72. Winkelstein BA. Mechanisms of central sensitization, neuroimmunology & injury biomechanics in persistent pain: implications for musculoskeletal disorders. *J Electromyogr Kinesiol.* 2004; 14: 87-93.
73. Sterling M, Jull G, Vicenzino B, Kenardy J. Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. *Pain.* 2003; 104: 509-17.

74. Chien A, Eliav E, Sterling M. Hypoesthesia occurs with sensory hypersensitivity in chronic whiplash-further evidence of a neuropathic condition. *Man Ther.* 2009; 14: 138-46.
75. Johnston V, Jimmieson NL, Jull G, Souvlis T. Contribution of individual, workplace, psychosocial and physiological factors to neck pain in female office workers. *Eur J Pain.* 2009; 13: 985-91.
76. Rhudy JL, Meagher MW. Fear and anxiety: divergent effects on human pain thresholds. *Pain.* 2000; 84: 65-75.
77. Roscoe JT. Fundamental research statistics for the behavioural sciences. 2 ed. New York: Holt Rinehart & Winston; 1975.
78. Matthews MK, Barr J, Jackson SF, Jiwani N, Easlick H, Loconte A, et al. Best practice guidelines for mental health promotion programs: older adults 55+. Canada: Centre for Addiction and Mental Health; 2010.
79. World Health Organization. Ageing: exploding the myths. [cited 2012 Jul 3]; Available from: http://whqlibdoc.who.int/hq/1999/WHO_HSC_AHE_99.1.pdf.
80. Tochihara Y, Kumamoto T, Lee JY, Hashiguchi N. Age-related differences in cutaneous warm sensation thresholds of human males in thermoneutral and cool environments. *J Therm Biol.* 2011; 36: 105-11.
81. Uthaikhup S, Paungmali A, Pirunsan U. Validation of Thai versions of the Neck Disability Index and Neck pain and Disability Scale in patients with neck pain. *Spine J.* 2011; 36: E1415-21.
82. Thai Geriatric Depression Scale-TGDS. Train the Brain Forum Committee. Siriraj Hosp Gaz. 1994; 46: 1-9.

83. นิตยา คงก้าดี, สาขฤทธิ์ วงศิริโภคทร, มาลี นิสสัยสุข. แบบประเมินความวิตกกังวล. สถาบันแห่งชาติเพื่อการพัฒนาเด็กและครอบครัว มหาวิทยาลัยมหิดล; 2526.
84. Oei TPS, Evans L, Crook GM. Utility and validity of the STAI with anxiety disorder patients. *Br J Health Psychol.* 1990; 29: 429-32.
85. Cavanaugh JM, Lu Y, Chen C, Kallakuri S. Pain generation in lumbar and cervical facet joints. *J Bone Joint Surg.* 2006; 88: 63-7.
86. Curatolo M, Arendt-Nielsen L, Petersen-Felix S. Central hypersensitivity in chronic pain: mechanisms and clinical implications. *Phys Med Rehabil Clin N Am.* 2006; 17: 287-302.
87. Block AR, Vanharanta H, Ohnmeiss DD, Guyer RD. Discographic pain report: influence of psychological factors. *Spine.* 1996; 21: 334-8.
88. McGrath PA. Psychological aspects of pain perception. *Arch Oral Biol.* 1994; 39: S55-S62.
89. Cole LJ, Farrell MJ, Gibson SJ, Egan GF. Age-related differences in pain sensitivity and regional brain activity evoked by noxious pressure. *Neurobiol Aging.* 2010; 31: 494-503.
90. Karp JF, Shega JW, Morone NE, Weiner DK. Advances in understanding the mechanisms and management of persistent pain in older adults. *Br J Anaesth.* 2008; 101: 111-20.
91. Prineas JW, Spencer PS. Pathology of the nerve cell body in disorders of the peripheral nervous system. In: Dyck PJ, Thomas PK, Lambert E, editors. *Peripheral neuropathy.* Philadelphia: W B Saunders; 1975. p. 253-95.

92. Edwards RR, Fillingim RB, Ness TJ. Age-related differences in endogenous pain modulation: a comparison of diffuse noxious inhibitory controls in healthy older and younger adults. *Pain*. 2003; 101: 155-65.
93. Graven-Nielsen T, Babenko V, Svensson P, Arendt-Nielsen L. Experimentally induced muscle pain induces hypoalgesia in heterotopic deep tissues, but not in homotopic deep tissues. *Brain Res*. 1998; 787: 203-10.
94. Hansson P, Backonja M, Bouhassira D. Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states. *Pain*. 2007; 129: 256-9.
95. Chao CC, Hsieh ST, Chiu NJ, Tseng MT, Chang YC. Effects of aging on contact heat-evoked potentials: the physiological assessment of thermal perception. *Muscle Nerve*. 2007; 36: 30-8.
96. Stevens JC, Choo KK. Temperature sensitivity of the body surface over the life span. *Somatosens Mot Res*. 1998; 15: 13-28.
97. Sofaer B, Moore AP, Holloway I, Lamberty JM, Thorp TAS, O'Dwyer J. Chronic pain as perceived by older people: a qualitative study. *Age Ageing*. 2005; 34: 462-6.
98. Jorm AF. Does old age reduce the risk of anxiety and depression? a review of epidemiological studies across the adult life span. *Psychol Med*. 2000; 30: 11-22.