

TABLE OF CONTENTS

CONTENT	PAGE
ACKNOWLEDGEMENTS	iii
ABSTRACT Thai	iv
English	vi
LIST OF TABLES	x
LIST OF ILLUSTRATIONS	xii
CHAPTER I INTRODUCTION	1
Principles, theory and rationale	1
Purposes of the study	3
Hypothesis	3
Anticipated benefits	3
Scope of this study	3
Glossary of terms	4
CHAPTER II LITERATURE REVIEW	5
Orthodontic elastomeric ligatures	5
Glutaraldehyde	11
CHAPTER III MATERIALS AND METHODS	15
Materials	15
Methods	20
Statistical analysis	24
CHAPTER IV RESULTS	26
Comparison of initial dimensions of elastomeric ligatures	28
Comparison of initial force of elastomeric ligatures	31
Comparison of percentage of remaining force of elastomeric ligatures	34

CONTENT (Continued)	PAGE
CHAPTER V DISCUSSION	40
Comparison of the initial dimensions and initial force among four groups of elastomeric ligatures	41
Comparison of the percentage of remaining force at each time interval among four groups of elastomeric ligatures	42
Comparison of the percentage of remaining force among seven time intervals to 28 days of four groups of elastomeric ligatures	43
Limitations of this investigation	46
Suggestions for further study	46
CHAPTER VI CONCLUSION	48
REFERENCES	49
APPENDIX	53
CURRICULUM VITAE	59

LIST OF TABLES

TABLE	PAGE
2.1 Products of glutaraldehyde (GTH)	13
4.1 Means and standard deviations of the initial outer diameter (OD), inside diameter (ID), and wall thickness (WT) of 1, 2, 3-time glutaraldehyde treated, and untreated elastomeric ligatures	28
4.2 One way ANOVA of the initial outside diameter (OD), inside diameter (ID), and wall thickness (WT) among four groups of elastomeric ligatures	29
4.3 Multiple comparisons of the initial outside diameter (OD) among four groups of elastomeric ligatures	30
4.4 Multiple comparisons of the initial wall thickness (WT) among four groups of elastomeric ligatures	30
4.5 Means and standard deviations of the force (gm.) at seven time intervals of four groups of elastomeric ligatures	31
4.6 One way ANOVA of initial force among four groups of elastomeric ligatures	33
4.7 Multiple comparisons of initial force among four groups of elastomeric ligatures	33
4.8 Means and standard deviations of the PRF (%) at seven time intervals of four groups of elastomeric ligatures	34
4.9 One-way ANOVA and Scheffe's multiple comparisons of the percentage of remaining force at each time interval among four groups of elastomeric ligatures	36

TABLE (Continued)	PAGE
4.10 One way ANOVA of the percentage of remaining force among seven time intervals of four groups of elastomeric ligatures	37
4.11 Multiple comparisons of the percentage of remaining force among seven time intervals of group I elastomeric ligatures	37
4.12 Multiple comparisons of the percentage of remaining force among seven time intervals of group II elastomeric ligatures	38
4.13 Multiple comparisons of the percentage of remaining force among seven time intervals of group III elastomeric ligatures	38
4.14 Multiple comparisons of the percentage of remaining force among seven time intervals of group IV elastomeric ligatures	39

LIST OF ILLUSTRATIONS

FIGURE	PAGE
2.1 Diagram of polymers	7
2.2 Influence of pH, temperature, and time on the activity of acid and alkaline glutaraldehyde solutions	12
3.1 A stick of elastomeric ligatures	16
3.2 Two percent glutaraldehyde solution	16
3.3 A ten-times magnifying glass	17
3.4 A universal testing machine with designed vertical stainless steel hooks	18
3.5 A rectangular aluminium bar with rounded angles and tapered ends	18
3.6 An incubator	19
3.7 A sealed clear plastic box	20
3.8 Twenty four aluminium bars with stretched elastomeric ligatures stored in a sealed plastic box	21
3.9 Dimensions of elastomeric ligature	22
3.10 Loading an elastomeric ligature on designed vertical hooks of upper and lower crossheads of the universal testing machine	23
4.1 The generated force at seven time intervals to 28 days of all groups of elastomeric ligatures	32
4.2 The percentage of remaining force at seven time intervals to 28 days of all groups of elastomeric ligatures	35