

## BIBLIOGRAPHY

เจน รัตน์ไพศาล. ทันตวัสดุศาสตร์ พิมพ์ครั้งที่ 2. กรุงเทพฯ: ไทยวัฒนาพานิช, 2533: 23-5.

Alexander JC, Viazia AD, Nakajima H. Bond strengths and fracture modes of three orthodontic adhesives. *J Clin Orthod* 1993; 27: 207-9.

Arici S, Caniklioglu CM, Arici N, Ozer M, Oguz B. Adhesive thickness effects on the bond strength of a light-cured resin-modified glass ionomer cement. *Angle Orthod* 2005; 75(2): 249-9.

Arici S, Regan D. Alternatives to ceramic brackets: the tensile bond strength of two aesthetic brackets compared *EX vivo* with stainless steel foilmesh bracket bases. *Br J Orthod* 1997; 24: 133-7.

Artun J, Bergland S. Clinical trails with crystal growth conditioning as alternative to acih-etch enamel pretreatment. *Am J Orthod* 1984; 85: 333-40.

Asgari S, Salas A, English J, Powers J. Clinical evaluation of bond failure rates with a new self-etching primer. *J Clin Orthod* 2002; 16(12): 687-9.

Barkmeier WW, Shaffer SE, Gwinnett AJ. Effects of 15 vs 60 second enamel acid conditioning on adhesion and morphology. *Oper Dent* 1986; 11: 111-6.

Ben-Amar B, Metzger Z, Gontar G. Cavity design for class II composite restoration. *J Pros Dent* 1987; 58: 5-8.

Benderli Y, Gokce K, Buyukgokcesu S. *In vitro* shear bond strength of adhesive to normal and fluoridated enamel under various contaminated conditions. *Quintessence Int* 1999; 30: 57.-5.

Bennett CG, Chen C, Waldron JH. The effects of debonding on the enamel surface. *J Clin Orthod* 1984; 18: 330-4.

Bhaskar SN. *Orban's oral histology and embryology*. 9<sup>th</sup>ed. C.V.Mosby, St. Louis, Toronto, London, 1980: 46-106.

- Bishara SE, Gordan VV, VonWald L, Jakobsen JR. Effect of an self-etching primer on shear bond strength of orthodontic brackets. *Am J Orthod Dentofacial Orthop* 1998; 114: 243-7.
- Bishara SE, Gordan VV, VonWald L, Jakobsen JR. Shear bond strength of composite, glass ionomer, and self-etching primer adhesive systems. *Am J Orthod Dentofac Orthop* 1999; 115: 24-8.
- Bishara SE, VonWald L, Laffoon JF, Warren JJ. Effect of a self-etch primer/ adhesive on the shear bond strength of orthodontic brackets. *Am J Orthod Dentofac Orthop* 2001; 119: 621-4.
- Bishara SE, Ajlouni R, Laffoon JF, Warren JJ. Effect of a fluoride-releasing self-etching primer on the shear bond strength of orthodontic brackets. *Angle Orthod* 2002; 72(3): 199-202.
- Bishara SE, Oonsombat C, Ajlouni R, Denehy G. The effect of saliva contamination on shear bond strength of orthodontic brackets when using a self-etch primer. *Angle Orthod* 2002; 72: 554-7.
- Boyd RL. Comparison of three self-applied to topical fluoride preparations for control of decalcification. *Angle Orthod* 1993; 63: 25-30.
- Britton JC, McInnes P, Weinberg R, Ledoux WR, Retief DH. Shear bond strength of ceramic orthodontic Brackets to enamel. *Am J Orthod Dentofac Orthop* 1990; 98: 348-53.
- Brown CR, Way DC. Enamel loss during orthodontic bonding and subsequent loss during removal of filled and unfilled adhesives, *Am J Orthod* 1978; 74: 663-71.
- Buonocore MG. A single method of increasing the adhesion of acrylic filling materials to enamel surfaces. *J Dent Res* 1955; 34: 849-53.
- Buyukyilmaz T, Usumez S, Karaman AI. Effect of self-etching primers on bond strength- Are they reliable? *Angle Orthod* 2002; 73(1): 64-70.
- Cacciafesta V, Sfondrini MF, Anceli MD, Scribante C. Effect of water and saliva contamination on shear bond strength of brackets bonded with conventional,

hydrophilic, and self-etching primers. *Am J Orthod Dentofac Orthop* 2003; 123: 633-40.

Carstensen W. Effect of reduction of phosphoric acid concentration on the shear bond strength of brackets. *Angle Orthod* 1995; 108: 274-7.

Chaconas SJ, Caputo AA, Niu SL. Bond strength of ceramic brackets with various bonding agents. *J Dent Res* 1989; 68: 945.

Combe EC. *Notes on Dental Materials*. 5<sup>th</sup> ed. New York: Churchill Livingstone, 1986: 116-20.

Damon PL, Bishara SE, Olsen ME, Jakobsen JR. Effects of fluoride application on shear bond strength of orthodontic brackets. *Angle Orthod* 1996; 66: 61-4.

Daskalogiannakis J. *Glossary of orthodontic terms*. Berlin: Quintessence, 2000.

Diedrich P. Enamel alterations from bracket bonding and debonding: a study with the scanning electron microscope. *Am J Orthod* 1981; 79:500-22.

El-Kalla IH, Garcia-Godoy F. Saliva contamination and blood strength of single-bottle adhesive to enamel and dentin. *Am J Dent* 1997; 10: 83-7.

Ferrari M, Mannocci F, Vichi A, Davidson CL. Effect of two etching times on the sealing ability of Clearfil Liner Bond 2 in class V restorations. *Am J Dent* 1997; 10(2): 66-70.

Fox NA, McCabe JF, Buckley JG. A critique of bond strength testing in orthodontics. *Br J Orthop* 1988; 21: 33-43.

Gorelick L, Geiger AM, Gwinnett AJ. Incidence of white spot formation after bonding and banding. *Am J Orthod* 1982; 81: 93-8.

Grandhi RK, Combe EC, Speidel TM. Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer. *Am J Orthod Dentofac Orthop* 2001; 119: 251-5.

Grubisa HIS, Heo G, Glover KE, Major PW. An evaluation and comparison of orthodontic bracket bond strengths achieved with self-etching primer. *Am J Orthod Dentofac Orthop* 2004; 126: 213-9.

- Guess MV, Watanabe LG, Beck FM, Crall MG. The effect of silane coupling agents on the bond strength of a polycrystalline ceramic bracket. *J Clin Orthod* 1988; 22: 788-92.
- Gwinnett AJ. Bonding of restorative resins to enamel. *Int Dent J* 1998; 38: 91-6.
- Hannig M, Reinhardt KT, Bott B. Self-etching primer vs phosphoric acid: an alternative concept for composite-to-enamel bonding. *Oper Dent* 1994; 24: 172-80.
- Haller B. Recent developments in dentin bonding. *Am J Dent* 2000; 13: 44-50.
- Hera AT, Amaral CM, Pimenta LAF, Sinhoreti MAC. Shear bond strength of hydrophilic adhesive systems to enamel. *Am J Dent* 1999; 12: 181-4.
- Herris AM, Joseph VP, Rossouw PE. Shear peel bond strengths of esthetic orthodontic brackets. *Am J Orthod Dentofac Orthop* 1992; 102: 215-9.
- Heringer M, Almeida MA, Miguel JA. Direct bond brackets: cotton roll versus rubber dam isolation. *Angle Orthod* 1993; 63: 231-4.
- Hobson RS, McCabe JF, Hogg SD. Orthodontic bond strength on different teeth. *J Dent Res* 1999; 78: 547.
- Ibsen RL, Neville K. Adhesive restorative dentistry. Philadelphia: Saunders, 1974: 39-49.
- Jacobson P. Restorative dentistry. 2<sup>nd</sup> ed. Oxford: Wright, 2000: 33-43.
- Joseph VP, Rossouw E. The shear bond strengths of stainless steel and ceramic brackets used with chemically and light-activated composite resins. *Am J Orthod Dentofac Orthop* 1990; 97: 121-52.
- Jou GLE, Leung RL, White SN, Zernik JH. Bonding ceramic brackets with light-cured glass ionomer cements. *J Clin Orthod* 1995; 29: 184-7.
- Kaneshima T, Yatani H, Kasai T, Watanabe EK, Yamashita A. The influence of blood contamination on bond strengths between dentin and an adhesive resin cement. *Oper Dent* 2000; 25: 195-201.
- Kanemura N, Sano H, Tagami J. Tensile bond strength and SEM evaluation of ground and intact enamel surfaces. *J Dent* 1999; 27: 523-30.

- Kinch AP, Taylor H, Wartier R, Oliver RG, Newcombe RG. A clinical study of amount of adhesive remaining on enamel after debonding, comparing etch times of 15 and 60 seconds. *Am J Orthod Dentofac Orthop* 1989; 95: 415-21.
- Kugel G, Ferrari M. The science of bonding: from first to sixth generation. *J Am Dent Asso* 2000; 131: 20-5.
- Lindauer SJ, Browning H, Shroff B, Marshall F, Anderson RH, Moon PC. Effect of pumice prophylaxis on the bond strength of orthodontic brackets. *Am J Orthod Dentofac Orthop* 1997; 111: 599-605.
- Linklater RA, Gordon PH. An *ex vivo* study to investigate bond strengths of different tooth types. *J Orthod* 2001; 28(1): 59-65.
- Maijer R, Smith DC. Variables influencing the bond strength of metal orthodontic bracket bases. *Am J Orthod* 1981; 79(1): 20-34.
- Manhart J, Hichel R. Esthetic compomer restorations in posterior teeth using a new all-in-one-adhesive: case presentation. *J Esthet Dent* 1999; 11: 250-8.
- Mattick CR, Hobson RS. A comparative micro-topographic study of the buccal enamel of different tooth types. *J Orthod*, 2000; 27(2): 143-8.
- McCabe JF, Wall AWG. Adhesive restorative materials: Bonding of resin-based materials. *Applied dental materials*. 8<sup>th</sup> ed. Oxford: Blackwell science, 1998: 189-201.
- McGuinness NJP. Prevention in orthodontics-a review. *Dent Update* 1992; 19: 168-75.
- Meerbeek BV, Vargas M, Inoue S, Yoshida Y, Peumans M, Lambrechts P, *et al.* Adhesives and cements to promote preservation dentistry. *Oper Dent Supple* 2001; 6: 119-44.
- Meister RE. A comparison of enamel detachments after debonding between unitek's "dynalok" bracket and a foil-mesh bracket: a scanning electron microscope study. *Am J Orthod* 1985; 88: 226.
- Miyazaki M, Sato M, Onose H. Durability of enamel bond strength of simplified bonding systems. *Oper Dent* 2000; 25: 75-80.

- Miyazaki M, Hinoura K, Honjo G, Onose H. Effect of self-etching primer application method on enamel bond strength. *Am J Dent* 2002; 15: 412-6.
- Miller RA. Laboratory and clinical evaluation of a self-etching primer. *J Clin Orthod* 2001; 35(1): 42-5.
- Nishida K, Yamauchi J, Wada T, Hosoda H. Development of a new bonding system. *J Dent Res* 1993; 72: 137 (Abstract).
- Nordenvall KJ, Brannstrom M, Malmgren O. Etching of deciduous teeth and young and old permanent teeth. *Am J Orthod* 1980; 78(1): 99-108.
- Ogaard B, Rolla G, Arends J. Orthodontic appliance and enamel demineralization. Part I: lesion development. *Am J Orthod Dentofac Orthop* 1988; 94: 68-73.
- Olsen ME, Bishara SE, Boyer DB, Jakobsen JR. Effect of varying etching times on the bond strength of ceramic brackets. *Am J Orthod Dentofac Orthop* 1996; 109: 403-9.
- Oonsombat C, Bishara SE, Ajlouni R. The effect of blood contamination on the shear bond strength of orthodontic brackets with the use of a self-etch primer. *Am J Orthod Dentofac Orthop* 2003; 123: 547-50.
- Opinya GN, Pameijer CH. Tensile bond strength of fluorosed Kenyan teeth using the acid etch technique. *Int Dent J* 1986; 36: 225-9.
- Pashley DH, Tay FR. Aggressiveness of contemporary self-etching adhesives part II: etching effects on unground enamel. *Dent Mater* 2001; 17: 430-44.
- Pashley IL, Tao L, Mackert JR, Pashley DH. Comparison of *in vivo* vs *in vitro* bonding of composite resin to the dentin of canine teeth. *J Dent Res* 1988; 67: 467-70.
- Power JM, Messersmith ML. Enamel etching and bond strength. In: Brantley WA, Eliades T, editors. *Orthodontic materials*. New York: Thime, 2001: 107-22.
- Pus MD, Way DC. Enamel loss due orthodontic bonding with filled and unfilled resin using various clean-up techniques. *Am J Orthod* 1980; 77: 269-83.
- Retief DH. The mechanical bond. *Int Dent J*. 1978; 28: 18-27.
- Retief DH, Busscher HJ, de Boer P, Jongebloed WL, Arends J. A laboratory evaluation of three etching solutions. *Dent Mater* 1986; 2: 202-6.

- Retief DH, Wendt SL, Bradley EL. Effect of adhesive thickness on the shear bond strength of Scotchbond 2/Silux to dentin. *Am J Dent* 1989; 2(6): 341-4.
- Retief DH, Wendt SL, Bradley EL, Denys FR. The effect of storage media and duration storage of extracted teeth on the shear bond strength of Scotchbond 2/Silux to dentin. *AJD* 1989; 2: 269-73.
- Reynolds IR. A review of direct orthodontic bonding. *Br J Orthod* 1975; 2: 171-8.
- Reynolds IR, von Fraunhofer JA. Direct bonding of orthodontic brackets. *Br J Orthod* 1976; 4: 65-9.
- Rueggeberg FA, Fortson WN, Mettenburg DJ. Orthodontic bracket retention strength using a self-etching resin primer. *Dent Mater* 2000: 282 (Abstract).
- Schechter G, Caputo AA, Chaconas SJ. The effect of adhesive thickness on retention of direct bonded brackets. *J Dent Res* 1980; 59: 285.
- Sinha PK, Nanda RS, Duncanson MG, Hosier MJ. Bond strengths and remnant adhesive resin on debonding for orthodontic debonding techniques. *Am J Orthod Dentofac Orthop* 1995; 108: 302-7.
- Smith NS, Reynolds IR. A comparison of three bracket bases: an *in vitro* study. *Br J Orthod* 1991; 18: 29-35.
- Sheen DH, Wang WN, Tarrng TH. Bond strength of younger and older permanent teeth with various times. *Angle Orthod* 1993; 63: 225-30.
- Sheykholeslam Z, Brandt S. Some factors affecting the bonding of orthodontic attachments to tooth surface. *J Clin Orthod* 1977; 11(11): 734-43.
- Sheykholeslam Z, Buonocore MG. Bonding of resins to phosphoric acid-etched enamel surfaces of permanent and deciduous teeth. *J Dent Res* 1972; 51(6): 1572-6.
- Thomson JL, Main C, Gillespie FC, Stephen KW. The effect of salivary contamination on fissure sealant-enamel bond strength. *J Oral Rehab* 1981; 8: 11-8.
- Thomson RE, Way DC. Enamel loss due to phophylaxis and multiple bonding/debonding of orthodontic attachments. *Am J Orthod* 1981; 79: 282-95.

- Titley KC, Chernecky R, Rossouw PE, Kulkarni GV. The effects of various storage methods and media on shear bond strengths of dental composite resin to bovine dentin. *Archs Oral Biol* 1998; 43: 305-11.
- Toledano M, Osorio R, de Leonardi G, Rosales-Leal JI, Ceballos L, Cabrerizo-Vilchez MA. Influence of self-etching primer on the resin adhesion to enamel and dentin. *Am J Dent* 2001; 14: 205-10.
- Wang WN, Tarng TH, Chen YY. Comparison of bond strength between lingual and buccal surfaces on young premolars. *Am J Orthod Dentofac Orthop* 1993; 104: 251-3.
- Wang WN, Yeh CL, Fang BN, Sun KT, Arvystas MG. Effects of H<sub>3</sub>PO<sub>4</sub> concentration on bond strength. *Angle Orthod* 1994; 64: 377-82.
- Webater MJ, Nanda RS, Duncanson MG, Khajotia SS, Sinha PK. The effect of saliva on shear bond strengths of hydrophilic bonding systems. *Am J Orthod Dentofac Orthop* 2001; 119: 54-8.
- Wei SH, Tay FR. Xeno<sup>®</sup> III and self etch bonding. *Clin Sup* 2003 May-Aug; 1-5.
- Whittaker DK. Structural variations in the surface zone of human tooth enamel observed by scanning electron microscopy. *Archs Oral Biol* 1982; 27: 383-92.
- Xie J, Power JM, McGuckin RS. *In vitro* bond strength of two adhesives to enamel and dentin under normal and contaminated conditions. *Dent Mater* 1993; 9: 295-9.
- Yamada R, Hayakawa T, Kasai K. Effect of using self-etching primer for bonding orthodontic brackets. *Angle Orthod* 2002; 72: 558-64.
- Yoshiyama M, Sano H, Ebisu S, Tagami J, Cívocchi B, Carvalho RM, *et al.* Regional strengths of bonding agents to cervical sclerotic root dentin. *J Dent Res* 1996; 75: 1404-13.
- Zachrisson BU. A posttreatment evaluation of direct bonding in orthodontics. *Am J Orthod* 1977; 71(2): 173-89.