

TABLE OF CONTENTS

Content	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT	iv
LIST OF TABLES	x
LIST OF ILLUSTRATIONS	xiii
CHAPTER I INTRODUCTION	1
Principles, theories and rationales	1
Purposes of the study	2
Hypotheses of the study	2
Anticipated benefits	3
Scope of the study	3
Definitions	3
CHAPTER II LITERATURE REVIEW	5
Conventional phosphoric acid etching adhesive systems	5
Self-etching adhesive system	9
Shear bond strength	14
Failure mode	19
CHAPTER III METATERIALS AND METHODS	23
Materials	23
Methods	29
Statistical analyses	38
Reliability of the measurements	39

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

Content	Page
CHAPTER IV RESULTS	41
Shear bond strengths	41
Failure modes	44
CHAPTER V DISCUSSION	52
CHAPTER VI CONCLUSIONS	59
BIBLIOGRAPHY	61
APPENDIX	69
CURRICULUM VITAE	73

LIST OF TABLES

Table	Page
3.1 Twenty-four possible blocks that used for tooth allocation.	30
3.2 Means, standard deviations and correlations of the first and second measurements in determination the percentages of residual adhesives on the debonded enamel surface	40
4.1 Means, standard deviations and minimum to maximum values of shear bond strength at the point of bond failure of three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems	42
4.2 Comparison of mean shear bond strengths among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using one way analysis of variance (ANOVA)	43
4.3 Statistical comparison (p-value) of mean shear bond strengths among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Multiple comparisons test (Tukey's test)	43
4.4 The numbers and percentages of failure sites of three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems	44
4.5 Comparison of the percentages of failure sites at the adhesive/enamel interface among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Pearson Chi-square test	46

Table	Page
4.6 Statistical comparison (p-value) of the percentages of failure sites at the adhesive/enamel interface among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Z-test	47
4.7 Comparison of the percentages of failure sites within the adhesive among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Pearson Chi-square test	47
4.8 Statistical comparison (p-value) of the percentages of failure sites within the adhesive among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Z-test	48
4.9 Mean Ranks of the amount of residual adhesives on the debonded enamel surface resulting from three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems	49
4.10 Comparison of mean ranks of the amount of residual adhesives on the debonded enamel surface among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Kruskal-Wallis Test	50
4.11 Statistical comparison (p-value) of the mean ranks of the amount of residual adhesives on the debonded enamel surface among three self-etching (Xeno [®] III, ED PRIMER [®] and AdheSE [®]) and one conventional phosphoric acid etching adhesive systems using the Mann-Whitney Test	52

Table	Page
A The values of shear bond strengths of three self-etching (Xeno [®] III, ED Primer [®] and AdheSE [®]) and conventional phosphoric acid etching adhesive systems	70
B The failure sites of three self-etching (Xeno [®] III, ED Primer [®] and AdheSE [®]) and conventional phosphoric acid etching adhesive systems	71
C The percentages of the amount of residual adhesives on debonded enamel surfaces of three self-etching ((Xeno [®] III, ED Primer [®] and AdheSE [®]) and conventional phosphoric acid etching adhesive systems	72

LIST OF ILLUSTRATIONS

Figure	Page
2.1 Non-conditioned enamel surface	6
2.2 Conditioned enamel surface with 37% phosphoric acid	6
2.3 Typical etching pattern of human enamel, showing enamel rods with micro-porosities.	7
2.4 Re-etched human enamel prepared for re-bonding after bond failure. Retained fragments of resin composite adhesive are indicated by the arrow.	6
2.5 Types of pattern of etched enamel A, Type 1. B, Type 2. C, Type 3.	7
2.6 SEM photograph of adhesive penetration into enamel surface etched with phosphoric acid. A-Adhesive resin, B-Adhesive resin tag	10
2.7 SEM photograph of adhesive penetration into enamel surface etched with the self-etching primer. A-Adhesive resin, B-Adhesive resin tag	11
2.8 SEM micrograph showing of enamel surface after application of 32% phosphoric acid (A) and three self-etching primer agents: Clearfil Mega Bond (B), Non-Rinse (C), and Prop L-Pop (D)	11
2.9 Fe-SEM micrograph showing enamel surface after application of strong self-etching adhesives (A) and mild self-etching adhesives (B) (A-Adhesive, E-Enamel)	12
2.10 Hybridized smear plug was created from using self-etching adhesive system.	13
2.11 Direction of shear force that opposes the sliding of one plane on an adjacent plane.	14
2.12 Adhesive failures. (A) Interface of the adhesive and enamel (B) Interface of the adhesive and bracket	19

Figure	Page
2.13 Cohesive failures. (A) Within the enamel (B) Within the adhesive (C) Within the bracket	20
3.1 Conventional phosphoric acid etching adhesive system	24
3.2 Xeno [®] III self-etching adhesive system	24
3.3 ED PRIMER [®] self-etching adhesive system	25
3.4 AdheSE [®] self-etching adhesive system	25
3.5 Universal testing machine (Instron [®])	26
3.6 Debonding plate	27
3.7 Mounting jig	27
3.8 Water bath	28
3.9 Nikon stereozoom microscope	28
3.10 Computerized transparent grid	29
3.11 A 0.018"X0.025" stainless steel wire was placed on the bracket slot by ligating the elastic ligature to the body of the bracket.	33
3.12 Tooth embedded in polyvinylchloride ring	34
3.13 The debonding plate was fixed into the upper pneumatic grip and the mounting jig was fixed into the lower pneumatic grip.	35
3.14 An apparatus assembled for testing shear bond strength	35
3.15 Photograph of debonded enamel surface area after debonding	37
3.16 The border of debonded enamel surface area was drawn on the transparent paper.	37
3.17 Residual Adhesives on the debonded enamel surface were determined by using computerized transparent grid.	38