

BIBLIOGRAPHY

1. Shah CP, Wong D. Management of children with cleft lip and palate. *Can Med Assoc J* 1980; 122(1): 19-24.
2. Li Y, Shi B, Song QG, Zuo H, Zheng Q. Effects of lip repair on maxillary growth and facial soft tissue development in patients with a complete unilateral cleft of lip, alveolus and palate. *J Craniomaxillofac Surg* 2006; 34(6): 355-61.
3. Han BJ, Suzuki A, Tashiro H. Longitudinal study of craniofacial growth in subjects with cleft lip and palate: from cheiloplasty to 8 years of age. *Cleft Palate Craniofac J* 1995; 32(2): 156-66.
4. Rohrich RJ, Love EJ, Byrd HS, Johns DF. Optimal timing of cleft palate closure. *Plast Reconstr Surg* 2000; 106(2): 413-21.
5. Savaci N, Hosnuter M, Tosun Z, Demir A. Maxillofacial morphology in children with complete unilateral cleft lip and palate treated by one-stage simultaneous repair. *Plast Reconstr Surg* 2005; 115(6): 1509-17.
6. Davies D. The one-stage repair of unilateral cleft lip and palate: a preliminary report. *Plast Reconstr Surg* 1966; 38(2): 129-36.
7. Bardach J, Roberts DM, Yale R, Rosewall D, Mooney M. The influence of simultaneous cleft lip and palate repair on facial growth in rabbits. *Cleft Palate J* 1980; 17(4): 309-18.
8. Bardach J, Kelly KM, Jakobsen JR. Simultaneous cleft lip and palate repair: an experimental study in beagles. *Plast Reconstr Surg* 1988; 82(1): 31-41.

9. Bardach J, Kelly KM, Salyer KE. A comparative study of facial growth following lip and palate repair performed in sequence and simultaneously: an experimental study in beagles. *Plast Reconstr Surg* 1993; 91(6): 1008-16.
10. Honigsmann K. One-stage closure of uni- and bilateral cleft lip and palate. *Br J Oral Maxillofac Surg* 1996; 34(3): 214-9.
11. Deng X, Cheng N, Wang H, Zhai J, Cui Y, Deng H, et al. Simultaneous repair of complete cleft lip and palate in infancy-preliminary observation (271 cases report). *Zhonghua Zheng Xing Wai Ke Za Zhi* 2002; 18(4): 211-3.
12. De Mey A, Swennen G, Malevez C, George M, Mansbach AL. Long-term follow-up of UCLP at the Reine Fabiola Children's Hospital. *B-ENT* 2006; 2 Suppl 4: 44-50.
13. Corbo M, Dujardin T, de Maertelaer V, Malevez C, Glineur R. Dentocraniofacial morphology of 21 patients with unilateral cleft lip and palate: a cephalometric study. *Cleft Palate Craniofac J* 2005; 42(6): 618-24.
14. De Mey A, Franck D, Cuylits N, Swennen G, Malevez C, Lejour M. Early one-stage repair of complete unilateral cleft lip and palate. *J Craniofac Surg* 2009; 20 Suppl 2: 1723-8.
15. Fudalej P, Obloj B, Dudkiewicz Z. Craniofacial structure of 10-year-old children with complete unilateral cleft lip and palate following a one-stage simultaneous repair. *Med Wieku Rozwoj* 2007; 11(1): 45-50.
16. Fudalej P, Hortis-Dzierzbicka M, Obloj B, Miller-Drabikowska D, Dudkiewicz Z, Romanowska A. Treatment outcome after one-stage repair in children with complete unilateral cleft lip and palate assessed with the Goslon Yardstick. *Cleft Palate Craniofac J* 2009; 46(4): 374-80.

17. Gundlach KK, Maus C. Epidemiological studies on the frequency of clefts in Europe and world-wide. *J Craniomaxillofac Surg* 2006; 34 Suppl 2: 1-2.
18. Chuangsuwanich A, Aojanepong C, Muangsombut S, Tongpiew P. Epidemiology of cleft lip and palate in Thailand. *Ann Plast Surg* 1998; 41(1): 7-10.
19. Zhou QJ, Shi B, Shi ZD, Zheng Q, Wang Y. Survey of the patients with cleft lip and palate in China who were funded for surgery by the Smile Train Program from 2000 to 2002. *Chin Med J* 2006; 119(20): 1695-700.
20. Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. *Angle Orthod* 1999; 69(6): 523-8.
21. Sadler TW, Langman J. Langman's medical embryology. Baltimore: Williams & Wilkins; 1995.
22. van Aalst JA, Kolappa KK, Sadove M. MOC-PSSM CME article: Nonsyndromic cleft palate. *Plast Reconstr Surg* 2008; 121(1 Suppl): 1-14.
23. Schutte BC, Murray JC. The many faces and factors of orofacial clefts. *Hum Mol Genet* 1999; 8(10): 1853-9.
24. Molsted K. Treatment outcome in cleft lip and palate: issues and perspectives. *Crit Rev Oral Biol Med* 1999; 10(2): 225-39.
25. Shaw WC, Semb G. Current approaches to the orthodontic management of cleft lip and palate. *J R Soc Med* 1990; 83(1): 30-3.
26. Berkowitz S, SpringerLink. Cleft lip and palate diagnosis and management. Berlin; London: Springer.

27. Dorf DS, Curtin JW. Early cleft palate repair and speech outcome. *Plast Reconstr Surg* 1982; 70(1): 74-81.
28. Nguyen PN, Sullivan PK. Issues and controversies in the management of cleft palate. *Clin Plast Surg* 1993; 20(4): 671-82.
29. Holland S, Gabbay JS, Heller JB, O'Hara C, Hurwitz D, Ford MD, et al. Delayed closure of the hard palate leads to speech problems and deleterious maxillary growth. *Plast Reconstr Surg* 2007; 119(4): 1302-10.
30. Schweckendiek W. Early veloplasty and its results. *Acta Otorhinolaryngol Belg* 1968; 22(6): 697-703.
31. Schweckendiek W, Doz P. Primary veloplasty: long-term results without maxillary deformity. a twenty-five year report. *Cleft Palate J* 1978; 15(3): 268-74.
32. Friede H, Enemark H. Long-term evidence for favorable midfacial growth after delayed hard palate repair in UCLP patients. *Cleft Palate Craniofac J* 2001; 38(4): 323-9.
33. Lilja J, Mars M, Elander A, Enocson L, Hagberg C, Worrell E, et al. Analysis of dental arch relationships in Swedish unilateral cleft lip and palate subjects: 20-year longitudinal consecutive series treated with delayed hard palate closure. *Cleft Palate Craniofac J* 2006; 43(5): 606-11.
34. Bardach J, Kelly KM, Salyer KE. Relationship between the sequence of lip and palate repair and maxillary growth: an experimental study in beagles. *Plast Reconstr Surg* 1994; 93(2): 269-78.
35. Kaplan I, Dresner J, Gorodischer C, Radin L. The simultaneous repair of cleft lip and palate in early infancy. *Br J Plast Surg* 1974; 27(2): 134-8.

36. Lejour M. The effects of simultaneous cleft lip and palate repair on craniofacial growth. *Plast Reconstr Surg* 1989; 83(4): 751-2.
37. Alkhairy F. Effect on craniofacial growth of simultaneous cleft lip and palate repair. *Plast Reconstr Surg* 1993; 92(2): 379-80.
38. Fudalej P, Krol Z, Dudkiewicz Z. Cephalometric evaluation of craniofacial symmetry in the complete unilateral cleft lip and palate patients following a one-stage simultaneous repair. *Med Wieku Rozwoj* 2007; 11: 255-9.
39. Noverraz AE, Kuijpers-Jagtman AM, Mars M, van't Hof MA. Timing of hard palate closure and dental arch relationships in unilateral cleft lip and palate patients: a mixed-longitudinal study. *Cleft Palate Craniofac J* 1993; 30(4): 391-6.
40. Semb G. A study of facial growth in patients with unilateral cleft lip and palate treated by the Oslo CLP Team. *Cleft Palate Craniofac J* 1991; 28(1): 1-21
41. Friede H, Lilja J, Johanson B. Cleft lip and palate treatment with delayed closure of the hard palate. A preliminary report. *Scand J Plast Reconstr Surg* 1980; 14(1): 49-53.
42. Liao YF, Mars M. Hard palate repair timing and facial morphology in unilateral cleft lip and palate: Before versus after pubertal peak velocity age. *Cleft Palate Craniofac J* 2006; 43(3): 259-65.
43. Friede H, Priede D, Moller M, Maulina I, Lilja J, Barkane B. Comparisons of facial growth in patients with unilateral cleft lip and palate treated by different regimens for two-stage palatal repair. *Scand J Plast Reconstr Surg Hand Surg* 1999; 33(1): 73-81.

44. Ross RB. Treatment variables affecting facial growth in complete unilateral cleft lip and palate. *Cleft Palate J* 1987; 24(1): 5-77.
45. Shi B, Long J, Wang Q. The influence of Millard-lip-repair on maxillary growth: an experiment study in rabbits. *Hua Xi Kou Qiang Yi Xue Za Zhi* 1999; 17(2): 102-4, 07.
46. da Silva Filho OG, Valladares Neto J, Capelloza Filho L, de Souza Freitas JA. Influence of lip repair on craniofacial morphology of patients with complete bilateral cleft lip and palate. *Cleft Palate Craniofac J* 2003; 40(2): 144-53.
47. Shibasaki Y, Ross RB. Facial growth in children with isolated cleft palate. *Cleft Palate J* 1969;6:290-302.
48. Liao YF, Mars M. Long-term effects of clefts on craniofacial morphology in patients with unilateral cleft lip and palate. *Cleft Palate Craniofac J* 2005; 42(6): 601-9.
49. Stein S, Dunsche A, Gellrich NC, Harle F, Jonas I. One- or two-stage palate closure in patients with unilateral cleft lip and palate: comparing cephalometric and occlusal outcomes. *Cleft Palate Craniofac J* 2007; 44(1): 13-22.
50. Kahl-Nieke B, Fischbach H, Schwarze CW. Treatment and postretention changes in dental arch width dimensions--a long-term evaluation of influencing cofactors. *Am J Orthod Dentofacial Orthop* 1996; 109(4): 368-78.
51. Hellquist R, Svardstrom K, Ponten B. A longitudinal study of delayed periosteoplasty to the cleft alveolus. *Cleft Palate J* 1983; 20(4): 277-88.
52. Huddart AG, Bodenham RS. The evaluation of arch form and occlusion in unilateral cleft palate subjects. *Cleft Palate J* 1972; 9: 194-209.

53. Vanderas AP. Incidence of cleft lip, cleft palate, and cleft lip and palate among races: a review. *Cleft Palate J* 1987; 24(3): 216-25.
54. Fudalej P, Obloj B, Miller-Drabikowska D, Samarcew-Krawczak A, Dudkiewicz Z. Midfacial growth in a consecutive series of preadolescent children with complete unilateral cleft lip and palate following a one-stage simultaneous repair. *Cleft Palate Craniofac J* 2008; 45(6): 667-73.
55. Mars M, Plint DA, Houston WJ, Bergland O, Semb G. The Goslon Yardstick: a new system of assessing dental arch relationships in children with unilateral clefts of the lip and palate. *Cleft Palate J* 1987; 24(4): 314-22.
56. Heidbuchel KL, Kuijpers-Jagtman AM. Maxillary and mandibular dental-arch dimensions and occlusion in bilateral cleft lip and palate patients from 3 to 17 years of age. *Cleft Palate Craniofac J* 1997; 34(1): 21-6.
57. Fudalej P, Hortis-Dzierzbicka M, Dudkiewicz Z, Semb G. Dental arch relationship in children with complete unilateral cleft lip and palate following warsaw (one-stage repair) and oslo protocols. *Cleft Palate Craniofac J* 2009; 46(6): 648-53.
58. Suri S, Utreja A, Khandelwal N, Mago SK. Craniofacial computerized tomography analysis of the midface of patients with repaired complete unilateral cleft lip and palate. *Am J Orthod Dentofacial Orthop* 2008; 134(3): 418-29.
59. Garrahy A, Millett DT, Ayoub AF. Early assessment of dental arch development in repaired unilateral cleft lip and unilateral cleft lip and palate versus controls. *Cleft Palate Craniofac J* 2005; 42(4): 385-91.

60. Mitchell L. An introduction to orthodontics. Oxford: Oxford University Press; 2006.
61. Smahel Z, Trefny P, Formanek P, Mullerova Z, Peterka M. Three-dimensional morphology of the palate in subjects with unilateral complete cleft lip and palate at the stage of permanent dentition. *Cleft Palate Craniofac J* 2004; 41(4): 416-23.
62. Derijcke A, Kuijpers-Jagtman AM, Lekkas C, Hardjowasito W, Latief B. Dental arch dimensions in unoperated adult cleft-palate patients: an analysis of 37 cases. *J Craniofac Genet Dev Biol* 1994; 14(1): 69-74.
63. Honda Y, Suzuki A, Ohishi M, Tashiro H. Longitudinal study on the changes of maxillary arch dimensions in Japanese children with cleft lip and/or palate: infancy to 4 years of age. *Cleft Palate Craniofac J* 1995; 32(2): 149-55.
64. Casal C, Rivera A, Rubio G, Sentis-Vilalta J, Alonso A, Gay-Escoda C. Examination of craniofacial morphology in 10-month to 5-year-old children with cleft lip and palate. *Cleft Palate Craniofac J* 1997; 34(6): 490-7.
65. Lisson JA, Hanke I, Trankmann J. Changes of vertical skeletal morphology in patients with complete unilateral and bilateral cleft lip and palate. *Cleft Palate Craniofac J* 2005; 42(5): 490-4.