

เอกสารอ้างอิง

สำนักงานสถิติแห่งชาติ สำนักนายกรัฐมนตรี รายงานการสำรวจพฤติกรรม การสูบบุหรี่ของ ประชากร พ.ศ. 2550 กรุงเทพฯ : โรงพิมพ์สำนักงานสถิติแห่งชาติ, 2551.

Ah MK, Johnson GK, Kaldahl WB, Patil KD, Kalkwart KL. The effect of smoking on the response to periodontal therapy. *J Clin Periodontol* 1994; 21: 91-97.

Aldoori MI, Rahman SH. Smoking and stroke: a causative role. Heavy smokers with hypertension benefit most from stopping. *BMJ* 1998; 317: 962-963.

American Psychiatric Association. Diagnostic and statistical manual of mental disorders 2000. (Revised 4th ed)

Armitage GC. Development of a classification system for periodontal diseases and conditions. *Ann Periodontol* 1999; 4: 1-6.

Bain BJ, Rothwell M, Feher MD, Robinson R, Brown J, Sever PS. Acute changes in haematological parameters on cessation of smoking. *J F Soc Med* 1992; 85: 80-82.

Barbour SE, Nakashima K, Zhang JB, Tangada S, Hahn CL, Schenkein HA, Tew JG. Tobacco and smoking: environmental factors that modify the host response (immune system) and have an impact on periodontal health. *Crit Rev Oral Biol Med* 1997; 8: 437-460.

Benowitz NL, Kuyt F, Jacob P, Jones RT, Osman AL. Cotinine disposition and effects. *Clin Pharmacol Ther* 1983; 34: 604-611.

Bergstrom J, Eliasson S, Preber H. Cigarette smoking and periodontal bone loss. *J Periodontol* 1991; 62: 242-246.

Binnie VI, McHugh S, Jenkins W, Borland W, Macpherson LM. A randomized controlled trial of a smoking cessation intervention delivered by dental hygienists: a feasibility study. *BMC Oral Health* 2007; 7: 1-9.

Binnie VI, McHung S, Macpherson L, Borland B, Moir K, Malik K. The validation of self-reported smoking status by analyzing cotinine levels in stimulated and unstimulated saliva, serum and urine. *Oral Dis* 2004; 10: 287-293.

Blot WJ, McLaughlin JK, Winn DM, Austin DF, Greenberg RS, Preston-Martin S, Bernstein L, Schoenberg JB, Stemhagen A, Fraumeni JF. Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Research* 1988; 48: 3282-3287.

Bostrom L, Linder LE, Bergstrom J. Clinical expression of TNF-alpha in smoking-associated periodontal disease. *J Clin Periodontol* 1998; 25: 767-773.

Byrd GD, Uhrig MS, DeBethizy JD, Caldwell WS, Crooks PA, Ravard A, Riggs R. Direct determination of cotinine-N-glucuronide in urine using thermospray liquid chromatography/mass spectrometry. *Biol Mass Spectrom* 1994; 23: 103-107.

Calsina G, Ramon JM, Echeverria JJ. Effects of smoking on periodontal tissues. *J Clin Periodontol* 2002; 29: 771-776.

Campbell HS, Sletten M, Petty T. Patient perceptions of tobacco cessation services in dental offices. *J Am Dent Assoc* 1999; 130: 219-226.

Caraballo R, Giovino G, Pechacek T. Self-reported cigarette smoking versus serum cotinine among US adolescents. *Nicotine Tob Res* 2004; 6: 19-25.

Cattaneo V, Cetta G, Rota C, Vezzoni F, Rota MT, Gallanti A, Boratto R, Poggi P. Volatile components of cigarette smoke: effect of acrolein and acetaldehyde on human gingival fibroblasts in vitro. *J Periodontol* 2000; 71: 425-432.

Chatrchaiwiwatana S. Tobacco smoking as a risk indicator of periodontitis. *KDJ* 2003; 6: 69-78.

Chestnutt IG, Binnie VI. Smoking cessation counselling--a role for the dental profession? *Br Dent J* 1995; 179: 411-415.

Cohen SJ, Stookey GK, Katz BP, Drook CA, Christen AG. Helping smokers quit: a randomized controlled trial with private practice dentists. *J Am Dent Assoc* 1989; 118: 41-45.

Cuff MJ, McQuade MJ, Scheidt MJ, Sutherland DE, Van Dyke TE. The presence of nicotine on root surfaces of periodontally diseased teeth in smokers. *J Periodontol* 1989; 60: 564-569.

Dalia D, Palmer RM, Wilson RF. Management of smoking patients by specialist periodontists and hygienists in the United Kingdom. *J Clin Periodontol* 2007; 34: 416-422.

Dolan TA, McGorray SP, Grinstead-Skigen CL, Mecklenburg R. Tobacco control activities in U.S. dental practices. *J Am Dent Assoc* 1997; 128: 1669-1679.

Dyer TA, Robinson PG. General health promotion in general dental practice--the involvement of the dental team. Part 1: a review of the evidence of effectiveness of brief public health interventions. *Br Dent J* 2006; 200: 679-685.

Engel GL. The need for a new medical model: a challenge for biomedicine. *Science* 1977; 196: 129-136.

Etzel CJ, Amos CI, Spitz MR. Risk for smoking-related cancer among relatives of lung cancer patients. *Cancer Research* 2003; 63: 8531-8535.

Etzel RA. A review of the use of saliva cotinine as a marker of tobacco smoke exposure. *Prev Med* 1990; 19: 190-197.

Fiore MC. Treating tobacco use and dependence: an introduction to the US Public Health Service Clinical Practice Guideline. *Respir Care* 2000; 45: 1196-1199.

Fiore MC, Bailey WC, Cohen SJ, Dorfman SF, Goldstein MG, Gritz ER, et al. A clinical practice guideline for treating tobacco use and dependence: A US. Public Health Service report. *Am J Prev Med* 2008; 35: 158-176.

Frishman WH, Mitta W, Kupersmith A, Ky T. Nicotine and non-nicotine smoking cessation pharmacotherapies. *Cardiol Rev* 2006; 14: 57-73.

Giannopoulou C, Roehrich N, Mombelli A. Effect of nicotine-treated epithelial cells on the proliferation and collagen production of gingival fibroblasts. *J Clin Periodontol* 2001; 28: 769-775.

Gilbert DD. Chemical analyses as validators in smoking cessation programs. *J Behav Med* 1993; 16: 295-308.

Goultchin J, Cohen HD, Donchin M, Brayer L, Soskolne WA. Association of smoking with periodontal treatment needs. *J Periodontol* 1990; 61: 364-367.

Grossi SG, Zambon JJ, Ho AW, Koch G, Dunford RG, Machtei EE, Norderyd OM, Genco RJ. Assessment of Risk for Periodontal disease. I. Risk indicators for attachment loss.

J Periodontol 1994 65: 260-267.

Haber J, Kent RL. Cigarette smoking in a periodontal practice. *J Periodontol* 1992; 63: 100-106.

Haffajee AD, Cugini MA, Dibart S, Smith C, Kent RL, Jr., Socransky SS. The effect of SRP on the clinical and microbiological parameters of periodontal diseases. *J Clin Periodontol* 1997; 24: 324-334.

Haffajee AD, Socransky SS. Relationship of cigarette smoking to the subgingival microbiota.

J Clin Periodontol 2001; 28: 377-388.

Haley NJ, Axelrad CM, Tilton KA. Validation of self-reported smoking behavior: Biochemical analyses of cotinine and thiocyanate. *Am J Public Health* 1983; 73: 1204-1207.

Heatherton TF, Kozlowski LT, Frecker RC, Fagerstrom KO. The Fagerstrom test for nicotine dependence: a revision of the Fagerstrom tolerance questionnaire. *Br J Addict* 1991; 86:

1119-1127.

Henningfield JE, Stapelton JM, Benowitz NL, Gryson RF, London ED. Higher levels of nicotine in arterial than in venous blood after cigarette smoking. *Drug Alcohol Depend* 1993; 33: 23-29.

Hu S. Knowing how to help tobacco users. Dentists' familiarity and compliance with the clinical practice guideline. *JADA* 2006; 137: 170-179.

Hughes JR, Keely J, Naud S. Shape of the relapse curve and long-term abstinence among untreated smokers. *Addiction* 2004; 99: 29-38.

Hughes JR, Marcy TW, Naud S. Interest in treatments to stop smoking. *J Subst Abuse Treat* 2009; 36: 18-24.

Ismail AI, Burt BA, Eklund SA. Epidemiologic patterns of smoking and periodontal disease in the United States. *J Am Dent Assoc* 1983; 106: 617-621.

Jansson L, Lavstedt S. Influence of smoking on marginal bone loss and tooth loss--a prospective study over 20 years. *J Clin Periodontol* 2002; 29: 750-756.

Janz NK, Becker MH, Kirscht JP, Eraker SA, Billi JE, Woolliscroft JO. Evaluation of a minimal-contact smoking cessation intervention in an outpatient setting. *Am J Public Health* 1987; 77: 805-809.

Jarvis MJ, Tunstall-Pedoc H, Feyerabend C, Vesey C, Saloojee Y. Comparison of test used to distinguish smokers from nonsmokers. *Am J Public Health* 1987; 77: 1435-1438.

Jette AM, Feldman HA, Tennstedt SL. Tobacco use: a modifiable risk factor for dental disease among the elderly. *Am J Public Health* 1993; 83: 1271-1276.

Johnson NW, Bain CA. Tobacco and oral disease. EU-Working Group on Tobacco and Oral Health. *Br Dent J* 2000; 189: 200-206.

Kaldahl WB, Johnson GK, Patil KD, Kalkwarf KL. Levels of cigarette consumption and response to periodontal therapy. *J Periodontol* 1996; 67: 675-681.

Kerdvongbundit V, Wikesjo UM. Effect of smoking on periodontal health in molar teeth. *J Periodontol* 2000; 71: 433-437.

Kinane DF, Chestnutt IG. Smoking and periodontal disease. *Crit Rev Oral Biol Med* 2000; 11: 356-365.

Knight GJ, Wylie P, Holman MS, Haddow JE. Improved ^{125}I Radioimmunoassay for cotinine by selective removal of bridge antibodies. *Clinical Chemistry* 1985; 31: 118-121.

Koob GF. Allostatic view of motivation: implications for psychopathology. *Nebr Symp Motiv* 2004; 50: 1-18.

Kudngaongarm R. The integration of smoking cessation programme into periodontal therapy. M. S. Thesis, Mahidol University, 2002

MacFarlane GD, Herzberg MC, Wolff LF, Hardie NA. Refractory periodontitis associated with abnormal polymorphonuclear leukocyte phagocytosis and cigarette smoking. *J Periodontol* 1992; 63: 908-913.

Macgregor ID. Efficacy of dental health advice as an aid to reducing cigarette smoking. *Br Dent J* 1996; 180: 292-296.

Machtei EE, Dunford R, Hausmann E, Grossi SG, Powell J, Cummins D, Zambon JJ, Genco RJ.

Longitudinal study of prognostic factors in established periodontitis patients. *J Clin Periodontol* 1997; 24:102-109.

Machuca G, Rosales I, Lacalle JR, Machuca C, Bullon P. Effect of cigarette smoking on periodontal status of healthy young adults. *J Periodontol* 2000; 71: 73-78.

Magnusson I, Walker CB. Refractory periodontitis or recurrence of disease. *J Clin Periodontol* 1996; 23: 289-292.

Marrone GF, Paulpillai M, Evans RJ, Singleton EG, Heishman SJ. Breath carbon monoxide and semiquantitative saliva cotinine as biomarkers for smoking. *Hum Psychopharmacol Clin Exp* 2010; 25: 80-83.

McGuire JR, McQuade MJ, Rossmann JA, Garnick JJ, Sutherland DE, Scheidt MJ, Van Duke TE. Cotinine in saliva and gingival crevicular fluid of smokers with periodontal disease. *J Periodontol* 1989; 60: 176-181.

Montalto NJ, Wells WO. Validation of self-reported smoking status using saliva cotinine: A rapid semiquantitative dipstick method. *Cancer Epidemiol Biomarkers Prev* 2007; 16: 1858-1862.

Morozumi T, Kubota T, Sato T, Okuda K, Yoshie H. Smoking cessation increases gingival blood flow and gingival crevicular fluid. *J Clin Periodontol* 2004; 31: 267-272.

Muranaka H, Higashi E, Itani S, Shimizu Y. Evaluation of nicotine, cotinine, thiocyanate, carboxhemoglobin and expired carbon monoxide as biochemical tobacco smoke uptake parameters. *Tnt Arch Occup Environ Health* 1988; 60: 37-41.

Nasry HA, Preshaw PM, Stacey F, Heasman L, Swan M, Heasman PA. Smoking cessation advice for patients with chronic periodontitis. *Br Dent J* 2006; 200: 272-275.

Noble RC, Penny BB. Comparison of leukocyte count and function in smoking and non-smoking young men. *Infect Immun* 1975; 12: 550-555.

O'Brien CP. Research advances in the understanding and treatment of addiction. *Am J Addict* 2003; 12 (suppl 2): S36-47.

Perkins KA. Weight gain following smoking cessation. *J Consult Clin Psychol* 1993; 61: 768-777.

Peto R. Smoking and death: the past 40 years and the next 40. *BMJ* 1994; 309: 937-939.

Picciotto MR, Zoli M, Rimondini R, Lena C, Marubio LM, Pich EM, Fuxe K, Changeux JP. Acetylcholine receptors containing the $\beta 2$ subunit are involved in the reinforcing properties of nicotine. *Nature* 1998; 391: 173-177.

Pojer R, Whitfield JB, Poulos V, Eckhard IF, Richmond R, Hensley WJ. Carboxyhemoglobin, cotinine, and thiocyanate assay compared for distinguishing smokers from non-smokers. *Clin Chem* 1984; 30: 1377-1380.

Preber H, Bergstrom J. The effect of non-surgical treatment on periodontal pockets in smokers and non-smokers. *J Clin Periodontol* 1985; 13: 319-323.

Preber H, Bergstrom J. Effect of cigarette smoking on periodontal healing following surgical therapy. *J Clin Periodontol* 1990; 17: 324-328.

Preshaw PM, Heasman L, Stacey F, Steen N, McCracken GI, Heasman PA. The effect of quitting smoking on chronic periodontitis. *J Clin Periodontol* 2005; 32: 869-879.

Prochaska JO, DiClemente CC. Stages and processes of self-change in smoking: towards and integrative model of change. *J Consult Clin Psychol* 1983; 51: 390-395.

Puschel K, Thompson B, Coronado G, Huang Y, Gonzalez L, Rivera S. Effectiveness of a brief intervention based on the '5A' model for smoking cessation at the primary care level in Santiago, Chile. *Health Promotion International* 2008; 23: 240-250.

Richmond RL, Austin A, Webster IW. Three year evaluation of a programme by general practitioners to help patients stop smoking. *BMJ* 1986; 292: 803-806.

Richmond RL, Makinson RJ, Kehoe LA. One year evaluation of three smoking cessation intervention administered by general practitioners. *Addictive behaviors* 1994; 18: 187-199.

Rikard-Bell G, Donnelly N, Ward J. Preventive dentistry: what do Australian patients endorse and recall of smoking cessation advice by their dentists? *Br Dent J* 2003; 194: 159-164.

Rosen PS, Marks MH, Reynolds MA. Influence of smoking on long-term clinical results of intrabony defects treated with regenerative therapy. *J Periodontol* 1996; 67: 1159-1163.

Rosseel JP, Jacobs JE, Hilberink SR, Maassen IM, Allard RH, Plasschaert AJ, Grol RP. What determines the provision of smoking cessation advice and counselling by dental care teams? *Br Dent J* 2009; 206: 376-377.

Rota MT, Poggi P, Boratto R. Human gingival fibroblast cytoskeleton is a target for volatile smoke components. *J Periodontol* 2001; 72: 709-713.

Sepkovic DW, Haley NJ. Biomedical applications of cotinine quantitation in smoking related research. *Am J Public Health* 1985; 75: 663-665.

Sillett RW, Wilson MB, Malcolm RE, Ball KP. Deception among smokers. *Br Med J* 1978; 28: 1185-1186.

Singer EA. The transtheoretical model and primary care: "The times they are a change." *J Am Acad Nurse Pract* 2007; 19: 11-14.

Slots J, Listgarten MA. *Bacteroides gingivalis*, *Bacteroides intermedius* and *Actinobacillus actinomycetemcomitans* in human periodontal diseases. *J Clin Periodontol* 1988; 15: 85-93.

Stoltenberg JL, Osborn JB, Pihlstrom BL, Herzberg MC, Aeppli DM, Wolff LF, Fischer GE. Association between cigarette smoking, bacteria pathogens, and periodontal status. *J Periodontol* 1993; 64: 1225-1230.

Tanur E, McQuade MJ, McPherson JC, Al-Hashimi IH, Rivera-Hidalgo F. Effects of nicotine on the strength of attachment of gingival fibroblasts to glass and non-diseased human root surfaces. *J Periodontol* 2000; 71: 717-722.

Tapper AR, McKinney SL, Nashmi R, Schwarz J, Deshpande P, Labarca C, Whiteaker P, Marks MJ, Collins AC, Lester HA. Nicotine activation of alpha 4* receptors: sufficient for reward, tolerance, and sensitization. *Science* 2004; 306: 1029-1032.

Thy T, Boker T, Gallefoss F, Bakke PS. Hospital doctors' attitudes toward giving their patients smoking cessation help. *Clin Respir J* 2007; 1: 30-36.

Tipton DA, Dabbous MK. Effects of nicotine on proliferation and extracellular matrix production of human gingival fibroblasts in vitro. *J Periodontol* 1995; 66: 1056-1064.

Tollerud DJ, Clark JW, Brown LM, Neuland CY, Mann DL, Pankiw-Trost LK, Blattner WA, Hoover RN. Association of cigarette smoking with decreased numbers of circulating natural killer cells. *Am Rev Respir Dis* 1989; 139: 194-198.

Tomar SL. Dentistry's role in tobacco control. *JADA* 2001; 132: 30S-35S.

Umeda M, Chen C, Bakker I, Contreras A, Morrison JL, Slots J. Risk indicators for harboring periodontal pathogens. *J Periodontol* 1998; 69: 1111-1118.

Vogt F, Hall S, Marteau TM. General practitioners' and family physicians' negative beliefs and attitudes towards discussing smoking cessation with patients: a systematic review. *Addiction* 2005; 100: 1423-1431.

Wagenknecht LE, Cutter GR, Haley NJ, Sidney S, Manolio TA, Hughes GH, Jacobs DR. Racial differences in serum cotinine levels among smokers in the coronary artery risk development in (young) adults study. *Am J Public Health* 1990; 80: 1053-1056.

Wald NJ, Hackshaw AK. Cigarette smoking: an epidemiological overview. *Br Med Bull* 1996; 52: 3-11.

Warnakulasuriya, S. Effectiveness of tobacco counseling in the dental office. *J Dent Educ* 2002; 66: 1079-1087.

Watson ID. Rapid analysis of nicotine and cotinine in the urine of smokers and non-smokers by isocratic high-performance liquid chromatography. *J Chromatogr* 1977; 143: 203-206.

Watt RG, McGlone P, Dykes J, Smith M. Barriers limiting dentists' active involvement in smoking cessation. *Oral Health Prev Dent* 2004; 2: 95-102.

West R, McNeill A, Raw M. Smoking cessation guidelines for health professionals: an update. *Thorax* 2000; 55: 987-99.

West R, Schneider N. Craving for cigarettes. *Br J Addict* 1987; 82: 407-415.

Winn DM, Johnson CL, Kingman A. Periodontal disease estimates in NHANES III: clinical measurement and complex sample design issues. *J Public Health Dent* 1999; 59: 73-78.

World Health Organization. International Statistical Classification of Diseases and Related Health Problems 2007. http://www.who.int/classifications/apps/icd/icd_10_online. Accessed February 5, 2009.

Zambon JJ, Grossi SG, Machtei EE, Ho AW, Dunford R, Genco RJ. Cigarette smoking increases the risk for subgingival infection with periodontal pathogens. *J Periodontol* 1996; 67: 1050-1054.