

TABLE OF CONTENTS

ACKNOWLEDGEMENT	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vi
LIST OF TABLES	x
LIST OF ILLUSTRATIONS	xi
ABBREVIATIONS AND SYMBOLS	xii
CHAPTER 1 INTRODUCTION	
1.1 Principle, Rationale, and Hypothesis	1
1.2 Purpose of the study	4
CHAPTER 2 LITERATURE REVIEW	
2.1 Microbiology and taxonomy of <i>Campylobacter spp.</i>	5
2.2 <i>Campylobacter spp.</i> in animals	7
2.3 <i>Campylobacter spp.</i> in humans	8
2.4 Risk factors of <i>Campylobacter</i> infection	11
2.5 The situation of <i>Campylobacter</i> infection in Thailand	12
2.6 Laboratory diagnosis	15

2.7 Antibiotic resistance of <i>Campylobacter</i> spp.	21
CHAPTER 3 MATERIALS AND METHODS	
3.1 Sample collection	29
3.2 Primary isolation and identification	30
3.3 Recover of stock isolates	31
3.4 Differentiation of <i>Campylobacter</i> spp.	31
3.5 In vitro susceptibility testing	34
3.6 Statistical analysis	35
CHAPTER 4 RESULTS	
4.1 Recovered <i>Campylobacter</i> isolates	39
4.2 Optimization of the assay	39
4.3 The prevalence of <i>Campylobacter</i> spp.	40
4.4 Antimicrobial resistance of <i>Campylobacter</i> spp.	41
CHAPTER 5 DISCUSSIONS	
REFERENCES	55
APPENDIX	59
CURRICULUM VITAE	65

LIST OF TABLES

Table	Page
1. Table 2.1 Pathogenic and nonpathogenic <i>Campylobacter</i> spp.	25
2. Table 2.2 Differential characteristics of clinically relevant <i>Campylobacter</i> spp.	27
3. Table 3.1 Number of samples tested	36
4. Table 3.2 Primer sequences used in the multiplex PCR assay and the expected sizes of the products	37
5. Table 3.3 Minimal Inhibitory Concentration (MIC) dilution ranges and breakpoint values for determination of antimicrobial resistance for <i>Campylobacter</i> , based on the US National Committee on Clinical Laboratory Standards (NCCLS) recommendations	38
6. Table 4.1 The number of recovered <i>Campylobacter</i> isolated tested	43
7. Table 4.2 The number of <i>Campylobacter</i> spp. from each source	44
8. Table 4.3 Prevalence of <i>Campylobacter</i> spp. at each source	45

LIST OF ILLUSTRATIONS

Figure	Page
1. Figure 4.1 Prevalence of <i>Campylobacter spp.</i> at each source	46
2. Figure 4.2 Percentage of antimicrobial resistance to <i>Campylobacter spp.</i>	47
3. Figure 4.3 Percentage of antimicrobial resistance at each source	48

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

ABBREVIATIONS AND SYMBOLS

%	Percentage
$\mu\text{g}/\text{ml}$	Microgram per milliliter
μl	Microliter
μm	Micrometer
μM	Micro Molar
$[\text{NH}_4]_2\text{SO}_4$	Ammonium sulfate
10X	Ten times concentration
1X	Working concentration
2 nd	Second
3 rd	Third
AIDS	Acquired Immunodeficiency Syndrome
AMP	ampicillin
BASB	Brucella agar supplemented with sheep blood
bp	Base pair
<i>C.coli</i>	<i>Campylobacter coli</i>
<i>C.concisis</i>	<i>Campylobacter concisus</i>
<i>C.cyaerophila</i>	<i>Campylobacter cyaerophila</i>
<i>C.curvus</i>	<i>Campylobacter curvus</i>
<i>C.fetus</i>	<i>Campylobacter fetus</i>

<i>C.fetus subsp. fetus</i>	<i>Campylobacter subspecie fetus</i>
<i>C.fetus subsp. venearalis</i>	<i>Campylobacter fetus subspecie venerealis</i>
<i>C.hyointestinalis</i>	<i>Campylobacter hyointestinalis</i>
<i>C.jejuni</i>	<i>Campylobacter jejuni</i>
<i>C.jejuni subsp.doylei</i>	<i>Campylobacter jejuni subspecie doylei</i>
<i>C.lari</i>	<i>Campylobacter lari</i>
<i>C.laridis</i>	<i>Campylobacter laridis</i>
<i>C.mucosalis</i>	<i>Campylobacter mucosalis</i>
<i>C.rectus</i>	<i>Campylobacter rectus</i>
<i>C.sputorum</i>	<i>Campylobacter sputorum</i>
<i>C.sputorum biovar bubulus</i>	<i>Campylobacter sputorum biovar bubulus</i>
<i>C.sputorum biovar fecalis</i>	<i>Campylobacter sputorum biovar fecalis</i>
<i>C.upsaliensis</i>	<i>Campylobacter upsaliensis</i>
CC	<i>Campylobacter coli</i>
CDT	Cytolytic Distending Toxin

â€¢ ขอสงวนสิทธิ์ มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved

CEF	ceftiofur
CEP	cephalothin
Cfu/g	Colony forming unit per gram
Cfu/ml	Colony forming unit per milliliter
CJ	<i>Campylobacter jejuni</i>
CLI	clindamycin
cm ²	Centimeter square
CO ₂	Carbondioxide
COT	trimethoprim-sulfamethoxazole
DNA	Deoxyribonucleic acid
<i>E.coli</i>	<i>Escherichia coli</i>
ERY	erythromycin
EtBr ₂	Ethidium Bromide
FLO	florfenicol
glyA	Serine hydroxymethyltransferase
H ₂ O	Water
H ₂ O ₂	Hydrogen per oxide
hipO	Hippuricase
HTM	Haemophilus Testing Medium
IgA	Immunoglobulin A

IgG	Immunoglobulin G
IgM	Immunoglobulin M
KCl	Potassium chloride
KSA	Karmai agar
mg/L	Milligram per liter
MgCl ₂	Magnesium Chloride
MIC	The Minimum Inhibitory Concentration
min	Minutes
ml	Milliliter
mM	Milli Molar
N ₂	Nitrogen
NA	nalidixic acid
NaCl	Sodium chloride
NARMS	The US National Antimicrobial Resistance System
NCCLS	The US National Committee on Clinical Laboratory Standards
O ₂	Oxygen
°C	degree of Celsius
OR	Odd ratio

PCR	Polymerase Chain Reaction
PFGE	Pulsed field gel electrophoresis
Pg/PCR	
RFLP	Picogram per polymerase chain reaction
rpm	Restriction Fragment Length Polymorphism
sapB2	Revolutions per minute
spp.	Surface layer protein
STR	species
TA buffer	streptomycin
TBE buffer	Tris acetate buffer
TE buffer	Tris borate EDTA buffer
TET	Tris EDTA buffer
TSI agar	Tetracycline
U	Triple Sugar Iron agar
U/L	Unit
US	Unit per liter
United States	United States
<i>V.coli</i>	<i>Vibrio coli</i>
<i>V.fetus subsp. fetus</i>	<i>Vibrio fetus subspecies fetus</i>
<i>V.fetus subsp. intestinalis</i>	<i>Vibrio fetus subspecies intestinalis</i>

V.fetus subsp. venearalis *Vibrio fetus subspecie venerealis*

V.jejuni *Vibrio jejuni*

V.sputorum *Vibrio sputorum*



อิชสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright[©] by Chiang Mai University

All rights reserved