### TABLE OF CONTENTS

ACKNOWLEDGEMENT  ENGLISH ARSTRACT	Page iii
ENGLISH ABSTRACT	V
THAI ABSTRACT	vii
LIST OF TABLES	χi
LIST OF ILLUSTRATIONS	xii
LIST OF ABBREVIATION	XV
CHAPTER I INTRODUCTION	1
CHAPTER II LITERATURE REVIEW	4
Joint classification	4
Structure of Diarthrodial joint	4
Articular cartilage	7
Collagen	9
Proteoglycan and Glycosaminoglycan	9
Aggrecan	11
Chondroitin sulfate	13
Monoclonal antibodies against proteoglycan fragments	13
Principle of Competitive Inhibition ELISA	14
Examination of limb lameness	16
Equine arthritis	18
Equine intraarticular chip fracture	19
Equine osteoarthritis	20
Objectives	25

	Page
CHAPTER III MATERIALS AND METHOD	26
MATERIALS 3 2 2 3 6	26
METHODS	27
Study subjects and Research design	27
Blood collection	34
Synovial fluid collection	34
Laboratory methods	37
Chondroitin sulfate epitope determination	37
Principle of Competitive Inhibition ELISA	37
A competitive inhibition ELISA for WF6	37
Laboratory quality control	38
Total protein determination (Protein assay)	38
Statistical analysis	38
CHAPTER IV RESULTS	40
Demographic information of samples	40
Optimization of competitive inhibition ELISA for WF6 assa	y 45
Optimization of protein assay	47
Results of studies	48
CHAPTER V DISCUSSION	66
REFERENCES	73
APPENDIX A APPENDIX B  Oby Chiang Mai Univ	80
	82
APPENDIX C i g h t s r e s e r v	// 85
VITA	109

#### LIST OF TABLES

Table 9888	Page
Nomenclature for proteoglycans found in cartilage	10
2. Degenerative joint disease entities in the horse	21
3. The degree of lameness	28
4. Number of horses in each group	40
5. Mean and standard deviation of age of normal horses	41
6. Mean and standard deviation of age of abnormal horses	41
7. Sex of horse samples	42
8. Breed of horse samples	42
9. Occupation of horse samples	43
10. Number of abnormal joints in abnormal horses	43
11. Category of causes in osteoarthritic horses	44
12. The reagents of competitive inhibition ELISA for WF6 assay	45
13. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of normal, abnormal, arthritic, OC and OA horses	59

Copyright © by Chiang Mai University
Allrights reserved

### LIST OF ILLUSTRATIONS

Table 0 908121360		Page
1.	Structure of diarthrodial joint	5
2.	Structure of diarthrodial joint (close up)	6
3.	Structure of diarthrodial joint and collateral ligament	6
4.	Organization and expansion of extracellular matrix of articular cartilage	8
5.	Cartilage proteoglycan (aggrecan) structure	12
6.	Cartilage degradation	22
7.	Catabolic cycle of articular cartilage in joint disease	23
8.	Factors involved in articular cartilage degradation in equine osteoarthritis	24
9.	Extracapsular soft tissue swelling	30
10.	Multiple chip fractures along the distal aspect of the radius	31
11.	Moderate osteoarthritis	32
12.	Moderate osteoarthritis 2	32
13.	Blood collection procedure	35
14.	Synovial fluid collection procedure	36
15.	Typical WF6 standard curve by competitive inhibition ELISA	46
16.	Typical TP standard curve by microtitre plate technique	47
17.	Comparison of serum WF6 epitope concentration between normal and abnormal horses	49

	Page
8. Comparison the serum WF6 epitope between normal horses and horses with arthristis, osteochondral fracture (OC) or osteoarthritis (OA)	50
9. Comparison of serum WF6 epitope among normal horses by age groups	51
20. Comparison of serum WF6 epitope among normal horses by breed	52
21. Comparison of serum WF6 epitope concentration in normal horses between no training and working horses	53
2. Comparison of serum total protein concentration in normal and abnormal horses	55
23. Comparison of serum total protein concentration between normal horses and horses with arthristis, osteochondral fracture (OC) or osteoarthritis (OA)	56
24. Comparison of serum WF6 epitope/TP concentration in normal and abnormal horses	57
25. Comparison of serum WF6 epitope/TP concentration between normal horses and horses with arthristis, osteochondral fracture (OC) or osteoarthritis (OA)	58
26. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of normal horses	59
27. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of abnormal horses	60
28. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of arthritic horses	61
29. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of OC horses	62

30. Correlation between concentrations of WF6 epitope and WF6 epitope/TP in serum of OA horses	63
31. WF6 epitope concentration in serum and WBC count in horse with osteochondral fracture between before and after arthroscopic surgery	64
32. Comparison of WF6 epitope/TP concentration in synovial fluid between abnormal and contralateral normal joints of OC and OA horses	65

## auansuraneurautaulku Copyright © by Chiang Mai University All rights reserved

#### LIST OF ABBREVIATIONS


00 00 00	osteochondral (chip) fracture
OA OA	osteoarthritis
DJD	degenerative joint disease
kDa	kilodaltons
glcUA	glucuronic acid
galNAC	N-acetylgalactosamine
∆diC-6-s	unsaturated chondroitin-6-sulfate
∆diC-4-s	unsaturated chondroitin-4-sulfate
M	molar
ml	milliliter
h	microliter
μl mg	milligram
ng	nanogram
nm	nanometer
lec msumanar	degree Celsius
AST.	aspartate aminotransferase
PG	proteoglycan
ELISA R 1 8 M T	enzyme-link immunosorbent assay

monoclonal antibody

bovine serum albumin

mAb

BSA



# ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved