

BIBLIOGRAPHY

- Abeles, F.B., P.W. Morgan and S.E. Saltveit. 1992. *Ethylene in Plant Biology*. 2nd ed. Academic Press, San Diego.
- Agrios, G.N. 1997. *Plant Pathology*. 4th ed. Academic Press, CA.
- Ait Barka, E., P. Eullaffroy, C. Clement, and G. Vernet. 2004. Chitosan improves development, and protects *Vitis vinifera* L. against *Botrytis cinerea*. *Plant Cell Rep.* 22: 608-614.
- Al Zaemey, A.B., N. Magan and A.K. Thompson. 1993. Studies on the effect of fruit-coating polymers and organic acids on growth of *Collectorotrichum musae* *in vitro* and on post-harvest control of antracnose of bananas. *Myco. Res.* 97: 1463-1468.
- Amarante, C. and N.H. Banks. 2001. Postharvest physiology and quality of coated fruit and vegetables. *Hort. Review*. 26: 161–238.
- Amiot, M.J., S. Aubert, J. Nicolas, P. Goupy and P. Aparicio. 1992. Phenolic composition and browning susceptibility of various apple and pear cultivars at maturity. *Bulletin Liaison Groupe Polyphenols*. 16: 48-52.
- Amiot, M.J., M. Tacchini, S. Aubert and J. Nicolas. 1992. Phenolic composition and browning susceptibility of various apple cultivars at maturity. *J. Food Sci.* 57: 958-962.
- A.O.A.C. 1995. *Official Methods of Analysis*. Association of Official Analytical Chemists, Inc., Washington D.C.
- Apai, W., V. Sardsud, P. Boonprasom, B. Ratanachinakorn and U. Sardsud. 2005. Preliminary study on the effects of hydrocooling combines with citric acid and calcium chloride on quality of fresh longan fruit cv. Daw. *Agricultural Sci. J.* 36 5-6 (Suppl): 524-527.
- Apai, W., V. Sardsud and U. Sardsud. 2007. Effects of hydrocooling on quality of fresh longan fruit cv. Daw. *The Asian Journal Biology Education*. 3: 54-57.
- Apai, W., V. Sardsud, P. Boonprasom and U. Sardsud. 2008a. Effect of citric acid incorporated with chitosan-based coating to control pericarp browning in fresh longan fruit. *Acta Hort.* 787: 265-272.
- Apai, W., V. Sardsud, P. Boonprasom and U. Sardsud. 2008b. Antifungal activity of chitosan coating and its components on *Lasiodiplodia theobromae* in longan. *Acta Hort.* 804: 234-242.
- Arlorio, M., A. Ludwig, T. Boller, and P. Bofante. 1992. Inhibition of fungal growth by plant chitinase and β -1,3-glucanases. A morphological study. *Protoplasma*. 171: 34-43.
- Avena-Bustillos, R. J., J.M. Krochta, M.E. Saltveit, R.J. Rojas-Villegas and J.A. Saucedo-P'erez. 1994. Optimization of edible coating formulations on zucchini to reduce water loss. *J. Food Eng.* 21: 197–214.
- Ayrancı, E., and S. Tunc. 2004. The effect of edible coatings on water and vitamin C loss of apricots (*Armeniaca vulgaris* Lam.) and green peppers (*Capsicum annuum*, L.). *Food Chem.* 87:339–342.

- Baldwin, E. A., M. O. Nisperos-Carriedo, X. Chen and R. D. Hagenmaier. 1996. Improving storage life of cut apple and potato with edible coating. *Postharvest Biol. Technol.*, 9:151–163.
- Bates, D.M. and Chambers, J.M. 1993. Nonlinear models. in J.M. Chambers and T.J. Hastie (Ed.), *Statistical Models in S-plus* (pp. 421-454), New York: Chapman and Hall.
- Bautista-Baños, S., A.N. Hernández-Lauzardo, M.G. Velázquez-del Valle, M. Hernández-López, E. Ait Barka, E. Bosquez-Molina, and C.L. Wilson. 2006. Chitosan as a potential natural compound to control pre and postharvest diseases of horticultural commodities. *Crop Protection* 25(2): 108-118.
- Begin, A., and M. R. V. Calsteren. 1999. Antimicrobial films produced from chitosan. *Int. J. Biol. Macromolecules*. 26: 63-37.
- Benhamou, N. 1992. Ultrastructural and cytochemical aspects of chitosan on *Fusarium oxysporum* f.sp. *radicis-lycopersici*, agent of tomato crown and root rot. *Phytopathology*. 82: 1185-1193.
- Benhamou, N. 1996. Elicitor-induced plant defense pathways. *Trends Plant Sci.* 1: 233-240.
- Boonin, P., W. Kanda, K. Saengnil and J. Uthaibutra. 2006. Effect of anti-browning substances on peel colour and quality of longan fruit cv. Daw during storage. *Agricultural Sci. J.* 37: 5 (Suppl.): 144-147.
- Boonyakiat, D., N. Rattanapanone, and Phatchaiyo, T. 2002. Effect of low temperature storage on quality of longan fruits. *Agricultural Sci. J.* 33(4-5): 203-208.
- Boonyong, P. 2001. Postharvest decay control of longan fruit by sodium metabisulfite and mustard essential oil. Master's Thesis, Chiang Mai University, Chiang Mai.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. 72: 248-254.
- Branen, L.A., and P.M. Davidson. 1983. *Antimicrobials in Food*. Marcel Dekker, New York.
- Branen, L.A., M.P. Davidion, and S. Salminen. 1990. *Food additives*. MARCEL DEKKER, New York. USA.
- Brul, S., and P. Coote. 1999. Preservative agents in foods: Mode of action and microbial resistance mechanisms. *Intl. J. Food Microbiol.* 50: 1-17.
- Burner, R.L. 1964. Determination of reducing sugar value 3, 5 dinitrosalicylic acid method. *Method in Carbohydrate Chem.* 4: 67-71.
- Buta, G.J., H.E. Moline, D.W. Spaulding, and C.Y. Wang. 1999. Extending storage life of fresh-cut apples using natural products and their derivatives. *J. Agr. Food Chem.* 47: 1-6.
- Butler, B.L., P.J. Vergano, J.M. Testin, J.M. Bunn and J.L. Wiles. 1996. Mechanical and barrier properties of edible chitosan films as affected by composition and storage. *J. Food Sci.* 61: 953–955.
- Cantos, E., J.A. Tudela, M.I. Gil and J.C. Espin. 2002. Phenolic compounds and related enzymes are not rate limiting in browning development of fresh-cut potatoes. *J. Agric. Food Chem.* 50: 3015-3023.

- Caro, Y., and J. Joas. 2005. Postharvest control of litchi pericarp browning (cv. Kwai Mi) by combined treatments of chitosan and organic acids II. Effect of the initial water content of pericarp. *Postharvest Biol. Technol.* 38: 137-144.
- Casado-Vela, J., S. Selles and R. Bru. 2005. Purification and kinetic characterization of polyphenol oxidase from tomato fruits (*Lycopersicon esculentum* cv. *Muchamiel*). *J. Food Biochem.* 29: 381-401.
- Chaiwangsri, T. 1992. Preharvest diseases of longan (*Euphoria longana* Lamk) cv. *Daw*. fruit. Mater's Thesis, Chiang Mai University, Chiang Mai.
- Chartupos, P., and Kongbangkerd, T. 2002. Use of GRAS chemicals for shelf-life extension of fresh longan. *Agricultural Sci. J.* 33(Suppl.): 134-138.
- Cheah, L.H., B.B.C. Page, and R. Sheperd. 1997. Chitosan coating for inhibition of sclerotina carrots. *N. Z. J. Crop Hort. Sci.*, 25: 89-92.
- Chen, M.J., Y.M. Weng and Chen, W. 1999. Edible coatings as preservative carriers to inhibit yeast on Taiwanese-style fruit preserves. *J. Food Safety.* 19: 89-96.
- Chen, M., G.H. Yeh and B. Chiang. 1996. Antimicrobial and physicochemical properties of methylcellulose and chitosan films containing a preservative. *J. Food Proc Preserv.* 20: 379-390.
- Cheng, G.W., and C.H. Crissosto. 1995. Browning potential, phenolic composition, and polyphenol oxidase activity of buffer extracts of peach and nectarine skin tissue. *J. American Soc. Hort. Sci.* 120: 835-838.
- Chuajedton, A., K. Whangchai, K. Saengnil, and J. Uthaibuttra. 2005. Effects of ozone and some acid solutions on storage life of longan fruits cv. "Daw". *Agricultural Sci. J.* 36 5-6(Suppl.): 457-460.
- Chucheep, K., H. Gemma, and S. Kanlayanarat. 2002. Effects of acid-soluble chitosan on quality of harvested strawberry. pp. 495-499. In: The 5th Asia Pacific Chitin-Chitosan Symposium and Exhibition. March 13-15, 2002. Bangkok, Thailand.
- Chung, Y.C., and Y.C. Chen. 2008. Antibacterial characteristics and activity of acid-soluble chitosan. *Bioresource Technol.* 99: 2806-2814.
- Cocci, E., P. Rocculi, S. Romani and M.D. Rosa. 2006. Changes in nutritional properties of minimally processed apples during storage. *Postharvest Biol. Technol.* 39: 265-271.
- Combina, M., A.M. Dalcero, E. Varsavsky, and S. Chulze. Effects of food preservatives on *Alternaria alternata* growth and tenuazonic acid production. *Food Additives and Contaminants.* 16(10): 433-437.
- Conca, K.R., and T.C.S. Yang. 1993. Edible food barrier coatings. pp. 357-369. In: Biodegradable Polymers and Packaging. C.Ching, D. Kaplan, and E. Thomas, (eds.). Technomic Publishing Co., Inc., Lancaster, PA.
- CoSeteng, M.Y., and C.Y. Lee. 1987. Changes in apple polyphenoloxidase and polyphenol concentrations in relation to degree of browning. *J. Food Sci.* 52: 985-989.
- Chittenden, C., K. Thamelt and T. Singh. 2004. Efficacy of Chitosan in Combination with GRAS Compounds. [online] available: <http://www.irg-wp.com/documents/2008/IRG%2007-60249.pdf> (9 June, 2009).
- Cuero, R.G., G. Osuji, and A. Washington. 1991. A-carboxymethyl chitosan inhibition of aflatoxin production: role of zinc. *Biotechnol. Lett.* 13: 441-444.
- Cuppett, S.L., 1994. Edible coatings as carriers of food additives, fungicides and

- antagonists. pp. 121-137. In: Edible Coatings and Films to Improve Food Quality, J.M. Krochta, Baldwin, E.A. and Nisperos-Carriedo M.O., editor. Technomic Publishing CO., Lancaster/Basel.
- Debeaufort, F., J. A. Quezada-Gallo, and A. Voilley. 1998. Edible films and coatings: tomorrow packaging: a review. *Crit. Rev. Food Sci.* 38: 299-313.
- Department of Agriculture. 2005. [online] available: www.doa.go.th/onestop/fs/issue_9/issuue_9.1.htm (9 June, 2005).
- Derckel, J.P., L. Legendre, J.C. Audran, B. Haye, and B.L. Ambert. 1996. Chitinases of the grapevine (*Vitis vinifera* L.): five isoforms induced in leaves by salicylic acid are constitutively expressed in other tissue. *Plant Science.* 119: 31-37.
- Dhamvithee, P., A. Jangchud, and V. Haruthaithasan. 2002. Study on properties of chitosan film incorporated with potassium sorbate and application. pp. 231-235. In: The 5th Asia Pacific Chitin-Chitosan Symposium and Exhibition. March 13-15, 2002. Bangkok, Thailand.
- Ding, C. K., C.Y. Wang, K.C. Gross, and D.L. Smith. 2002. Jasmonate and salicylate induce the expression of pathogenesis-related-protein genes and increase resistance to chilling injury in tomato fruits. *Planta.* 214: 895-901.
- Dong, H.Q., L.G. Cheng, J.H. Tan, K.W. Zheng, and Y.M. Jiang. 2004. Effects of chitosan coating on quality and shelf life of peeled litchi fruits. *J. Food Eng.* 64: 355-358.
- Drinnan, J. 2004. Longans Postharvest and Handling Storage. [Online]. Available: <http://www.rirdc.gov.au/report/NPP/03-125Sum.html>. (December 25, 2005).
- Dykes, G.A. 1999. Physical and metabolic causes of sub-lethal damage in *Listeria monocytogenes* after long-term chill storage at 4°C. *J. Appl. Microbiol.* 87: 915-922.
- Dziezak, J.D. 1986. Preservatives: Antioxidants - The ultimate answer to oxidation. *Food Technol.* 40: 94-102.
- Ducamp-Collin, M.N., H. Ramarson, M. Lebrun, G. Self and M. Reynes. 2008. Effect of citric acid and chitosan on maintaining red colouration of litchi fruit pericarp. *Postharvest Biol. Technol.* 49: 241-246.
- Edreva, A. 2005. Pathogenesis-related proteins: research progress in the last 15 years. *Gen. Appl. Plant Physiology.* 31: 105-124.
- Eklund, T. 1983. The antimicrobial effects of dissociated and undissociated sorbic acid at different pH levels. *J. Appl. Bacteriol.* 54: 383-389.
- El Hassni, M., A. El Hadrami, F. Dasyf, E.A. Barka, and I. El Hadrami. 2004. Chitosan, antifungal product against *Fusarium oxysporum* f.sp. *albedinis* and elicitor defence reactions in date palm roots. *Phytopathol. Mediterr.* 43.
- El Ghaouth, A., J. Arul, J. Grenier, and A. Asselin. 1992a. Antifungal activity of chitosan on two postharvest pathogens of strawberry fruits. *Phytopathology* 82: 398-402.
- El Ghaouth, A., J. Arul, A. Asselin, and N. Benhamou. 1992b. Antifungal activity of chitosan on post-harvest pathogens: induction of morphological and cytological alterations in *Rhizopus stolonifer*. *Myco. Res.* 96: 769-779.
- El Ghaouth, A., J. Arul, C. Wilson, and N. Benhahou. 1994. Ultrastructural and cytochemical aspects of the effects of chitosan on decay of bell pepper fruits. *Physiol. Mol. Plant Pathol.* 44: 417-432.

- El Ghaouth, A., J. Arul, C. Wilson, and N. Benhahou. 1997. Biochemical and cytochemical aspects of the interactions of chitosan and *Botrytis cinerea* in bell pepper fruits. *Postharvest Biol. Technol.* 12: 183-194.
- El Ghaouth, A., J.L. Smilanick, G.E. Brown, M. Wisniewski, and C.L. Wilson. 1999. Application of *Candida saitoama* and glycol-chitosan for the control of postharvest diseases of apple and citrus fruits under semi-commercial conditions. *Plant Dis.* 84: 243-248.
- Kupferman, E. 1999. Notes on the Relationship of Internal Browning and Titratable Acidity in Fuji Apples, Washington State University, tree fruit research and extension center, [Online] available: <http://postharvest.tfrcc.wsu.edu/pgDisplay.php?article=W99A01#s1> (March 9, 2009).
- FDA. 1996. Chemical preservatives, Food and Drug Administration. Code of Federal Regulations. Title 21, Part 182. Washington, DC, USA; The Office of Federal Register.
- Fennema, O.R. 1975. Activity of enzymes in partially frozen aqueous systems. In *Water Relations of Foods*, R.B. Duckworth (Eds), p. 397–413. Academic Press, New York.
- Fernandez-Segovia, I., R. Garrigues, J.M. Carot, and I. Escriche. 2003. Improvement in microbiological quality of ready-to-use desalted cod. *J. Food Sci.* 68(8): 2553-2557.
- Follett, P. A. and S. S. Sanxter. 2002. Longan quality after hot-water immersion and X-ray irradiation quarantine treatments. *HortScience*. 37(3): 571-574.
- Franssen, L. R. 2002. Antimicrobial properties and preservative diffusion of preservative-containing whey protein coatings for cheddar cheese. Ph.D. Dissertation. University of California, Davis. U.S.A. 165 pp.
- Franssen, L. R., and J.M. Kroccta, J. M. 2003. Edible coatings containing natural antimicrobials for processed foods. pp. 250-262. In: S. Roller, (eds.), *Natural antimicrobials for the minimal processing of foods*. Woodhead Publishing Ltd. and CRC Press LLC.
- Frazier, W.C. and D.C. Westhoff. 1988. Food Microbiology, 4th ed., McGraw Hill, New York, pp. 4-15, 17-39, 83-87.
- Garber, R.H., and B.R. Houston. 1959. An inhibitor of *Verticillium albo atrum* in cotton seed. *Phytopath.* 449-450.
- García, M.A., M.N. Martino, and N.E. Zaritzky. 1998. Plasticized starch-based coatings to improve strawberry (*Fragaria × Ananassa*) quality and stability. *J. Agric. Food Chem.*, 46: 3758 -3767.
- Gordon, C.L., V. Khalaj, A.F. Ram, D.B. Archer, J.L. Brookman, A.P.J. Trinci, D.J. Jeenes, J.H. Doonan, B. Wells, P.J. Punt, C.A.M.J.J. ven den Hondel and G.A. Robson. 2000. Glucoamylase: green fluorescent protein fusions to monitor protein secretion in *Aspergillus niger*. *Microbiology* 146: 415–426.
- Green, L.F. 1976. Sulphur dioxide and food preservation- a review. *Food Chem.*, 1: 103-124.
- Guilbert, S., S., Gontard and L.G.M. Gorris. 1996. Prolongation of the shelf-life of perishable food products using biodegradable films and coatings: review article. *LWT*. 29: 10-17.

- Hadwiger, L.A., D.F. Kendra, B.W. Fristensky, and W. Wagoner. 1986. Chitosan both activates genes in plants and inhibits RNA synthesis in fungi. In: Muzzarelli, R.AA., C. Jeuniaux, and G.W. Gooday.(Eds.), *Chitin in Nature and Technology*. Plenum Press, New York, pp. 209-214.
- Hamdine, M., M.C. Heuzey, and A. Begin. 2005. Effect of organic and inorganic acids on concentrated chitosan solutions and gels. *Intl. J. Biol. Macromolecules*. 37: 134-142.
- Han, J.H. 2000. Antimicrobial food packaging. *Food Technol.* 54: 56-65.
- Han, D.M., Z.X. Wu and Z.L. Ji. 2001. Effects of SO₂ treatment on the overall quality of longan fruit (CV.Shixia) during cold storage. *Acta Hort.* 558: 375-380.
- Harel, E., A.M. Mayer, and Y. Shain. 1966. Catechol oxidizes, endogenous substrates and browning in developing apples. *J. Sci. Food Agr.*, 17: 389-391.
- Hayeesaleh, P., and D. Boonyakiat. 2003. Effect of high temperature on reduction of chilling injury of longan fruit cv. Daw. *J. Agr.* 19: 107-115.
- Hirano, A., and N. Nagao. 1989. Effects of chitosan, pectic acid, lysozyme, and chitinase on the growth of several phytopathogens. *Agric. Biol. Chem.* 11: 3065-3066.
- Holos, P.M., and G.G. Divinagracia. 1969. Hispathology of mango fruits infected by *Diplodia natalensis*. *Philipp. Phytopathol.* 6: 16-28.
- Hrazdina, G., and G.J. Wagner. 1985. Compartmentation of plant phenolic compounds; sites of synthesis and accumulation. *Annu. Proc. Phytochem. Soc Eur* 25: 120–133.
- Hunthavee, M., W. Chaiyathep, V. Sardsud and T. Pankasemsuk. 2005. Effects of ozone on shelf life of fresh longan fruit cv. Daw. *Agricultural Sci. J.* 36 5-6 (Suppl): 493-496.
- Hutcheson, S.W., and B.B. Buchanan. 1980. Polyphenol oxidation by *Vicia faba* chloroplast membranes. Studies on the latent membrane-bound polyphenol oxidase and on the mechanism of photochemical polyphenol oxidation. *Plant Physiol.* 66: 1150-1154.
- Jaitrong, S., N. Rattanapanone, D. Boonyakiat and E.A. Baldwin. 2004. A comparison of anatomical changes between normal and chilling injury longan fruit pericarps. *Acta Hort.* 682: 1565-1570
- Jaitrong, S. 2006. Microscopic anatomy and chemical components of normal and chilling injured longan fruit pericarp. Ph.D. thesis in Biology, Chiang Mai University 83 pp.
- Jaitrong, J., N. Rattanapanone and D. Boonyakiat. 2006. Microscopic anatomy and biochemical components of normal and chilling injured of longan pericarp. *Agricultural Sci. J.* 37: 5 (Suppl.): 80-84.
- Jantaratep, S. 1989. Postharvest diseases of mangoes caused by stem end rot fungus (*Botyodiplodia theobromae* pat.) and its control. M.S. Thesis. Kasetsart Uni. 71 p.
- Jarinthorn, S., P. Jengyusuk, M. Hantawee, W. Apai, A. Sittiwong, J. Sanprom and U. Noppakoonwong. 2008. Effect of antioxidants combined with calcium on

- extending the storage life of longan (*Dimocarpus longan* Lour.). Research Report of Chiang Mai Royal Agricultural Research Center from 2000 to 2007, Chiang Mai. pp. 159-182.
- Jaroenkit, T., Pimpimol, J. and Tongsri, S. 2005. The situation of sulfer dioxide residues on fresh longan in Chiang Mai and Lumpun. *Agricultural Sci. J.* 36 5-6 (Suppl): 461-464.
- Jiang, Y.M. 1999. Purification and some properties of polyphenol oxidase of longan fruits. *Food Chem.* 66: 75-79.
- Jiang, Y.M., and J.R. Fu. 1999. Postharvest browning of litchi fruits by water loss and its prevention by controlled atmosphere storage at high relative humidity. *Lebensm.-Wiss. U.-Technol.* 32: 278-283.
- Jiang, Y. M., J.R. Li, and W.B. Jiang. 2005. Effects of chitosan coating on shelf life of cold-stored litchi fruits at ambient temperature. *LWT*. 38: 757-761.
- Jiang, Y.M., and Y.B. Li. 2001. Effects of chitosan coating on postharvest life and quality of longan. *Food Chem.* 73: 139-143.
- Jiang, Y. M., D. C. Zhang and S. Ketsa. 2002. Postharvest Biology and Handling of Longan (*Dimorcarpus longan* Lour.) fruits. *Postharvest Biol.Technol.* 26: 241-252.
- Jitareerat, T., T. Tanapaisankit, V. Srilaong and S. Photchanachai. 2008. 'Chitosan Treatment for Controlling of Fruit Rot Disease Caused by *Lasiodiplodia theobromae* on Rambutan cv. Rong-Rein'. Poster 41, Asia-Pacific Symposium on Assuring Quality and Safety on Agri-Foods, 3 - 5th August, 2008, Bangkok, Thailand.
- Jitpang, C. 1989. [Online]. Available: <http://www.phtnet.org>. (December 25, 2005).
- Joas, J., Y. Caro, M.N. Ducamp, and M. Reynes. 2005. Postharvest control of pericarp browning of litchi fruits(*Litchi chinensis* Sonn cv. *Kwai Mi*) by treatment with chitosan and organic acids I. Effect of pH and pericarp dehydration. *Postharvest Biol. Technol.* 38: 128-136.
- Jongchotsirikul, K. 2001. A study on the effect of chitosan on antracnose and chitinase and beta-1,3-glucanase induction in grapes. M.S. thesis. Kasetsart University, Bangkok. 157 pp.
- Jost, W., and K. Hauffe. 1972. Methoden der Messung und Auswertung, Band 1: Diffusion. 2nd ed. Dietrich Steinkopf Verlag, Darmstadt, Germany.
- Juliot, K.N., R.C. Lindsay, and S.C. Ridley. 1989. Directly acidified carrot slices for ingredients in refrigerated vegetable salads. *J. Food Sci.* 54: 90-95.
- Kader, A.A. 1994. Modified and controlled atmosphere storage of tropical fruits. pp. 239-249. In: Proceeding of the Postharvest Handling of Tropical Fruit. ACIAR no. 50, July 19-23, 1993. Chang Mai, Thailand.
- Kamlert, W. 1992. Determination of benzoic acid, sorbic acid and saccharin in preserved fruits. *J. Dep. Med Sci.*, 34: 31-34.
- Kankriagwong, J., P. Tuitemwong, P. Limsuwan, P. Sunthornsuk., N. Ketkaew and S. kaisin. 2002. Feasibility study on the sulfite reduction/elimination from longan by ozonation. *Agricultural Sci. J.* 33(Suppl.): 143-146.
- Karabulut, O.A., S. Lurie, and S. Droby. 2001. Evaluation of the use of sodium bicarbonate, potassium sorbate and yeast antagonists for decreasing postharvest decay of sweet cherries. *Postharvest Biol.Technol.* 23: 233-236.

- Katz, S., and L. Reinhold. 1965. Changes in the electrical conductivity of coleus tissue as a response to chilling temperatures. *Isr. J. Bot.* 13: 105.
- Kays, S. J. 1991. *Postharvest Physiology of Perishable Plant Products*. AVI Publishing company, Inc., New York. 532 pp.
- Kawsorn, K., V. Sardsud and U. Sardsud. 2002. Effect of chemisalts on controlling fruit rot disease of longan after harvest. *Agricultural Sci. J.* 33(Suppl.): 139-142.
- Kenneth, H.R., and H.R. Leonard. 2005. Available [online] <http://www.freepatentsonline.com/20050096393.html> (December 1, 2007).
- Kheuenmanee, S., V. Sardsud, and U. Sardsud. 2005. Prolonging storage life of longan fruits using chemical preservatives in combination with low temperature. *Agricultural Sci. J.* 36 5-6(Suppl.): 469-472.
- Kwanmongkhon, P. 2008. Effect of chitosan on the growth inhibition of *Lasiodiplodia* sp. in postharvest longan fruit cv.Daw. Ms thesis, Chiang Mai Univ., Chiang Mai.
- Kim K.M., J.H. Son, S.K. Kim, C.L. Weller, and M.A. Hanna. 2006. Properties of chitosan films as a function of pH and solvent type. *J. Food Sci.* 71: E119-E124.
- King, M. M., and P. M. Ludford. 1983. Chilling injury and electrolyte leakage in fruit of different tomato cultivars. *J. Amer. Soc. Hort. Sci.* 108, 74-77.
- Koslanund, R., A. Karunsatitchai1 and W. Dejnumbun. 2008. Acid dip a new alternative method to replace SO₂ fumigation in longan. *Agricultural Sci. J.* 39 : 3 (Suppl.) : 39-42.
- Kralj Cigic, I., J. Plavec, S. Smole Mozina, and L. Zupancic-Kralj. 2001. Characterisation of sorbate geometrical isomers. *J. Chromatography.* 905: 359-366.
- Krochta, J.M., and C.D. Mulder-Johnson. 1997. Edible and Biodegradable Polymer Films: Challenges and Opportunities. *Food Technol.*, 51: 61-74.
- La-Ongsri, S., S. Gomolmanee, and O. Wara-Aswapati. 1993. Reducing chilling injury symptoms in sulfur dioxide fumigated longan fruits. pp. 20. In: Postharvest Handling of Tropical Fruits. ACIAR Proc. No. 50, Chiang Mai, Thailand.
- Lee, C.Y., and A. Jaworski. 1988. Phenolics and browning potential of white grapes grown in New York. *Am. J. Enol. Vitic.* 39: 337-340.
- Lee, C.Y., V. Kagan, A.W. Jaworski and S.K. Brown. 1990. Enzymatic browning in relation to phenolic compounds and polyphenoloxidase activity among various peach cultivars. *J. Agric. Food Chem.* 38: 99-101.
- Lee, J.Y., H.J. Park, C.Y. Lee and W.Y. Choi. 2003. Extending shelf-life of minimally processed apples with edible coatings and antibrowning agents. *LWT*. 36: 323- 329.
- Leuba, J.L., and P. Stossel. 1986. Chitosan and other polyamines: antifungal activity and interaction with biological membranes. pp. 215-222 In: Chitin in Nature and Technology. Muzzarelli, R.A.A., C. Jeuniaux, and G.W. Gooday (Eds.), Plenum Press, New York,

- Li, X.P., X.Q. Pang, Z.Q. Zhang, Z.L. Ji and T. Li. 1999. Effects of SO₂ on cold storage and shelf life of longan fruits. *J. South China Agric. Univ.* 20: 77-80.
- Li, H., and T. Yu. 2000. Effect of chitosan on incidence of brown rot, quality and physiological attributes of postharvest peach fruit. *J. Sci. Food Agric.* 81: 269–274.
- Lichanporn, I., C. Techavuthiporn, and S. Kanlayanarat. 2002. Effect of ascorbic acid and citric acid on browning of longkong (*Aglaiā dookoo* Griff.). *Agricultural Sci. J.* 33: 6(Suppl.): 119-121.
- Lichanporn, I., and S. Kanlayanarat. 2003. Effects of ascorbic acid and citric acid on phenolic content, phenylalanine ammonialyase and polyphenol oxidase of peel longkong (*Aglaiā dookoo* Griff.). *Agricultural Sci. J.* 34: 1-3 (Suppl.): 282-284.
- Limjaroen, P. 2002. Development of antimicrobial film for packaging. Ph.D. dissertation. Michigan State University, USA. 205 pp.
- Limjaroen, P., E. Ryser, H. Lockhart, and B. Harte. 2005. Inactivation of *Listeria monocytogenes* on beef bologna and Cheddar cheese using polyvinyl-idene chloride films containing sorbic acid. *J. Food Sci.* 70: M267-271.
- Lin, H.T., S.J. Chen, J.Q. Chen, and Q.Z. Hong. 2001. Current situation and advances in post-harvest storage and transportation technologies of longan fruits. *Acta Hort.* 558: 343-351.
- Lin, H.T., X.Y. Fang and S.J. Chen. 2005. The relationship between the desiccation-induced browning and the metabolism of active oxygen and phenolics in pericarp of postharvest longan fruit. *J. Plant Physiol. and Molecular Biology.* 31, 287-297.
- Lin, D., and Y. Zhao. 2007. Innovations in the development and application of edible coatings for fresh and minimally processed fruits and vegetables. *Comprehensive Reviews in Food Science and Food Safety.* 6(3): 60-77.
- Lin, L., B.G. Wang, M. Wang, J.K. Cao, J.J. Zhang and Y. Wu. 2008. Effects of a chitosan-based coating with ascorbic acid on post-harvest quality and core browning of 'Yali' pears (*Pyrus bertschneideri* Rehd.). *J. Sci. Food Agri.* 88: 877-884.
- Liu, J., S.P. Tian, X.G. Meng and Y. Xu. 2007. Effects of chitosan on control of postharvest diseases and physiological responses of tomato fruit. *Postharvest Biol. Technol.* 44: 300-306.
- Lo'pez-Maloa, A., S.M. Alzamorab, and E. Palou. 2005. *Aspergillus flavus* growth in the presence of chemical preservatives and naturally occurring antimicrobial compounds. *Intl. J. Food Microbiol.* 99:119– 128.
- Luo, Y., and Barbosa-Canovas, G.V. 1996. Preservation of apple slices using ascorbic acid and 4-hexylresorcinol. *Food Sci. Technol. Int.* 2: 315– 321.
- Lyons, J. M. 1973. Chilling Injury in Plants. *Ann. Rev. Plant Physiol.* 24: 445-466.
- Maneesin, P. 2004. Roles of packaging and postharvest technology on export of fresh fruits. *Thai Packaging Newsletter* Jan-Mar. p. 47-58.
- Maniak B., W. Wojcik and J.B. Dobrzanski. 2003. Application of chitosan in production of minimally processed apples. *Acta Sci. Pol., Technol. Aliment.* 2: 41-50.

- Marangoni, A.G., Z. Butuner, J.L. Smith and D.W. Stanley. 1996. Physical and biochemical changes in the microsomal membranes of tomato fruit associated with acclimation to chilling. *J. Plant Physiol.* 135: 635-661.
- Mari, M., R. Gregori, and I. Donati. 2004. Postharvest control of *Minilinia laxa* and *Rhozopus stolonifer* in stone fruits by peracetic acid. *Postharvest Biol. Technol.* 33: 319-325.
- Marn, S., M.E. Guynot, P. Neira, M. Bernado, V. Sanchis, and A.J. Ramos. 2002. Risk assessment of the use of sub-optimal levels of weak-acid preservatives in the control of mould growth on bakery products. *Intl. J. Food Microbiol.* 79Z3): 203-211.
- Marshall, M.R., J.M. Kim, and C.I. Wei. 2000. Enzymatic Browning in Fruitss, Vegetables and Seafoods. [Online]. Available: <http://www.fao.org/ag/ags/agsi/ENZYMEFINAL/Enzymatic%20Browning.html#CITRIC>. (December 25, 2005).
- Matamoros-Leon, B., A. Argaiz, and A. Pez-Malo. 1999. Individual and combined effects of vanillin and potassium sorbate on *Penicillium digitatum*, *Penicillium glabrum* and *Penicillium italicum* growth. *J. Food Protection.* 62(5): 541-543.
- Maththieu, H.A., J. Joosten, and J.G.M.D.P. Wit. 1998. Identification of several pathogenesis-related protein in tomato leaves inoculated with *Cladosporium fulvum* (Syn *Fulvia fulva*) as 1, 8-beta-glucanase and chitinases. *Plant Physiology.* 89: 945-951.
- Martinez, M.V., and J.R. Whitaker. 1995. The biochemistry and control of enzymatic browning. *Trends Food Sci. Technol.* 6: 195–200.
- Mayer, A.M., and H.A. Harel. 1979. Polyphenol oxidases in plants. *Phytochemistry.* 18: 193-215.
- McEvily, A.J., R. Iyengar and W.S. Otwell. 1992. Inhibition of enzymatic browning in foods and beverages. *Crit. Rev. Food Sci. Nutr.* 32: 253-273.
- McGuire, R.G. 1992. Reporting on objective color measurements. *HortScience.* 27: 1254-1255.
- McGuire, R.G., and E.A. Baldwin. 1998. Acidic fruit coatings for maintenance of color and decay prevention on lychees postharvest. *Proceedings of the Florida State Horticultural Society* 111: 243-247.
- McHugh, T. H., and J. M. Krochta. 1994. Permeability properties of edible films. In: Edible Films and Coatings to Improve Food Quality. J.M. Krochta, E. Baldwin and M.O. Nisperos-Carriero (eds), Technomic Publishing Co., Lancaster, PA.
- Meenaphan, A. and S. Ketsa. 2003. Browning of baby corn after harvest. *Acta Hort.* 628: 569-574.
- Meyer, A.S., K.I. Suhr, P. Nielsen, and F. Holm. 2002. Natural food preservatives. pp. 124-174. In: Minimal processing technologies in the food industry. Ohlsson, T., and N. Bengtsson. (Eds.), Cambridge: Woodhead Publishing Limited.
- Min, S.C., and J.M. Krochta. 2008. Edible coating containing bioactive antimicrobial agents. In: Packaging for Nonthermal Processing of Food. Han, J.H. (eds.). Blackwell publishing Ltd.

- Miyawaki, M. 2006. Control of polyphenol oxidase and pectin methylesterase activites by ultra high pressure. Ph.D. Dissertation, Washington State University.
- Monreal, J., and E.T. Reese. 1969. The chitinase of *Serratia marcescens*. *Can. J. Microbiol.* 15: 689-696.
- Morris, L. L. 1982. Chilling injury of horticultural crops: an overview. *HortScience*. 17: 161.
- Muller, C., M. McIntyre, K. Hansen and J. Nielsen. 2002. Metabolic engineering of the morphology of *Aspergillus oryzae* by altering chitin synthesis. *Applied and Environmental Microbiology*. 68: 1827–1836.
- Murata, T. 1990. Relation of chilling injury stress to membrane permeability, pp. 201-209. In: Chilling Injury of Horticulture Crops. C.Y. Wang (eds.). CRC Press, Inc., Boca Raton, Florida.
- Nachaiwiang, S. 1994. [Online]. Available: <http://www.phtnet.org>. (December 25, 2005).
- Nagaraja Rao, K.S., K.B. Sreekantish and T.N. Ramachandra. 1971. Post-harvest infection of coconut kernel by *Botryodiplodia theobromae* and a note on the hydrolytic enzymes secreted by the fungus. *Indian Phytopath.* 24: 815-819.
- No, H. K., S.P. Meyers, W. Prinyawiwatkul, and Z. Xu. 2007. Applications of chitosan for improvement of quality and shelf life of foods: a review. *J. Food Sci.* 72: R87-R100.
- No, H.K., N.Y. Park, S.H. Lee, and S.P. Meyers. 2002. Antibacterial activity of chitosans and chitosan oligomers with different molecular weights. *Intl. J. Food Microbiology*. 74: 65-72.
- Obukowicz, M. and G.S. Kennedy. 1981. Phenolic ultracytochemistry of tobacco cells undergoing the hypersensitive reaction to *Pseudomonas solanacearum*. *Physiol. Plant Pathol.* 18: 339-344.
- Office of Agricultural Economic. 2009. [online] available: http://www.oae.go.th/oae_website/oae_area.php. (December 20, 2009).
- Ou, C.Y., S.F. Tsay, C.H. Lai, and Y.M. Weng. 2002. Using gelatin-based antimicrobial edible coating to prolong shelf-life of tilapia fillets. *J. Food Quality*. 25: 213-222.
- Ouattara, B., R. Simard, G. Piette, A. Bégin, and R.A. Holley. 2000. Inhibition of surface spoilage bacteria in processed meats by application of antimicrobial films prepared with chitosan. *Intl. J. Food Microbiology*. 62: 139-148.
- Ough, C.S. 1984. Sulfur dioxide and sulfites. pp. 177-203. In: Antimicrobials in Foods, A.L. Branen & P.M. Davidson, eds. New York, Marcel Dekker.
- Palou, L., J. Usall, J.L. Smilanick, M.J. Aguilar, and J. Vinas. 2002. Evaluation of food additives and low-toxicity compounds as alternative chemicals for the control of *Penicillium digitatum* and *Penicillium italicum* on citrus fruits. *Pest Management Science*. 58 (5): 459-466.
- Pan, X.C. 1994. Study on relationship between preservation and microstructure of longan fruit. *J. Fujian Agric. Univ.* 13:185-188.
- Pan, X.Q., and Z.Q. Zhang. 1999. Advances in postharvest physiology and technology for storage of longan fruit. *Trop. Agric. Sci.* 27: 56–59.

- Park, S.I., S.D. Stan, M.A. Daeschel, and Y.Y. Zhao. 2005. Antifungal coatings on fresh strawberries (*Fragaria x ananassa*) to control mold growth during cold storage. *J. Food Sci.* 70(4): M202-M207.
- Palou, L., J. Usall, J.L. Smilanick, M.J. Aguilar and I. Vinas. 2002. Evaluation of food additives and low-toxicity compounds as alternatives chemicals for the control of *Penicillium digitatum* and *Penicillium italicum* on citrus fruit. *Pest Management Sci.* 8: 459-466.
- Park, S.I., S.D. Stan, M.A. Daeschel and Y.Y. Zhao. 2005. Antifungal coatings on fresh strawberries (*Fragaria x ananassa*) to control mold growth during cold storage. *J. Food Sci.* 70: M202-M207.
- Pathak, V.N., and D.N. Srivastana. 1967. Mode of infection and prevention *Diplodia* stem end rot of mango fruits (*Mangifera indica*). *Plant Dis. Repr.* 51: 744-746.
- Paul, R.E., and N.J. Chen. 1987. Change in longan and rambutan during postharvest storage. *HortScience*. 22: 1303-1304.
- Paxton, J. D. 1981. Phytoalexins—a working redefinition. *Phytopathol. Z.* 101:106-9
- Pen, L.T., and Y.M. Jiang. 2003. Effects of chitosan coating on shelf life and quality of fresh-cut Chinese water chestnut. *LWT*. 36: 359-364.
- Pérez-Gago M.B, M. Serra, M. Alonso, M. Mateos and M.A. del Rio. 2005. Effect of whey protein and hydroxypropyl methylcellulose-based edible composite coatings on color change of fresh-cut apples. *Postharvest Biol. Technol.* 36: 77-85.
- Pesis, E., O. Dvir, O. Feygenberg, R.B. Arie, M. Ackerman and A. Licher. 2002. Production of acetaldehyde and ethanol during maturation and modified atmosphere storage of litchi fruit. *Postharvest Biol. and Technol.* 26:157–165.
- Plascencia-Jatomea, M., G. Viniegra, R. Olayo, M.M. Castillo-Ortega, and K. Shirai. 2003. Effects of chitosan and temperature on spore germination on *Aspergillus niger*. *Macronol. BioSci.* 3: 582-586.
- Ponting, J. D., R. Jackson and G. Watters. 1971. Refrigerated apple slices: effects of pH, sulfites and calcium on texture. *J. Food Sci.* 36: 349.
- Pranoto, Y., S.K. Rakshit, and V.M. Salokhe. 2005. Enhancing antimicrobial activity of chitosan films by incorporating garlic oil, potassium sorbate and nisin. *LWT*. 38:859-865.
- Prapaipong, H., and N. Rakariyatham. 1990. Enzymic browning in longan. *Microb. Utilization Renewable Resour.* 7: 425-427.
- Pylypiw, Jr. H.M., and M.T. Grether. 2000. Rapid high-performance liquid chromatography method for the analysis of sodium benzoate and potassium sorbate in foods. *J. Chromatography A.* 833: 299-304.
- Qu, H.X., G.C. Sun and Y.M. Jiang. 2001. Study on the relationship between the peel structure and keeping quality of longan fruit. *J. Wuhan Bot. Res.* 19: 83–85.
- Quintavalla, S., and L. Vicini. 2002. Antimicrobial food packaging in meat industry. *Meat Sci.* 62: 373-380.

- Rabea, E. I., M. E.-T. Badawy, C. V. Stevens, G. Smagghe, and W. Steurbaut. 2003. Chitosan as antimicrobial agent: applications and mode of action. *Biomacromolecules*. 4: 1457–1465.
- Rakwal, R.D., K.M. Ganesh, G.W. Agrawal, A. Kubo, M. Yonekura, S. Tamogami, H. Saji and H. Iwahashi. 2003. Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide. *Environmental and experimental botany*. 49: 223-235.
- Rangkadilok, N., L. Worasuttayangkurn, N. Bennett and J. Satayavivad. 2005. Identification and quantification of polyphenol compounds in longan *Euphoria longana* Lam. *Fruit. J. Agri. Food Chem.* 53: 1378: 1392.
- Rank, M.A., and J.T. Li. 2007. A case of food allergy due to longan fruit. *Ann. Allergy Asthma Immunol.* 98: 402.
- Ratanachinnakorn, B., Nanthalchai, S. and Sangudom, T. 2001. Abstr. in the Biennial Hort. Inst. Congr., Dept. of Agri., Ubonrachathani Thailand 5-9 Mar. p. 45-46.
- Rattanapanone, N., D. Boonyakiat and S. Jaitrong. 2003. Effect of step-wise temperature conditioning on quality and chilling injury of longan fruit cv. Dor. *Agricultural Sci. J.* 34(Suppl.): 281-289.
- Rattanawaleedirojn, P., K. Siralesartmukul, P. Poungnak, V. Chukachun, and K. Srikulkit. 2002. Application of chitosan in citric acid solution as finishing agent for direct dyed cotton fabric. pp. 584-587. In: The 5th Asia Pacific Chitin-Chitosan Symposium and Exhibition. March 13-15, 2002. Bangkok, Thailand.
- Ressig, J.L., J.L. Strominger and L.F. Leloir. 1955. A modified colormetric method for the estimation of N-acetylamine sugar. *J. Biol. Chem.* 217: 959-966.
- Restaino, L., K.K. Komatsu, and M.J. Syracuse. 1981. Effects of acids on potassium sorbate inhibition of food-related microorganisms in culture media. *J. Food Sci.* 47: 134-138.
- Rinapol, A. 2005. Effect of storage temperature on the quality of SO₂ treated – longan fruit cv. Daw. Mater's Thesis, Chiang Mai University, Chiang Mai.
- RoJas-Grau, M.A., M.S. Tapia, F.J. Rodriguez, A.J. Carmona and O. Martin-Belloso. 2007. Alginate and gellan-based edible coating as carriers of antibrowning agents applied on fresh-cut Fuji apples. *Food Hydrocolloids*. 21: 118-127.
- Romanazzi, G., F. Nigro, A. Ippolito, D. Di Venere, and M. Salerno. 2002. Effects of Pre- and Postharvest Chitosan Treatments to Control Storage Grey Mold of Table Grapes. *J. Food Sci.* 67(5):1862-1867.
- Ruangyuttikarn, S., and T. Pankasemsuk. 2002. Effect of ozone on longan shelf-life. *J. Agr.* 18(3): 172-179.
- Saengnil, K., K. Lueangprasert and J. Untaibutra. 2006. Control of enzymatic browning of harvested 'Hong Huay' litchi fruit with hot water and oxalic acid dips. *ScienceAsia*. 32: 345-350.
- Sangchote, S. and M. Saoha. 1998. Control of Postharvest Diseases of Mango Using Yeasts. Disease Control and Storage Life Extension in Fruit. Pp. 108-112. In: Proceedings of an International Workshop held at Chiang Mai, Thailand 22–23 May 1997. Canberra, ACIAR Proceedings No. 81.


- Saoha, M. 1997. Control of stem end rot of mango by yeasts. Mater's Thesis. Kasetsart University, Bangkok, 56 p.
- Sapers, G.M., and R.L. Miller. 1995. Heated ascorbic/citric acid solution as browning inhibitor for prepeel potatoes. *J. Food Sci.* 60: 762-766, 776.
- Sardsud, V., C. Sittigul, U. Sardsud, P. Chantrasri, and S. Promin. 1998. Endophytic fungi in longan. pp. 147-152. In: ACIAR Proceedings no. 81, Workshop on Disease Control and Storage Life Extension in Fruits, Chiang Mai, Thailand.
- Sardsud, V., U. Sardsud, C. Sittigul, and T. Chaiwangsri. 1992. The effects of post-fumigation washing treatments and storage temperature on disease development in fresh longan. pp. 77-79. In: ACIAR Project no. 8844, Workshop on Postharvest Handling Tropical Fruits, Bangkok, Thailand.
- Sardsud, V., U. Sardsud, P. Chantrasri, and S. Pasatkettorn. 2003. Alternative postharvest treatments on longan fruits for replacement of sulfur dioxide fumigation. *Agricultural Sci. J.* 33(Suppl.): 243-246.
- Sayavedra-Soto, L.A., and M.W. Montgomery. 1986. *J. Food Sci.* 51: 1513-1536.
- Segel, I.H. 1976. Biochemical calculations, Second Ed., pp. 273-281, John Wiley & Sons, New York.
- Serradell, M.A., P.A. Rozenfeld, G.A. Martinez, P.M. Civello, A.R. Chaves, and Anon, M.C. 2000. Polyphenoloxidase activity from strawberry fruit (*Fragaria ananassa*, Duch., cv Selva): characterization and partial purification. *J. Sci. Food Agric.* 80: 1421-1427.
- Seubrach, P., S. Phothanachai, V. Srilaong and S. Kanlayanarat. 2006. Effect of modified atmosphere by PVC and LLDPE film on quality of longan fruits (*Dimocarpus longan* Lour) cv. 'Daw'. *Acta Hort.* 712: 605-610.
- Shi, J.Y., J. Sun, X.Y. Wei, J. Shi, G.P. Cheng, M.M. Zhao, J.S. Wang, B. Yang and Y.M. Jiang. 2008. Identification of (-)-epicatechin as the direct substrate for polyphenol oxidase from longan fruit pericarp. *LWT.*, 41: 1742-1747.
- Sinchaipanit, P., and J. Jaengsawang. 1997. The surveying of sulfur dioxide residues in longans. *Food.* 27(2): 100-107.
- Singha, T., D. Vesentinia, A.P. Singha and G. Daniel. 2008. Effect of chitosan on physiological, morphological, and ultrastructural characteristics of wood-degrading fungi. *Intl. Biodegradation & Biodegradation.* 62: 116-124.
- Singleton, V.L., and R. B. H. Rossi. 1965. Colometry of total phenolic with phosphomolybdcphosphotungstic acid reagent. *Amer. J. Enol. Vitic.* 16: 144-157.
- Siragusa, G.R., and J.S. Dickson. 1992. Inhibition of *Listeria monocytogenes* on beef tissue by application of organic acids immobilized in a calcium alginate gel. *J. Food Sci.* 57(2): 293-296.
- Snowdon, A.L. 1990. *A Colour Atlas of Postharvest Disease and Disorders of Fruits and Vegetables*. Wolfe Scientific. Ltd, Spain.
- Sodchit, C., T. Kongbangkerd and W. Na Phun. 2008. Prevention of enzymatic browning of postharvest longan fruit by N-acetyl-L-cysteine and 4-hexylresorcinol. *SJST.* 30: 31-35.
- Sofos, J. N. and F.F. Busta. 1981. Antimicrobial activity of sorbate. *J. Food Prot.* 44: 614-622.

- Son, S.M., K.D. Moon, and C.Y. Lee. 2001. Inhibitory effects of various antibrowning agents on apple slices. *Food Chem.* 73: 23-30.
- Spayd, S. E., R.A. Norton and L.D. Hayrynen. 1984. Influence of sulfur dioxide generators on red raspberry quality during postharvest storage. *J. Food Sci.* 49: 1067-1069.
- Stossel, P., and J.L. Leuba. 1984. Effect of chitosan, chitin and some aminosugars on growth of various soilborne phytopathogenic fungi. *Phytopathol. Z.* 111: 82-90.
- Straford, M. and P.A. Anslow. 1996. Comparison of the inhibitory action on *Saccharomyces cerevisiae* of weak-acid preservatives, uncouplers, and medium-chain fatty acids. *FEMS Microbiol. Let.* 142: 53-58.
- Sukvivat, W. 2004. Effect of heat treatment on polyphenol oxidase activity during chilling injury of longan cv. Daw. Master's thesis. Chiang Mai University, Chiang Mai. 125 pp.
- Suwanakood, P. 2007. Development o fungal fruit rot disease on fruit peel and stem-end of postharvested longan (*Dimocarpus longan* Lour.) CV. Daw. Ph.D. thesis in Biology, Chiang Mai University 83 pp.
- Suwanakood, P., V. Sardsud, S. Sangchote and U. Sardsud. 2007. Microscopic obserbvation and pathogenicity determination of common molds on postharvest longan fruit cv. Daw. *The Asian Journal of Biology Education.* 3: 47:53.
- Suwanakul, A. 1997. Postharvest management of lychee and longan. In: Wkshp. New Technol. Lychee and Longan Production. Chiang Mai, Thailand, p. 105-120.
- Tanapaisankit, T., P. Jitareerat, and D. Pradabsri. 2005. Abstract in the 3thPostharvest & Post Production Technology Conference. Phetchburi, Thailand 10-11 Oct. p. 138.
- Taylor, S.L., N.A. Higley and R.K. Bush. 1986. Sulfur in foods: Uses, analytical methods, residues, fate exposure assessment, metabolism, and hypersensitivity. *Adv. Food. Res.* 30: 1-76.
- Terdbaramee, U., K. Ratanakhanokchai, and S. Kanlayanarat. 2002. Effect of citric acid on the control of postharvest browning of lychee fruits under cold storage. *Acta Hort.* 598: 255-267.
- Tian, S., Y. Xu, A. Jiang, and Q. Gong. 2002a. Physiological and quality responses of longan fruits to high O₂ or CO₂ atmospheres in storage. *Postharvest Biol. Technol.* 24: 335-340.
- Tian, S. P., Y. Xu, Q.Q. Gong, A.L. Jiang, Y. Wang and Q. Fan. 2002b. Effects of controlled atmospheres on physiological properties and storability of longan fruit. *Acta Hort.* 575: 659-665.
- Tipton, K.F. and H.B.F. Dixon. 1983. Effects of pH on enzymes. pp. 97-148. In: Contemporary Enzyme Kinetics and Mechanism, D.L. Purich, editor. Academic Press, New York.
- Toivonen, P.M.A. 2004. Postharvest storage procedures and oxidative stress. *Hortscience.* 39: 938-942.
- Toivonen, P.M.A., and D.A. Brummell. 2008. Biochemical bases of appearance and texture changes in fresh-cut fruit and vegetables. *Postharvest Biol. Technol.* 48: 1-14.

- Tongdee, S. C. 1992. Postharvest handling and technology of tropical fruits. *Acta Hort.* 321: 713-717.
- Tongdee, S.C. 1988. Research into the postharvest handling of tropical and subtropical fruit in Thailand. In: Postharvest handling of Tropical and Subtropical Fruit Crop. *FFTC Book Series*. No. 37. p. 51-55.
- Tongdee, S.C. 1994. Sulfur dioxide fumigation in Postharvest handling of Fresh longan and lychee for export. pp. 186-189 In: Proceeding of an International Conference Postharvest Handling of Tropical Fruits. July 19-23, Chiang Mai, Thailand.
- Tongdee, S.C., S. Pattanavibul, S. Chaimongkol, A. Suwanagul, S. Neamprem, Y. Ratanachai, S. Srisuriyawong, C. Sartpatch, M. Jamjumroon and N. Chaivipha. 1998. Postharvest tecnlogy and quality assurance system of longan for export. TISTR. Bangkok.
- Tongsri, S., T. Charoenkit and J. Phimphimol. 2005. A study of the method to reduce SO₂ residue on fresh longan (*Dimocapus longan*). *Agricultural Sci. J.* 36 5-6 (Suppl) :547-550.
- Torres, J.A., M. Motoki, and M. Karel. 1985. Microbial stabilization of intermediate moisture food surfaces. I. Control of surface preservative concentration. *J. Food Process. Preserv.* 9: 75-92.
- Torres, J.A., and M. Karel. 1985. Microbial stabilization of intermediate food surfaces. III. Effects of surface preservative concentration and surface pH control on microbial stability of an intermediate moisture cheese analog. *J. Food Process. Preserv.* 9: 107-119.
- Underhill, S.J.R., and C. Critchley. 1994. Anthrocyanin decolorisation and its role in lychee pericarp browning. *Aust. J. Exp. Agric.* 34: 115-122.
- Vamos-Vigyazo, L. 1981. Polyphenoloxidase and peroxidase in fruits and vegetables. *CRC Crit. Rev. Food Sci.* 15: 49-127.
- Vamos-Vigyazo, L. 1995. Prevention of enzymatic browning in fruits and vegetables: A review of principles and practice. pp. 49-63. In: ACS Symposium Series 600 Enzymatic Browning and Its Prevention, Washington, D.C., American Chemical Society.
- Vangnai, T., C. Wongs-Aree, H. Nimitkeatkai and S. Kanlayanarat. 2006. Quality maintaining of 'Daw' longan using chitosan coating. *Acta Hort.* 712: 599-604.
- Vargas, M., A. Albors, A. Chiralt and C. Gonzalez-Martinez. 2006. Quality of cold-stored strawberries as affected by chitosan-oleic acid edible coatings. *Postharvest Biol. Technol.* 41: 164-171.
- Vesentini, D., D. Steward, A.P. Singh, R. Ball, G. Daniel and F. Ranich. 2007. Chitosan-mediated changes in cell wall composition, morphology and ultrastructure in two wood-inhabiting fungi. *Myc. Res.* 111: 875-890.
- Vial, P.M., C.H. Crisosto and G.M. Crisosto. 2005. Early Harvest Delays Berry Skin Browning of 'Princess' Table Grapes. [online] available: http://calag.ucop.edu/050_2AMJ/pdfs/GrapeBrowning.pdf (June 2, 2008).
- Vodjani, F, and J.A. Torres. 1989. Potassium sorbate permeability f methylcellulose and hydroxypropyl methylcellulose multilayer films. *J. Food Process. Preserv.* 13:417-430.

- Vodjani, F., and J.A. Torres. 1990. Potassium sorbate permeability of methylcellulose and hydroxypropyl methylcellulose coatings: effects of fatty acids. *J. Food Sci.* 55: 841-846.
- Walker, J.R.L. and P.H. Ferrar. 1998. Diphenol oxidase, enzyme-catalysed browning and plant disease resistance. *Biotechnol. Genet. Eng. Rev.* 15: 457-498.
- Wang, C.Y. 1982. Physiological and biochemical responses of plants to chilling stress. *HortScience*. 17:173-186.
- Wang, C.Y. 1990. *Chilling Injury of Horticultural Crop*. CRC Press, 313 pp.
- Wara-Aswapati, O. 1989. *Postharvest Technology and Physiology of Fruits and Vegetables*. Dept. of Biol., Faculty of Science, Chiang Mai Univ., Chiang Mai.
- Wara-Aswapati, O., D. Sroymano, S. Gomolmanee and S. La-Ongsri. 1994. Development of maturity indices for longan. pp. 341-342. In: Proceeding of an International Conference Postharvest Handling of Tropical Fruits. July 19-23, Chiang Mai, Thailand.
- Wardlaw, C.W. 1935. *Disease of the Banana and of the Manila Hemp Plant*. Macmillan and Co. Ltd., London.
- Whangchai, K., S. Chaiyong, P. Wongsawad, J. Phimphimol and J. Uthaibuttra. 2004. Effects of ozone on the reduction of sulfur dioxide residues in fresh longan fruits. *Agricultural Sci. J.* 35(Suppl.): 333-336.
- Whangchai, K., K. Saengnil, and J. Uthaibuttra. 2006. Effects of ozone in combination with some organic acids on the control of postharvest decay and pericarp browning of longan fruits. *Crop Protection*. 25: 821-825.
- Wilson, C.L., A. El Ghaouth, E. Chaluts, S. Droby, C. Stevens, J.L. Lu, V. Khan, and J. Arul. 1994. Potential of induced resistance to control postharvest diseases of fruits and vegetables. *Plant Dis.* 78: 837-844.
- Wong, D., F. Gastineau, K.S. Gregorski, S.J. Tillin and A.E. Pavlath. 1992. Chitosan-lipid films microstructure and surface energy. *J. Agri. Food Chem.* 40, 540-544.
- Wu, Z.X., D.M. Han, Z.L. Ji and W.X. Chen. 1999. Effect of sulphur dioxide treatment on enzymatic browning of longan pericarp during storage. *Acta Hort. Sin.* 26: 91- 95.
- Yaacop, O., and S. Subhadrabandhu. 1995. *The Production of Economic Fruits in South-east Asia*. Oxford Univ., Press. London.
- Yoruk, R. and M.R. Marshall. 2003. Physicochemical properties and function of plant polyphenol oxidase: a review. *J. Food Biochem.* 27: 361-422.
- Zhang, D., and P.C. Quantick. 1997. Effects of chitosan coating on enzymatic browning and decay during postharvest storage of litchi (*Litchi chinensis* Sonn.) fruits. *Postharvest Biol. Technol.* 12:195-202.
- Zhang, D., and P. Quantick. 1998. Antifungal effects of chitosan coating on fresh strawberries and raspberries during storage. *J. Hort. Sci. Bio. Technol.* 73: 763-767.
- Zhang, J.N., H.T. Lin, L.H. Xie and Q.Y. Lin. 2005. Biological characteristics of *Lasiodiplodia theobromae* Pat. causing black-rotten disease of longan fruit. *J. Fujian Agric. Forestry Univ. (Natural Science Edition)*. 34:425-429.

- Zhao, Y. 2005. Chitosan Coating and its Applications in Fruitss and Vegetables. [Online]. Available: <http://oregonstate.edu/dept/foodsci/faculty/yyz.htm>. (December 20, 2005)
- Zheng, X.L., and S.P. Tian. 2006. Effect of oxalic acid on control of postharvest browning of litchi fruits. *Food Chem.* 96(4): 519-523.
- Zhou, Y., Z.L. Ji and W.Z. Lin. 1997. Study on the optimum storage temperature and chilling injury mechanism of longan fruit. *Acta Hort. Sin.* 24: 13-18.
- Zitter, T.A., D.L. Hopkins and C.E. Thomas. 1996. *Compendium of Cucurbit Disease*. Petoseed Inc, New York.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved