

ชื่อเรื่องวิทยานิพนธ์

ผลของดนตรีต่อการเผชิญความเจ็บปวดในระยะคลอด
ของผู้คลอดครรภ์แรก

ชื่อผู้เขียน

นางสาวตรรชนิ ลิ้มประเสริฐ

พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการพยาบาลแม่และเด็ก

คณะกรรมการสอบวิทยานิพนธ์:

รองศาสตราจารย์	ดร. สุกัญญา	ปรีดีบุญกุล	ประธานกรรมการ
ผู้ช่วยศาสตราจารย์	ฉวี	เบาทรวง	กรรมการ
อาจารย์ นายแพทย์	กระจ่างวงศ์	ศิริวัฒนา	กรรมการ
ผู้ช่วยศาสตราจารย์	ดร. รัตนาวดี	ชอนตะวัน	กรรมการ
ผู้ช่วยศาสตราจารย์	ดร. ลินจง	โปธิบาล	กรรมการ

บทคัดย่อ

การวิจัยกึ่งทดลองครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาผลของดนตรีต่อการเผชิญความเจ็บปวดในระยะคลอด กลุ่มตัวอย่างเป็นผู้คลอดครรภ์แรกที่มาคลอดในห้องคลอด โรงพยาบาลพะเยา จำนวน 30 ราย กลุ่มตัวอย่างถูกเลือกแบบเจาะจงตามเกณฑ์ที่กำหนด และสุ่มแบ่งออกเป็นกลุ่มทดลองและกลุ่มควบคุมในจำนวนเท่ากัน กลุ่มทดลอง เป็นกลุ่มที่ได้รับการจัดให้ฟังดนตรีพร้อมกับการดูแลตามปกติ ส่วนกลุ่มควบคุม เป็นกลุ่มที่ได้รับการดูแลตามปกติ เครื่องมือที่ใช้ในการวิจัยประกอบด้วย แบบบันทึกข้อมูลส่วนบุคคลและแบบสังเกตพฤติกรรมกรมการเผชิญความเจ็บปวดในระยะคลอด ข้อมูลที่ได้นำไปวิเคราะห์ด้วยการทดสอบค่าที ผลการวิจัยพบว่า ค่าเฉลี่ยคะแนนการเผชิญความเจ็บปวดในระยะคลอดของกลุ่มทดลองดีกว่ากลุ่มควบคุมอย่างมีนัยสำคัญทางสถิติ ($p < .01$)

Thesis Title Effect of Music on Pain Coping During Labour
in Primiparas

Author Miss Dutchanee Limprasirt

M.N.S. Maternal and Child Nursing

Examining Committee:

Assoc. Prof. Dr. Sukanya Parisunyakul	Chairman
Assist. Prof. Chavee Baosoung	Member
Lecturer Dr. Krajangwong Siriwattana	Member
Assist. Prof. Dr. Ratanawadee Chontawan	Member
Assist. Prof. Dr. Linchong Pothiban	Member

Abstract

The purpose of this quasi-experimental research was to study the effect of music on pain coping during labour. Subjects were 30 primiparas admitted at labour and delivery unit, Phayao hospital. Subjects were purposively selected, then were randomly and equally assigned to experimental and control groups. During labour the experimental group received music and routine care, while the control group received only routine care. The research instruments were the demographic record and the Labour Pain Coping Behavior Observation Form. The data was analyzed using t-test. The result founded

that the mean scores on the labour pain coping during labour in the experimental group was better than the control group with statistically significant difference. ($p < .01$)

มหาวิทยาลัยเชียงใหม่
Chiang Mai University