

ชื่อเรื่องวิทยานิพนธ์ ภาวะจิตสังคมในระยะตั้งครรภ์ของหญิงครรภ์แรก

ชื่อผู้เขียน นางสาวศศิธร นามทวีชัยกุล

พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก

คณะกรรมการสอบวิทยานิพนธ์ :

รองศาสตราจารย์ ลาวัลย์	สมบุญ	ประธานกรรมการ
รองศาสตราจารย์ เทียมศร	ทองสวัสดิ์	กรรมการ
รองศาสตราจารย์ อุบล	นิวัตชัย	กรรมการ
ผู้ช่วยศาสตราจารย์ วราภรณ์	เลิศพูนวิไลกุล	กรรมการ

บทคัดย่อ

การวิจัยครั้งนี้เป็นการวิจัยเชิงบรรยาย มีวัตถุประสงค์เพื่อศึกษาภาวะจิตสังคมในระยะตั้งครรภ์ของหญิงครรภ์แรก กลุ่มตัวอย่างเป็นหญิงครรภ์แรกปกติที่มารับบริการฝากครรภ์ ที่แผนกฝากครรภ์โรงพยาบาลแม่และเด็ก ศูนย์ส่งเสริมสุขภาพเขต 10 จังหวัดเชียงใหม่ โดยเลือกแบบเฉพาะเจาะจงตามคุณสมบัติที่กำหนดจำนวน 335 ราย แบ่งออกเป็น 3 กลุ่มตามอายุครรภ์ ได้แก่ ไตรมาสที่ 1 จำนวน 111 ราย ไตรมาสที่ 2 จำนวน 112 ราย และไตรมาสที่ 3 จำนวน 112 ราย เครื่องมือที่ใช้ในการศึกษาวิจัยครั้งนี้ประกอบด้วย แบบบันทึกข้อมูลส่วนบุคคลของหญิงมีครรภ์ และแบบสอบถามเกี่ยวกับภาวะจิตสังคมในระยะตั้งครรภ์ ซึ่งได้ผ่านการตรวจสอบจากผู้ทรงคุณวุฒิและหาค่าสัมประสิทธิ์อัลฟาของครอนบาคได้ 0.82 การวิเคราะห์ข้อมูลโดยใช้โปรแกรมคอมพิวเตอร์สำเร็จรูป SPSS/FW โดยหาค่าความถี่ ร้อยละ ค่าเฉลี่ย และส่วนเบี่ยงเบนมาตรฐาน ซึ่งผลการวิจัยสรุปได้ดังนี้

1. หญิงมีครรภ์ไตรมาสที่ 1 มีการเปลี่ยนแปลงด้านจิตใจและความห่วงกังวล การยอมรับการตั้งครรภ์ บทบาทการเป็นมารดา ความสัมพันธ์กับบุคคลใกล้ชิด และสัมพันธ์ภาพกับ

จ.

ทารกในครรภ์ อยู่ในระดับมาก โดยมีค่าเฉลี่ยเท่ากับ 3.26, 3.18, 3.22, 3.25 และ 3.24 ตามลำดับ และมีส่วนเบี่ยงเบนมาตรฐานเท่ากับ 0.31, 0.36, 0.40, 0.36 และ 0.47 ตามลำดับ

2. หญิงมีครรภ์ในไตรมาสที่ 2 มีการเปลี่ยนแปลงด้านจิตใจและความห่วงกังวล การยอมรับ การตั้งครรภ์ บทบาทการเป็นมารดา ความสัมพันธ์กับบุคคลใกล้ชิด และสัมพันธ์ภาพกับทารกในครรภ์ อยู่ในระดับมาก โดยมีค่าเฉลี่ยเท่ากับ 3.30, 3.17, 3.24, 3.29 และ 3.46 ตามลำดับ โดยมีส่วนเบี่ยงเบนมาตรฐานเท่ากับ 0.39, 0.42, 0.37, และ 0.35 ตามลำดับ

3. หญิงมีครรภ์ในไตรมาสที่ 3 มีการเปลี่ยนแปลงด้านจิตใจและความห่วงกังวล การยอมรับ การตั้งครรภ์ บทบาทการเป็นมารดา ความสัมพันธ์กับบุคคลใกล้ชิดอยู่ในระดับมาก ส่วนสัมพันธ์ภาพกับทารกในครรภ์อยู่ในระดับมากที่สุด โดยมีค่าเฉลี่ยเท่ากับ 3.30, 3.26, 3.44, 3.32 และ 3.61 ตามลำดับ โดยมีส่วนเบี่ยงเบนมาตรฐานเท่ากับ 0.28, 0.35, 0.40, 0.37 และ 0.36 ตามลำดับ

Thesis Title Psychosocial Status During Pregnancy of Primigravida

Author Miss Sasithorn Namtaweechaikul

M.N.S. Maternal and Child Nursing

Examining Committee :

Associate Professor Lawan	Somboon	Chairman
Associate Professor Tiamsorn	Tongsawad	Member
Associate Professor Ubol	Niwatchai	Member
Assistant Professor Waraporn	Lertpoonwilaikul	Member

Abstract

The purpose of this descriptive research was to study psychosocial status during pregnancy of primigravida. Subjects were recruited by purposive sampling, consisted of 335 normal primigravidas attending antenatal Clinic at Health Promotion Center Region 10, Chiangmai. They were divided by gestational age to three groups, 111 cases in the first trimester, 112 cases in the second trimester and 112 cases in the third trimester. Instruments used in the study were demographic data form and the questionnaire set of psychosocial status during pregnancy. Instruments were tested for validity and Cronbach's alpha coefficient was used to investigate reliability which was 0.82. Data was analyzed by the SPSS/FW program using, frequency, percentage, mean and standard deviation.

The result of the study revealed that :

1. Primigravidas in the first trimester had psychological changes and concern, the acceptance of pregnancy, the maternal role, relationships with significant others and maternal - fetal attachment were high with mean scores of 3.26, 3.18, 3.22, 3.25 and 3.24 respectively. S.D. = 0.31, 0.36, 0.40, 0.36 and 0.47 respectively.

2. Primigravidas in the second trimester had psychological changes and concern, the acceptance of pregnancy, the maternal role, relationships with significant others and maternal - fetal attachment were high with mean scores of 3.30, 3.17, 3.24, 3.29 and 3.46 respectively. S.D. = 0.30, 0.39, 0.42, 0.37 and 0.35 respectively.

3. Primigravidas in the third trimester had psychological changes and concern, the acceptance of pregnancy, the maternal role and relationships with significant others were high with mean scores of 3.30, 3.26, 3.44 and 3.32 S.D. = 0.28, 0.35, 0.40 and 0.37 respectively. Maternal - fetal attachment was highest with the mean score of 3.61. S.D. = 0.36.