

แอลฟาได้ค่าความเชื่อมั่นของแบบสัมภาษณ์ความต้องการของกลุ่มสมรสของผู้ป่วยก่อนผ่าตัด
เต้านมเท่ากับ 0.91 และแบบสัมภาษณ์การได้รับการตอบสนองความต้องการของกลุ่มสมรสของ
ผู้ป่วยก่อนผ่าตัดเต้านม เท่ากับ 0.97 วิเคราะห์ข้อมูลโดย การแจกแจงความถี่ ค่าร้อยละ
ค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐาน และเปรียบเทียบค่าเฉลี่ย โดยการทดสอบที (paired t-test)

ผลการวิเคราะห์ข้อมูล พบว่า

1. กลุ่มสมรสของผู้ป่วยก่อนผ่าตัดเต้านมที่เป็นกลุ่มตัวอย่างมีความต้องการโดยรวม
อยู่ในระดับมากโดยมีความต้องการความสำเร็จสมหวังในชีวิตมากกว่าด้านอื่น รองลงมา
มีความต้องการความเป็นเจ้าของและความรัก ความปลอดภัย ด้านร่างกาย และความภาคภูมิใจ
ตามลำดับ

2. กลุ่มสมรสของผู้ป่วยก่อนผ่าตัดเต้านมที่เป็นกลุ่มตัวอย่างได้รับการตอบสนองความ
ต้องการโดยรวมอยู่ในระดับน้อย โดยได้รับการตอบสนองความต้องการทางด้านร่างกายมาก
กว่าด้านอื่น รองลงมาได้มีการได้รับการตอบสนองความต้องการความเป็นเจ้าของและความรัก
ความภาคภูมิใจ ความปลอดภัย และความต้องการความสำเร็จสมหวังในชีวิตตามลำดับ

3. ความต้องการและการได้รับการตอบสนองความต้องการโดยรวมของกลุ่มสมรสของ
ผู้ป่วยก่อนผ่าตัดเต้านม มีความแตกต่างกันอย่างมีนัยสำคัญทางสถิติที่ระดับ .001

4. ความต้องการและการได้รับการตอบสนองความต้องการของกลุ่มสมรสของผู้ป่วย
ก่อนผ่าตัดเต้านม ทางด้านร่างกาย ความปลอดภัย ความเป็นเจ้าของและความรัก ความ
ภาคภูมิใจ และความสำเร็จสมหวังในชีวิต มีความแตกต่างกันอย่างมีนัยสำคัญทางสถิติที่
ระดับ .001

Thesis Title Needs and Needs Received in Spouses of Preoperative Mastectomy Patients

Author Miss Jutarut Sawangchai

M.N.S. Medical and Surgical Nursing

Examining Committee

Associate Professor Nunta Leksawasdi	Chairman
Associate Professor Marayart Na nakorn	Member
Assistant Professor Aunnop Koonphandh	Member
Assistant Professor Dr. Warunee Fongkaew	Member
Associate Professor Dr. Sukanya Parisunyakul	Member
Associate Professor Wilawan Picheansathian	Member

Abstract

The purposes of this study were to investigate and compare needs and needs received in spouses of preoperative mastectomy patients. The samples were 40 spouses of preoperative simple mastectomy or modified radical mastectomy patients admitted at Maharaj Nakorn Chiang Mai Hospital. Data was collected during July 1997 to July 1998. The research instruments used for data collection was composed of the patient's demographic data form, the spouse's demographic data form, and needs and needs received in spouses of preoperative mastectomy patients interview form which was developed by the researcher based on the concepts of human needs of Maslow, and the content validity of the instrument was assessed by experts. The reliability was measured by coefficient alpha. The reliabilities of needs and needs received in spouses of preoperative mastectomy patients were 0.91 and 0.97, respectively. Data was

analysed in terms of frequency, percentage, mean, standard deviation, and the paired-t test.

The results of this study revealed that:

1. Total needs in spouses of preoperative mastectomy patients of the sample was at a high level. The self-actualization need was the highest followed by belongingness and love, safety, physiological, and esteem needs.

2. Total needs received in spouses of preoperative mastectomy patients of the sample was at a low level. The physiological need was the highest followed by belongingness and love, esteem, safety and self-actualization needs.

3. There was a statistically significant difference between total needs and needs received in spouses of preoperative mastectomy patients at the level of .001.

4. There was a statistically significant difference between needs and needs received in spouses of preoperative mastectomy patients in physiological, safety, belongingness and love, esteem and self-actualization needs at the level of .001.