CONTENTS

Acknowledgements	iii
Abstract in Thai	v
Abstract in English	vii
List of Tables	xiv
List of Figures	XV
Statement of Originality in Thai	xviii
Statement of Originality in English	xix
Chapter 1 Introduction	1
Chapter 2 Literature Reviews	5
2.1 Longan in Season Production System	5
2.2 Factors Affecting Longan Performance	6
2.3 Tools of Crop Yield Estimation	7
2.3.1 Crop Simulation Model	8
2.3.2 Regression Modeling	8
2.3.3 Artificial Neural Network (ANN)	9
2.3.4. Beyesian Belief Network (BBN)	9
2.4 Longan Yield Model by BBN	10
2.5 The Measurement of Longan Fruit in the Bush by Digital Photo	15
Chapter 3 Materials and Methods	17
3.1 Site of Study	17
3.2 Conceptual Framework for Research	18
3.3 Classification of Longan Production System	20
3.4 Farmers and Orchards Sampling	20

3.5 The Quantity of Longan Fruits in the Canopy	21
3.6 Longan Yield Model by BBN	23
3.7 Model Testing	25
Chapter 4 Physical Characteristics of Longan Production System in Phrao District	27
4.1 Base Map Data	27
4.2 Land Use Map	30
4.3 Land Mapping Unit (LMU)	33
4.3.1 Longan Orchards	33
4.3.2 Types of Watering	35
4.3.3 Land Slope	36
4.3.4 Land Mapping Unit Map	38
4.4 Sample Site	40
4.4.1 Stratify Sampling	40
4.4.2 Locations for Photographing Longan Trees	42
Chapter 5 Classify of Longan Fruits on Bush by Image Processing Techniques	44
5.1 Taking Photos of Longan Bushes	44
5.1.1 Physical Conditions of the Images	45
5.1.2 Canopy Area	46
5.1.3 Preparing the Photographic Information	48
5.1.4 Digital Image Processing Analysis	49
5.1.5 The Threshold Value as a Condition for Classification	54
5.1.6 Model of the Longan Fruits Identification	54
5.1.7 Accuracy Assessment of Longan Fruit Classification	57
Chapter 6 Bayesian Belief Network Model	63
6.1 Surveys and Interviews with Farmers	63
6.1.1 Physical Characteristics of Longan Trees	64
6.1.1.1 Planting spacing	64
6.1.1.2 Species	65
6.1.1.3 Branch trimming	65

6.1.1.4 Size of the canopy	66
6.1.1.5 Age of the trees	67
6.1.1.6 Total area of longan fruit in canopy	67
6.1.1.7 Longan yield (kg/rai)	68
6.1.2 Physical Characteristics of the Land	69
6.1.2.1 Temperature	69
6.1.2.2 Watering systems	69
6.1.2.3 Soil fertility	69
6.1.2.4 Longan Trees' Health	70
6.1.3 Cultural Practices	70
6.1.3.1 Use of fertilizers	70
6.1.3.2 The amount of water used	71
6.1.3.3 Use of herbicides and pesticides	72
6.1.3.4 The number of activity	72
6.1.3.5 Flower induction	73
6.2 Flow of Factors Impacting to Longan Yield	76
6.2.1 Flow Analysis and Longan Yield Model Using BBN	77
6.2.2 Conditional Probability Tables (CPT)	83
6.2.3 Sensitivity Analysis	85
6.3 Model Comparison Using 3 Types of Data	85
6.4 Longan Yield Predictions from BBN	89
6.4.1 Type A Data Model	89
6.4.2 Type B Data Model	89
6.4.3 Type C Data Model	89
6.5 Accuracy Assessment of the BBN Models	93
6.6 The Maps of Longan Yield Prediction.	98
Chapter 7 Conclusion and Recommendations	102
7.1 Land Mapping Unit	102
7.2 Longan Fruits Image Analysis	103
7.3 Longan Yield Predictions using BBN Model.	104

7.4 Map of the Production Distribution Based on the BBN Model	105
7.5 Limitations and Suggestions for Future Studies	105
References	108
Appendix A	113
Appendix B	118
Curriculum vitae	125



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

Table 1 Factor in the creation of the BBN model	25
Table 2 The frequency and area in each age classification of longan trees	35
Table 3 The frequency and area of different water source	36
Table 4 Slope class and area	37
Table 5 The area of each LMU	39
Table 4 Slope class and areaTable 5 The area of each LMUTable 6 Farms selected from the LMU map unitsTable 7 The number of orchards for photo taking	40
Table 7 The number of orchards for photo taking	42
Table 8 A comparison of the statistical data of reflectance for each of the seven objects	53
Table 9 Threshold used in each lighting condition to identify longan fruits in the photos	54
Table 10 Longan fruits area of each photo and the estimate yield	60
Table 11 Example of the calculations used for CPTs using the rescaling method	84
Table 12 Results of the sensitivity analysis on the flowchart of the BBN model	85
Table 13 Types of data used for creating the model in this study	86
Table 14 Sample of the relationships between "Flowering," "Activity after Flowerin Stage," and "Yield Prediction" that may affect longan yield	ng 87
Table 15 CPT values for the Type A Data	87
Table 16 CPT values for the Type B Data	88
Table 17 CPT values for the Type C Data	88
Table 18 Comparison of the predictions of the three models and the actual yields	93
Table 19 Results of the assessment of the accuracy for models A, B, and C	93
Table 20 Difference in the average yield after manipulating management practices	97
Table 21 LMU and the corresponding predicted longan yield and output	98
Table 22 The longan planted areas of each Sub-district with the predictions	
made by the BBN model and the department of agriculture	101

LIST OF FIGURES

Figure 1 Logan, Daw or E-Daw variety that is widely grown in Chiang Mai province	5
Figure 2 Workflow of longan production within a 1-year period	6
Figure 3 The structure of the network built by BBN	11
Figure 4 The probability theory used in Bayes's Network	12
Figure 5 Link between Cause (Parent node) and Effect (Child node)	13
Figure 6 CPT of Parent node	13
Figure 7 CPT calculation of Parent node and Child node	14
Figure 8 Location of research site, Phrao District, Chiang Mai Province	18
Figure 9 Conceptual framework of the research	19
Figure 10 Process of recording image of sample longan tree	22
Figure 11 Process of digital image analysis	23
Figure 12 Parts of the BBN model from Netica software	24
Figure 13 The steps taken to collect, import, and improve the basic database	27
Figure 14 The appearance and organization of the Geodatabase in GIS	29
Figure 15 The improved layers of the Shape file	29
Figure 16 Improvement of a land use map	31
Figure 17 The visual difference between longan and mango plantation on field	32
Figure 18 The results of the field research on the age of longan trees	32
Figure 19 Framework for creating an LMU	33
Figure 20 Longan orchards categorized by the four age groups	34
Figure 21 Water source for longan production	36
Figure 22 Digital Elevation Model (DEM) and slope map of the land	37
Figure 23 Land Mapping Unit Map (LMU)	38
Figure 24 Orchard locations of longan farmers randomly selected for interviews	41
Figure 25 The farm sites selected for photographic documentation	43
Figure 26 a) The six photograph positions on longan trees shorter than 4 meters	45
Figure 26 b) The six photograph positions on longan trees taller than 4 meters	45

Figure 27 Physical conditions of the image	46
Figure 28 The two shapes of a longan tree's canopy	47
Figure 29 Fixing the imbalance issues	48
Figure 30 Image processing steps	50
Figure 31 Process of choosing "training sites" in a photo	52
Figure 32 Results of the classification process	55
Figure 33 Accuracy assessment of longan fruit classification	58
Figure 34 Results of accuracy assessment	59
Figure 35 A graph comparing the yield of sampled trees to the ratio of fruit area in the canopies before harvest	59
Figure 36 The relationship of the longan yield from sampled trees and the area of fr in the canopies before harvest	ruit 60
Figure 37 Distribution of tree spacing in the research field	64
Figure 38 Distribution of when farmers trim their trees	65
Figure 39 Distribution of the shape preference in branch trimming	66
Figure 40 Distribution of the percentage of branches cut off at different extent	67
Figure 41 Distribution of trees in different age groups	67
Figure 42 Distribution of the total fruit area in the canopy before harvest time	68
Figure 43 Distribution of the longan fruit yield level in the target areas	68
Figure 44 Distribution of watering systems	69
Figure 45 Distribution of Soil fertility condition at orchard sites	70
Figure 46 Distribution of longan orchards in different condition of horticultural hea	ılth70
Figure 47 Distribution of applying different rates of fertilizer in kg/rai	71
Figure 48 Distribution of the number of times per year that the trees are watered	71
Figure 49 Distribution of grower's use of herbicides and pesticides	72
Figure 50 The number of times per year farmers tending their orchards	73
Figure 51 Distribution of the use of chemicals containing florigen	73
Figure 52 Information on 30 sampled farms	76
Figure 53 Relationships among all of the factors that affect longan fruit yield	77
Figure 54 Physical characteristics of longan trees which affect the fruit yield	78
Figure 55 Characteristics of the land and management which affect the fruit yield	79

Figure 56 The relationship between weather and tree management during the flowering and fruit-setting stages	80
Figure 57 The BBN model used to assess longan yield	81
Figure 58 The BBN model used for longan yield prediction	82
Figure 59 A sample of the relationship between parent and child nodes	83
Figure 60 The Relationships between the Parent Nodes and Child Node	86
Figure 61 Type A Data Model	90
Figure 62 Type B Data Model	91
Figure 63 Type C Data Model	92
Figure 64 Model for best practices	95
Figure 65 Model for bad practices	96
Figure 66 Map predicting the area distribution of longan production	
in Phrao District	99

ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved

ข้อความแห่งการริเริ่ม

 วิทยานิพนธ์นี้ได้นำเสนอวิธีการใหม่ในการประมาณการณ์ผลผลิตลำไย ซึ่งเป็นไม้ผลและ เป็นพืชระยะยาว ตั้งแต่ปลูกจนถึงเก็บเกี่ยวมีปัจจัยแวคล้อมหลายปัจจัยและมีความไม่แน่นอน สูง โดยวิธีการศึกษาที่ใช้เป็นวิธีการที่รวมเอาข้อมูลเชิงปริมาณและเชิงคุณภาพเข้ามาวิเคราะห์ ร่วมกับองก์กวามรู้ของผู้เชี่ยวชาญต่าง ๆ เพื่อสร้างเป็นเครื่องมือในการกาดการณ์ผลผลิตลำไย และสามารถทดสอบผลผลิตจากสถานการณ์จำลองต่าง ๆ ได้



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

STATEMENT OF ORIGINALITY

1) This thesis shows the new method of estimating longan production. There are a lot of uncertain factors that can negatively affect the number of fruit produced. This study uses methods which take into account and analyze both the qualitative and quantitative data involved and combines that data with the knowledge gained from expert in order to create tools which will assist in the prediction of longan product and which can simulate the product from the models designed to make the decision in production.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved