

Table of Contents

	Page
Acknowledgement	iii
Thai abstract	iv
English abstract	vi
Table of Contents	viii
List of Tables	xii
List of Figures	xvi
Chapter 1 Introduction	1
1.1 Principle, theory, rationale and hypotheses	1
1.2 Objectives of the study	2
1.3 Education/application advantages	2
Chapter 2 Literature review	3
2.1 Varieties of oranges	3
2.2 Varieties of orange in the northern part of Thailand	8
2.3 Benefit for the consumption of orange and their juices	8
2.4 Codex standards for orange juices	9
2.5 Composition of orange juice	11
2.6 Characteristics of orange juice	13
2.6.1 Nutritional characteristics	13
2.6.2 Physical and chemical characteristics	18
2.7 Microbial spoilage of orange juices	23
Chapter 3 Reserch designs, scope and methods	25
3.1 Equipment	25

3.2 Solvents and Chemicals	26
3.3 Material	27
3.4 Analysis	27
3.4.1 Physical analysis	27
3.4.2 Chemical analysis	28
3.4.3 Microbial analysis	28
3.4.4 Nutritional analysis	29
3.4.5 Statistical analysis	29
3.5 Method	29
Chapter 4 Result and discussion	35
4.1 Finding a good quality orange juice from orange fruit produced locally in Chiang Mai	35
4.1.1 Physical measurement of orange juices from Keaw Wan Prae and Sai Namphung varieties	35
4.1.2 Chemical measurement of orange juices from Keaw Wan Prae and Sai Namphung varieties	37
4.1.3 Microbiological measurement of orange juices from Keaw Wan Prae and Sai Namphung varieties	44
4.1.4 Nutritional measurement of different orange juices from Keaw Wan Prae and Sai Namphung varieties	45
4.2 The effects of sugar and salt additions on the quality of fresh orange juice during chilled storage	47
4.2.1 Physical characteristics of Keaw Wan Prae orange juice during chilled storage as affected by sugar and salt additions	48

4.2.2 Chemical characteristics of Keaw Wan Prae orange juice during chilled storage as affected by sugar and salt additions	59
4.2.3 Microbiological characteristics of Keaw Wan Prae orange juice during chilled storage as affected by sugar and salt additions	61
4.2.4 Nutritive values of Keaw Wan Prae orange juice during chilled storage as affected by sugar and salt additions	68
4.3 The effects of orange juice sac addition and pH values on the quality of fresh orange juice during chilled storage	73
4.3.1 Physical characteristics of Keaw Wan Prae orange juice during chilled storage as affected by orange juice sacs and pH values	74
4.3.2 Chemical characteristics of Keaw Wan Prae orange juice during chilled storage as affected by orange juice sacs and pH values	79
4.3.3 Microbiological characteristics of Keaw Wan Prae orange juice during chilled storage as affected by orange juice sacs and pH values	86
4.3.4 Nutritional values of Keaw Wan Prae orange juice during chilled storage as affected by orange juice sacs and pH values	94
Chapter 5 Conclusion	98
References	100
Appendices	108

Appendix A Picture of orange and orange juice	109
Appendix B Orange juice processing	112
Appendix C Physical, chemical, microbiological and nutritional analyses	114
Appendix D Gas Chromatography-Mass Spectrophotometer analysis	125
Appendix E Statistical analyses	131
Curriculum vitae	172

List of Tables

Table		Page
2.1	Dietary value of citrus fruits, per 100 gram edible portion	6
2.2	Nutrition value of orange juices	10
2.3	The mean and range of sodium, potassium and magnesium levels for orange juice and orange fruit drink	12
2.4	Volatile components in orange juices	20
3.1	Different salt and sugar contents of fresh orange juice treatments	31
3.2	Different pH value and orange juice sac addition for fresh orange juice treatments	33
4.1	The physical characteristics of Keaw Wan Prae and Sai Namphung orange juices	36
4.2	The chemical properties of Keaw Wan Prae and Sai Namphung orange juices	38
4.3	Flavour components of Keaw Wan Prae orange juice	40
4.4	Flavour components in Sai Namphung orange juice	41
4.5	Microbiological analysis of Keaw Wan Prae and Sai Namphung orange juices	45
4.6	Vitamin C and carotenoid content of Keaw Wan Prae and Sai Namphung orange juices	46
4.7	The color result of orange juice during chilled storage as affected by sugar addition	51
4.8	The color result of orange juice during chilled storage as affected by salt addition	52

4.9	The browning value of orange juice during chilled storage as affected by sugar addition	54
4.10	The browning value of orange juice during chilled storage as affected by salt addition	54
4.11	The total color difference (ΔE^*) value of orange juice during chilled storage as affected by sugar addition	55
4.12	The total color difference (ΔE^*) value of orange juice during chilled storage as affected by salt addition	56
4.13	The result of viscosity measurement (cps) of orange juice during chilled storage as affected by sugar addition	59
4.14	The result of Total Plate Count (log CFU/ml) of orange juice during chilled storage as affected by sugar addition	65
4.15	The result of Total Plate Count (log CFU/ml) of orange juice during chilled storage as affected by salt addition	66
4.16	The result of lactic acid bacteria (log CFU/ml) of orange juice during chilled storage as affected by sugar addition	66
4.17	The result of lactic acid bacteria (log CFU/ml) of orange juice during chilled storage as affected by salt addition	67
4.18	The result of yeast and mold (log CFU/ml) of orange juice during chilled storage as affected by sugar addition	67
4.19	The result of yeast and mold (log CFU/ml) of orange juice during chilled storage as affected by salt addition	67
4.20	The result of vitamin C content (mg/100ml) of orange juice during chilled storage as affected by sugar addition	70
4.21	The result of vitamin C content (mg/100ml) of orange juice during chilled storage as affected by salt addition	70

4.22	The result of carotenoid content ($\mu\text{g/ml}$) of orange juice during chilled storage as affected by sugar addition	71
4.23	The result of browning value of orange juice during chilled storage as affected by different pH values	75
4.24	The result of cloud stability (%T) of orange juice during chilled storage as affected by an addition of orange juice sac	76
4.25	The result of cloud stability (%T) of orange juice during chilled storage as affected by different pH values	77
4.26	The result of viscosity (cps) of orange juice during chilled storage as affected by different pH values	79
4.27	The result of moisture content (%) of orange juice during chilled storage as affected by different pH values	83
4.28	The result of fiber content (%) of orange juice during chilled storage as affected by different pH values	84
4.29	The result of total titrable acidity (%) of orange juice during chilled storage as affected by different pH values	84
4.30	The result of moisture content (%) of orange juice during chilled storage as affected by different pH values	85
4.31	The result of total soluble solids (TSS) ($^{\circ}\text{Brix}$) of orange juice during chilled storage as affected by different pH values	85
4.32	The result of reducing sugar content (%) of orange juice during chilled storage as affected by different pH values	86
4.33	The result of Total Plate Count (log CFU/ml) of orange juice during chilled storage as affected by different pH values	88
4.34	The result of Total Plate Count (log CFU/ml) of orange juice during chilled storage as affected by orange juice sacs	88


4.35	The result of lactic acid bacteria (log CFU/ml) of orange juice during chilled storage as affected by different pH values	91
4.36	The result of lactic acid bacteria (log CFU/ml) of orange juice during chilled storage as affected by orange juice sacs	91
4.37	The result of yeast and mold (log CFU/ml) of orange juice during chilled storage as affected by different pH values	93
4.38	The result of yeast and mold (log CFU/ml) of orange juice during chilled storage as affected by orange juice sacs	94
4.39	The result of vitamin C (mg/100ml) of orange juice during chilled storage as affected by different pH values	95
4.40	The result of vitamin C (mg/100ml) of orange juice during chilled storage as affected by orange juice sacs	96

List of figures

Figure		Page
2.1	A macroscopic structure of halved orange	5
2.2	Interaction of DCPIP	17
4.1	The result of L value of orange juice during chilled storage as affected by sugar and salt addition	49
4.2	The result of a* value of orange juice during chilled storage as affected by sugar and salt addition	49
4.3	The result of b* value of orange juice during chilled storage as affected by sugar and salt addition	50
4.4	The result of browning value of orange juice during chilled storage as affected by sugar and salt addition	53
4.5	The result of total color difference (ΔE^*) value of orange juice during chilled storage as affected by sugar and salt addition	55
4.6	The result of cloud measurement (%T) for orange juice during chilled storage as affected by sugar addition	57
4.7	The viscosity measurement of orange juice during chilled storage as affected by sugar and salt addition	58
4.8	The result of PE enzyme activity (PMEu/g.s.s) of orange juice during chilled storage as affected by salt addition	60
4.9	The result of reducing sugar (%) of orange juice during chilled storage as affected by sugar and salt addition	61
4.10	The result of total plate count of orange juice during chilled storage as affected by sugar and salt addition	64

4.11	The result of lactic acid bacteria measurement in orange juice during chilled storage as affected by sugar and salt addition	64
4.12	The result of yeast and mold of orange juice during chilled storage as affected by sugar and salt addition	65
4.13	The result of vitamin C content in orange juice during chilled storage as affected by sugar and salt addition	69
4.14	The result of cloud stability of orange juice during chilled storage as affected by orange juice sac and pH levels	76
4.15	The result of viscosity of orange juice during chilled storage as affected by orange juice sac and pH levels	78
4.16	The result of pH of orange juice during chilled storage as affected by orange juice sac and pH levels	81
4.17	The result of moisture content of orange juice during chilled storage as affected by orange juice sac and pH levels	81
4.18	The result of reducing sugar of orange juice during chilled storage as affected by orange juice sac and pH levels	82
4.19	The result of TSS of orange juice during chilled storage as affected by orange juice sac and pH levels	82
4.20	The result of fiber content of orange juice during chilled storage as affected by orange juice sac and pH levels	83
4.21	The result of Total Plate Count of orange juice during chilled storage as affected by orange juice sac and pH levels	87
4.22	The result of lactic acid bacteria of orange juice during chilled storage as affected by orange juice sac and pH levels	90
4.23	The result of yeast and mold of orange juice during chilled storage as affected by orange juice sac and pH levels	93

- 4.24 The result of vitamin C of orange juice during chilled storage as affected by orange juice sac and pH levels 95
- 4.25 The result of carotenoid of orange juice during chilled storage as affected by orange juice sac and pH levels 97



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved