References

Anomymous. 1994. Production technology-mango: 25 years of Indian Institute of Horticulture Research Information Bulletin No. 12. Hessarghatta, Bangalore, p.47.

Agarwala .S.C., P.N.Sharma, C. Chatterjee and P.C. Sharma. 1981. Development and enzymatic changes during pollen development of boron deficient maize. J. Plant. Nutri. 3: 329-336.

Agrawal. A.,S. Ram and G.K. Garg. 1980. Endogenous cytokinins of mango (*Mangifera indica* L.) shoot tips and their significance in flowering. Indian J. Exp. Biot. 18: 504-509.

Agricultural extension data division. 1999. Fruits and staistics of Thailand in 1998-1999. Department of Agricultural extension (DOAE). Bangkok. (in Thai)

AOAC. 1990. Official Method of Analysis volume one. Association of Official Analytical Chemists. U.S.A. 684p.

Arteca, R.N., 1996. Plant Growth Substances: Principle and Application. Chapman&Hall book. New York. 332p.

Atkin, R.K., G.E. Barton and D.K. Robinson. 1973. Effect of root-growing temperature on growth substance of root-growing temperature on growth substances in xylem exudate of *Zea May*. J.Exp. Bot. 24: 475.

Attanant, T.,J. Juntrajareansuk and S. Jintakanout. 1989. Analysis of Soils and Plant laboratory manual. Department of Soil Science. Kasetsart University. Bankok. 171p. (in Thai)

Avilan,L., F. Leal, M. Rodringuez, J. Ruiz and C. Marin. 1996. Mango rootstocks and their influence on fruit shape and size. Acta Hort. 455:479-488.

Bally, I.S.E. 1999. Changes in the cuticular surface during the development of mango (*Mangifera indica* L.) cv. Kensington Pride. Scientia Hortic. 79: 13-22.

Bangker, G.J. and R.N. Prasad. 1992. Relation between stomatal distribution and growth of ber rootstocks. Indian J. Hort. 49(2): 169-171.

Bausher, M.G. and G. Yelennosky. 1986. Sensitivity of potted citrus plants to top spays and soil applications of paclobutrazol. HortScience. 21: 141-143.

Bausher, M.G. and G. Yelennosky. 1987. Morphological changes in citrus associated with relatively high concentrations of paclobutrazol. J. plant Growth Regul. 5: 139-147.

Beakbane, A.B. and P.K. Majumder.1975. relationship between stomatal density and growth potential in apple rootstocks. J. Hort. Sci. 50: 285-289.

Bernier, G. 1988. The control of floral evocation and morphogenesis. Ann. Rev. Plant Physiol. 39: 175-219.

Bernier, G., A. Havelange, C. Houssa, A. Petitjean, and P. Lejeune. 1993. Physiological signals that induce flowering. Plant Cell. 5: 1147-1155.

Bernier, G., J.M. Kinet and R.M. Sachs. 1985. The physiology of Flowering. Vol 1: The Initiation of Flowers. CRC Press, Boca Raton. Florida. 149p.

Bertling, I. And F. Bangerth. 1995. Changes in hormonal pattern of the new growth of *Sclerocarya birrean* after rejuvenation treatment with GA_3 and 'heading back' Gartenbauwissenschaft .60: 119-124.

Bevington, K.B. and W.S. Castle. 1986. Annual root growth pattern of young citrus trees in relation to shoot growth, soil temperature, and soil water content. J. Amer. Soc. Hort. Sci. 110: 840-845.

Burdon, J.N., K.G. Moore and H. Wainwright. 1994. An experimentation of the stomata of the fruits of plantains (*Musa* spp., ABB group) and cooking bananas (*Musa* spp., ABB group). J. Hort. Sci. 69(1): 81-88.

Bohner, J.and F. Bangerth. 1988. Effects of fruit set sequence and defoliation on cell member, cell size and hormone levels of tomato fruits (*Lycopersicum esulentum* Mill.) within a truss. Plant Growth Regul. 7: 141-155.

Burrows, G.E., T.S. Boag, and W.P. Stewert. 1992. Changes in leaf, stem, and root anatomy of chrysanthemum cv. Lillian Hoek following paclobutrazol application. J. Plant Growth Regul. 11: 189-194.

Buwalda, J.G. and A.J. Greaves. 1997. Whole-plant Photosynthesis in Kiwifruit vines-temporal changes on diurnal and seasonal scales. Acta Hort. 444: 343-348.

Chacko, E.K. 1986. Physiology of vegetative and reproductive growth in mango (*Mangifera indica* L) trees. Proc. 1st Austratian Mango Research Workshop. pp. 54-70.

Chadha, K.L. and R.N. Pal. 1986. *Mangifera indica.* In: Halevy, A.C. (ed) CRC Handbook of Flowering. Vol. 5.CRC Press, Boca Raton. Florida, pp. 211-230.

Chacko, E.K., Y.T.N Reddy and T.V. Ananthanarayanan. 1982. Studies on the relationship between leaf number and area and fruit development in mango (*Mangifera indica* L.) J. Hort. Sci. 57 (4): 483-492.

Chaikiattiyos, S., C.M. Menzel and T.S. Rasmussen. 1994. Floral induction in tropical fruit trees: effects of temperature and water-supply. J. Hort. Sci. 69: 397-415.

Chaitrakoolsup, T. and S. Subhadrabanhu, S. 1983. Seasonal Changes in total non-structural carbohydrates in leaves and stem apexes of *Litchi chinensis* Sonn. Var. Hong Huay in ralation to average temperature and rainfall. ASST Newsletter. 16(1): 21-28.

Changjeraja, S. 1996. Effects of Salinity on Growth and Development of Mango. MS. Thesis. Chiang Mai University.Chiangmai. 73p. (in Thai with English abstract)

Chauhan, P.S. and R.M. Pandy. 1984. Relative $^{14}CO_2$ Fixation by leaves and fruits, and translocation of ^{14}C sucrose in mango. Scientia Hortic. 22: 121-128.

Chabot, B.E. and D.J. Hicks. 1982. The ecology of leaf life spans. Ann. Rev. Ecology and Syst. 13: 229-259.

Chen, W.S. 1983. Cytokinins of the developing mango fruit. Plant Physiol. 71: 356-361.

Chen, W.S. 1985. Flower induction in mango (*Mangifera indica* L.) with plant growth substances. Proceedings National Science Council Part B. Life Sciences. Taipei. Republic of China. 9: 9-12.

Chen, W.S. 1987. Endogenous Growth Substances in Relation to Shoot Growth and Flower Bud Development of Mango. J. Amer. Soc. Hort. Sci. 112 (2): 360-363.

Chen, W.S. 1991. Changes in cytokinins before and during early flower bud differentiation in lychee (*Litchi chinensis* Sonn). Plant Physiol. 96: 1203-1206.

Chen, W.S., K.L. Huang and H.C.Yu. 1997. Cytokinins from terminal buds of *Euphoria longana* during different growth stages. Physiol. Plant. 99: 185-189.

Climatological division. 1994. Climatological data of Thailand for 30-year period (1961-1990). Meteorological Data Report.Meteorological Department. Bankok. 138p.

Climate prediction section. 1999. Climate of the northern-region in the year 1998. Climatological report. Northern-region meteorological center. Chiang Mai. 70p.

CNN, 2000a. CNN-El Niño. Fire and Rain : Australia/New Zealand [On line]. Available: http://www.cnn.com/SPECIALS/el.nino/fire.rain/world/australia.n2.html [2000, May 23].

CNN, 2000b. CNN-El Niño: Fire and Rain:Southeast Asia [On line]. Available: http://www.cnn.com/SPECIALS/el.nino/fire.rain/world/se.sia.html [2000, May 23].

CPC. NCEP/NOAA. 2000. El Niño/ Southern Oscillation (ENSO): Diagnostic Advisory 2000/5, May 10, 2000 [On line]. Available : cpc. noaa. Gov/products/analysis_monitoring/ [2000, May 23].

CPC. NCEP/NOAA. 1999a. Mean Tropical Pacific Rainfall, Winds, and Subsurface Ocean Structure [on line]. Avalabie: http:www.cpc.ncep.noaa.gov/products. analysis_monitoring/ensocycle/ menanrain.htm [1999, October 9].

CPC. NCEP/NOAA. 1999b. El Niño-Related Winds, Equatorial Walker Circulation, and Subsurface Ocean Temperature [on line]. Available http://www.cpc.ncep.noaa.gov/products/anlysis_ monitoring/ensocycle/enso-schem.htm [1999, October 9].

CPC. NCEP/NOAA. 1999c. La Niña- Related Winds, Equatorial Walker Criculation, and Subsurface Ocean Structures [On line]. Available. http://www.cpc.ncep.noaa.gov/products/ an...s_monitoring/ensocycle/lanina_schem.htm [1999,October 9]

CPC. NCEP/NOAA. 1999d. Climate Prediction Center : Expert Assessments. La Niña; Discussion update : September 22, 1999. http://www. cpc.ncep.noaa. gov/productd/ analysis_monitoring/lanina/index.htm [1999, October 9].

Cull, B.W. 1991. Mango Crop management. Acta Hort. 291: 60-66.

Davenport, T.L. 1993. Floral manipulation in mangoes. In:China, L.E. and Evans. D.O. (eds) Proceeding of the Conference on. Mango in Hawaii. Cooperative Extension Service, University of Hawaii. Honolulu. pp. 54-60.

Escobar-Gutierre, A.J. and J.P. Gaudillere. 1997. Carbon partitioning in source leaves of peach, a sorbitol-synthesizing species, is modified by photosynthetic rate. Physiol. Plant. 100: 353-360.

Fischer, R.A. and T.C. Hsiao. 1968. Stomatal opening in Isolated Epidermal Strips of *Vicia fiba*.II. Responses of KCl Concentration and the Role of Potassium Absorption. Plant Physiol. 43: 1953-1958.

Flore, J.A. and A.N. Lakso. 1989. Environmental and physiological regulation of photosynthesis in fruit crops. Hort. Rev. 11: 111-157.

Flower, D.J. and M.M. Ludlow. 1986. Contribution of osmotic adjustment to dehydration tolerance of water-stressed pigion pea (*Cajanus cajan* L. mill sp.) leaves. Plant Cell Environ. 9:33-40.

Galan Sauco,V. 1993. The stituation of mango culture in the world. Acta Hort. 341: 31-41.

Galan Sauco,V. 1996. Mango world production (outside Israel Egypt and India) Acta Hort. 455: 15-22.

Gazit, S and A. Kadman. 1980. '13-1' mango rootstock selection. HortScience 15: 669.

George, P.V. and T.N.K. Nair. 1969. On the performance of mono-and polyembryonic rootstocks in mango grafts. Agriculture Research Journal Kerala 7: 7-9.

Gowder, R.B. and I. Irulappan. 1970. Performance of Neelum variety of mango (*Mangifera indica* L.) on polyembryonic rootstocks. Madras Agriculture Journal 57: 29.

Griggs, D.L., P. Hedden, K.E. Temple-Smith and W. Rademacher. 1991. Inhibition of gibberellin 2B-hydroxylases by acylcyclohexanedione derivatives. Phytochemistry. 30: 2513-2517.

Guirguis, N.S. and M.A. Khalil. 1995. Leaf stomata and stem lenticle as a means of identification of some stone fruits stocks. Acta Hort. 409: 229-239.

Hendry, N.S., J. Van Staden and P. Allan. 1982a. Cytokinins in citrus. I. Fluctuations in the leaves during seasonal and development changes. Scientia Hort. 16: 9-16.

Hendry, N.S., J. Van Staden and P. Allan. 1982b. Cytokinins in citrus.I. Fluctuations during growth in juvenile and adult plants. Scientia Hort. 17: 247-256.

Henson,B. and K.E. Trenberth. 1998. Children of the Tropics : El Niño and La Niña. Lasers. El Niño [on line]. Available : http://www.ucar.edu/ Publications/lasers/elnino [1999, October 9].

Higuchi, H., T. Sakuratani and N. Utsunomiya. 1999. Photosynthesis, Leaf morphology, and shoot growth as affected by temperatures in cherimoya (*Annona Cherimola* Mill) trees. Scientia Hortic. 80: 91-104.

Hoagland, D.R. and D.I. Arnon. 1952. The Water Culture method for Growing Plant Without Soil. California Agriculture Experiment Station, Bulletin No. 147.

Humble, G.D. and T.C. Hsoao. 1970. Light-dependent Influx and Efflux of Potassium of Guard Cells during Stomatal Opening and Closing. Plant Physiol. 46: 483-487.

Humble, G.D. and T.C. Hsoao. 1968.Specific Requirement of Potassium for Light- Activated Opening of Stomata in Epidermal strips. Plant Physiol. 44: 230-234.

Humble, G.D. and K. Raschke. 1971. Stomatal Opening Quantitatively Related to Potassium Transport: Evidence from electron probe analysis. Plant Physiol. 48: 447-453.

Itai, C. and H.Birnbaum. 1996. Synthesis of plant Growth Regulators by Roots. In: Waisel, Y.,A. Eshel and U. Kafkafi (eds) Plant Roots : The hiddenhaff 2nd ed.Mercel Dekker, Inc., New York. pp. 273-284.

Itai, C. and Y, Vaadia. 1971. Cytokinin Activity in water-stressed Shoots. Plant Physiol. 47: 87-90.

Ital, N.,N.Moran and A. Schwartz. 1995. The Role of Potassium Channels in the Temperature Control of stomatal Aperture. Plant Physiol. 108: 1161-1170.

Jauhari, O.S., S.S. Teotia and S.K. Upadhyay. 1972. Rootstock studies in *Mangifera indica* L. Acta Hort. 24: 107-109.

Jimenez, V.M. 2000. Endogenous Hormone Levels in Wheat, Maize, Barley, Carrot, Grapevine, and *Citrus* Tissues, and the Relationship to their *in vitro* Somatic Embryogenesis. Doktor Dissertation. Universitat Hohenheim, Institut fur Obst-,Gemuse and Weinbau. 173 p.

JPL.NASA. 2000. La Niña__still a 'cool' problem child : El Niño/La Niña Watch, March 23, 2000 [On line]. Available : http://www.jpl.nasa.gov/elnio/20000323.html [2000, May 23].

JPL.NASA. 1999a. Pacific still battling between hot and cold : EL Niño/La Niña Watch, October 21, 1998 [On line]. Available : http://www.jpl.nasa.gov/Elniño/981021.htm [1999, October 9].

JPL.NASA. 1999b. La Niña conditions likely to prevail. El Niño/La Niña watch, October 20, 1999 [On line]. Available: http://www.jpl.nasa-gov/elnio/991020 html [2000, May 23].

Juthamanee, K. 1989. Changes in level of Gibberellin-like Substances during Vegetative Growth and Flowering of Mango (*Mangifera india* L.) cv. Khiew Sawoey. M.S. Thesis. Kasetsart University. Bangkok. 65p. (in Thai with English abstract)

Kachru, R.B., R.N. Singh and E.K. Chacko. 1971. Inhibition of flowering in mango (*Mangifera indica* L.) by gibberellic acid. HortScience .6: 140-141.

Kadman, A., S. Gazit and G. Ziv. 1978. Experiment with the selection of mango rootstocks for the Southern Arava. Israel J. Bot. 27: 34-35.

Kamboj, J.S., P.S. Blake, J.D. Quinlan, A.D. Webster and D.A. Baker. 1997. Recent Advances in Studies on the Dwarfing Mechanism of Apple Rootstocks. Acta Hort. 451: 75-82.

Kamboj, J.S., P.S. Blake, J.D. Quinlan, A.D. Webster and D.A. Baker. 1999. Identification and quantitation by GC-MS of zeatin and zeatin riboside in xylem sap from rootstock and scion of grafted apple trees. Plant Growth Regul. 28 : 199-205.

Kanlayanarat, S.,S. Subhadrabandhu and C. Baabprasert. 1982. Total Nonstructural Carbohydrate and Total Nitrogen Content in leaves and Terminal shoots of Mango (*Mangifera indica* L.) var. Nam Dok Mai throughout the year. Kasetsart J. (Nat. Sci.) 16(2): 41-51. (in Thai with English abstract)

Kanlayanarat, S. and S. Subhadrabandhu.1984. Seasonal Changes of Nitrogen, Phosphorous and Potassium Contents in Leaves and Terminal Shoots of Mango (*Mangifera indica* L.) var. 'Nam Dok Mai' Kasetsart J. (Nat. Sci) 18: 61-67. (in Thai with English abstract)

Kozlowski, T.T. and S.G. Pallardy. 1997. Physiology of Woody Plants. 2nd ed. Academic press. San Diego, California. 411p.

Kramer, P.J and J.S. Boyer. 1995. Water Relation of Plants and Soils. 2nd ed., Academic Press, Inc., San Diego, California. 495 p.

Krishnamurthi. S, G.S. Randhawa and P.C. Sivaraman Nair. 1960. Growth studies in the mango (*Mangifera indica* L.) under Delhi (sub-tropical) condition. Indian J. Hort. 17: 107-108.

Kohli, R.R. and Y.T.N. Reddy. 1988. Influence of Rootstocks on Growth, Yield and leaf nutrient composition of Alphonso mango. Acta Hort. 231: 225-231.

Kulkarni,V.J. 1986. Graft-induced off-season flowering and fruiting in the mango (*Mangifera indica* L.) J. Hort. Sci. 61: 141-145.

Kulkarni,V.J. 1988a. Furthur studies on graft-induced off-season flowering and fruiting in mango (*Mangifera indica* L.). J. Hort. Sci. 63: 361-367.

Kulkarni,V.J. 1988b. Evidence of Graft transmissible flowering factors in Mango. Acta Hort. 231: 4426-4432.

Kulkarni,V.J. 1991. Physiology of flowering in mango studied by grafting. Acta Hort. 291: 95-104.

Kurian, R.M. and C.P.A. Iyer. 1993a. Chemical regulation of tree size in mango (*Mangifera indica* L.) cv. Alphonso. II. Effects of growth retardants on flowering and fruits set. J. Hort Sci. 68: 355-360.

Kurian, R.M. and C.P.A. Iyer. 1993b. Chemical regulation of tree size in mango (*Mangifera indica* L.) cv. Alphonso. III. Effects of growth retardants on yield and quality of fruits. J. Hort. Sci. 86: 361-364.

Kurian, R.M., G.S.R. Murti and C.P.A. Iyer. 1992. Changes in cytokinin levels in mango (*Mangifera indica* L.) leaf extracts following soil drenches with paclobutrazol. Gartenbauwissenschaft. 57: 84-86.

Kurian,R.M., V.V.P. Reddy and Y.T.N Reddy. 1996. Growth, yield, fruit quality and leaf nutrient status of thirteen year old 'Alphonso' mango trees on eight rootstocks. J. Hort. Sci. 71: 181-186.

Larson, K.D., B. Schaffer and F.S. Davies. 1992. Flooding, mineral nutrition and gas exchange of mango trees. Scientia Hortic. 52: 113-124.

Lassoie, J.P., N. Fetcher and D.J. Solo. 1977. Stomatal infiltration pressures versus porometer measurements of needle resistance in Douglas- fir and lodgepole pine. Can. J. for. Res. 7: 192-196.

Letham,D.S. and M.S. Palni. 1983. The biosynthesis and metabolism of cytokinins. Ann. Rev. Plant Physiol. 34: 163-197.

Manochai, P. 1992. Effect of Root Temperatures on Growth and Development of Mango. M.S. Thesis. Chiang Mai University. Chiangmai. 116p. (in Thai with English abstract)

Manochai, P. 1994. Induction of Off-season Flowering in Mango by Grafting. J. Agriculture .10(1): 50-57.

Majumder, P.K., B.P. Chakladar., and S.K. Mukherrjee. 1969. Selection and classification of mango rootstocks in the nursery stage. Abs. int. Symp. Mango and Mango and Mango Cult., New Dehli, 11-12.

Map and Climatological data section. 1999. Climatological data of the northern-region for the period 1991 to 1999. Northern-region Meteorological center. Chiangmai.

Map and climatological data section. 2000. Climatological data of the northern-region in the year 2000 (up to date at 2000, April 2). Northern-region Meteorological center. Chiangmai.

Marquat, C., M. Vandamme, M. Gendraud and G. Petel. 1999. Dormancy in vegetative buds of peach : relation between carbohydrate absorption potentials and carbohydrate concentration in the bud during dormancy and its release. Scientia Hortic. 79: 151-162.

Menzel, C.M., T.S. Rasmussen and D.R. Simpson. 1989. Effect of temperature and leaf water stress on growth and flowering of litchi (*Litchi chinesis* Sonn). J. Hort. Sci. 64: 739.

Miller, C.O. 1963. Kinin and kinin-like compounds. In: Linskens. H.F. and M.V. Tracey. (eds). Modern Methods of Plant Analysis. Vol 6. Springer. Bertin, pp. 194-202.

Mills, H.A. and J.B. Jones. 1996. Plant Analysis Handbook II. 2nd ed. Micro Macro Publishing, Inc. Athens, Georgia. 442p.

Mittelheuser, C.J. and R.F.M. Van Steventinok. 1969. Stomatal Closure and Inhibition of Transpiration induced by (RS)-Abscisic Acid. Nature. 221: 281-282.

Mizrahi, Y, A. Blumenfeld and A.E. Rishmond. 1970. Abscisic Acid and Transpiration in leaves in Relation to Osmotic Root Stress. Plant Physiol. 46: 169-171.

Nartvaranant, P.,P. Tongumpi and K. Jutamance. 1999. Effect of Inflorescence Thinning on shoot, leaf and Bark Carbohydrate Content and Fruit Retention of Mango (*Mangifera indica* L.) cv. Nam Dok Mai. Thai. J. Agric. Sci. 32(1) : 85-93.

Nartvaranant, P.,P. Tongumpi and K. Jutamance. 1998. Changes in Carbohydrate Concentration of Mango (*Mangifera indica* L.) cv. Nam Dok Mai) Tissues during Inflorescence Development. Thai. J. Agric. Sci. 31(2): 243-251.

National Geographic Magazine. 2000a. El Niño/La Niña: Nature's Vicious Cycle [On line]. Available: http://www. Nationalgeographic.com/elnino/mainpage 2 .html [2000, May 24].

National Geographic Magazine. 2000b. El Niño/La Niña Nature's Vicious Cycle [On line] . Available: http://www.nationalgeographic.com/elnino/mainpage 3 html [2000, May 24].

National Geographic Magazine. 2000c. Weathering the Storm: El Niño left fingerprints all over the planet. Did it hit you too? [On line]. Available: http://www.nationalgeographic. com/elnino/forum.html [2000, May 24].

NIC.FB4/NOAA. 1999. Typical Impacts of Warm (El Niño/Southern Oscillation-Enso and Cold Episodes [On line].Available: [1999,October 9]

Nilsen, E.T. and D.M. Orcutt. 1996. The physiology of plants under stress. John Wiley& sons Ins., New York. 689 p.

Nunez-Elisea, R. and T.L Davenport. 1991. Effect of duration of low temperature treatment on flowering of containerized 'Tommy Atkins' mango. HortScience. 26:751 (abstract)

Nunez-Elisea, R. and T.L Davenport. 1992. Requirement for mature leaves during floral induction and floral transition in developing shoots of mango. Acta Hort. 296: 33-37.

Nunez-Elisea, R. and T.L Davenport. 1993. Flowering of mango trees in container as influenced by seasonal temperature and water stress. Scientia Hortic. 58: 57-66.

Nunez-Elisea, R. and T.L Davenport. 1995. Effect of. Leaf age, duration of cool temperature treatment, and photoperiod on bud dormancy release and floral initiation in mango. Scienta Hortic. 62 : 63-73.

Nunez-Elisea, R. and T.L Davenport. 1996. Control of bud morphogenesis in mango (*Mangifera indica* L.) by girdling, defoliation and temperature modification. J. Hort. Sci. 71: 25-40.

Nunez-Elisea, R. and T.L Davenport. 1998. Gibberellin and temperature effects on dormancy release and shoot morphogenesis of mango (*Mangifera indica* L.) Scientia. Hortic 77: 11-21.

Nunez-Elisea, R., Davenport, T.L. and Caldeira, M.L. 1993. Bud initiation and morphogesis in 'Tommy Atkins' mango as affected by temperature and triazole growth retardants. Acta Hort. 341: 192-198.

Oppenheimer, C. 1960. The relationship between tree size and yield in mango and avocado. Hort Adv.4: 6-15.

Pallas, J.E. and J.E. Box. 1970. Explanation for the Stomatal Response of Excised Leaves to Kinetin. Nature. 227: 87-88.

Pal, S. and S. Ram. 1978. Endogenous Gibberellins of Mango shoot-tips and Their Significance in Flowering. Scientia Hortic. 9: 369-379.

Panthukasaemsuk, T. 1990. The Mango. Prachachon co, Bangkok. 121p. (in Thai)

Pathak, R. K., D. Pandey and V.S. Pandey. 1977. Stomatal distribution as an index for predicting vigour of plum rootstocks. Indian J. Hort. 34 (2): 117-119.

Phattaralerphong, J. 1997. Photosynthetic Light Response at Various Leaf Ages in Two Mango Cultivars. M.S. Thesis. Kasetsart University. Bangkok. 71p. (in Thai with English abstract)

Patric, J.W. 1987. Are hormones involved in assimilates transport. In: Hood, J.R. Lenton, M.B. Jackson and R.K. Atkin (eds) Hormone Action in Plant Development---A Critical Apprasial. Robert Hartnoll Ltd. Bodmin, Corwal. pp. 175-178.

Paulas, D. and K.G. Shanmugavelu. 1989. Physiological and biochemical changes in the leaf tissues from quiescent to fruiting stages of mango. Acta Hort. 231: 394-398.

Pearce, D.W., M. Koskioka and R.P. Pharis. 1994. Review-chromatography of gibberellins. J. Chromatography. 658: 91-122.

Pielke, R.A., Jr. and C.W. Landsea. 1999. La Niña, El Niño, and Atlantic Hurricane Damages in the United States [On line]. Available : http://www.aoml.noaa.gov/hrd/Landsea/lanina/index.htm [1999,October 9].

Pleaksawan, M. 1988. Impact of El Niño on Rain fall of Thailand. Meteorological Department. Bangkok. 56p.

Pleaksawan, M. 1997. Enso (El Niño/Southern Oscillation) Climatological J. 32 (3): 9-14.

Pongsomboon, W. 1991. Effects of temperature and water stress on tree growth, flowering, fruit growth and retention of mango (*Mangifera indica* L.). Ph.D. Thesis. Kasetsart University. Bangkok.

Pongsomboon, W., A.W.Whiley, R.A. Stephen and S. Subhadrabanhu. 1992. Effect of air temperatures on diurnal variation of water potential, conductance and CO_2 assimilation of mango (*Mangifera indica* L.) leaves. Acta Hort. 321: 472-481.

Pongsomboon,W.,S. Subhadrabandhu and R.A. Stephenson. 1997. Some aspects of the ecophysiology of flowering intensity of mango (*Mangifera indica*.L.) cv.Nam Dok Mai in a semi-tropical monsoon Asian climate. Scientia Hortic. 70: 45-56.

Phivnil, K. 1999. Quantitative Analysis and Changes in Gibberellin-like Substances in Stem Apex prior to leaf flushing of Lychee cv. Hong Huay and Marian Plum cv. Toon Klaow. M.S. Thesis. Chiang Mai University. Chiangmai. 90p. (in Thai with English abstract)

Rademacher, W. 1991. Biochemical effects of plant growth retardants. In:Gausman H.W.(ed). Plant Growth Regulators. Marcel Dekker. New York. pp. 169-200.

Rahman, M.A, T.H. Thomas, G.L.Dos and L. Howell. 1975. Change in endogenous plant hormones in cherry tomato fruits during development and maturation. Physiol. Plant. 34: 39-43.

Rajan, S. and D. Pandey. 1991a. Studies on propagational techniques in mango. Central Institute of Horticulture for Northern Plains Annual Report 1989-90.Lucknow.pp. 19-20.

Rajan, S. and D. Pandey. 1991b. Standardization of rootstock on mango. Central Institute of Horticulture for Northern Plains Annual Report 1989-90.Lucknow.pp 17-29.

Rameshwar, A. 1989. Mango flowering-stress induced. Acta Hort. 231: 433-439.

Ramina, A., W.P. Hackett and R.M. Sachs. 1979. Flowering in bougainvilla-function of assimilate supply and nutrient diversion. Plant Physiol. 64: 810-813.

Ravishankar, H., M.M. Rao and K.M. Bojappa. 1979. Fruit-bud differentiation in mango 'Alphonso' and 'Totapuri' under mild tropical rainy conditions. Scientia Hortic. 10: 95-99.

Reddy,Y.T.N., R.R. Kohli, G. Singh and B.S. Bhargava. 1989. Effect of rootstocks on growth, yield and leaf nutrient composition of mango (*Mangifera indica* L.). Fruits : 44 : 409-413.

Rogers, C.,P.J.H Sharpe, R.D. Powell and R.D. Spence. 1981. High-temperature Disruption of guard cells of *Vicia faba* : Effect on stomatal aperture. Plant Physiol. 67: 193-196.

Rujjanakrikant, L and Rattanapanont, N. 1990. The principle of Food Analysis. Department of food Science and Technology. Chiang Mai University. 270p. (in Thai)

Sach, R.M. 1977. Nutrient diversion: an hypothesis to explain the chemical control of flowering. HortScience 12: 220-222.

Sach, R.M. and W.P. Hackett. 1983. Source-sink relationships and flowering. In: Meudt, W.J. (ed.) Strategies of Plant Reproduction. Allenheld. Osmun. Ottawa. pp. 263-272.

Salisbury, F.B. and C.W. Ross. 1992. Plant Physiology 4th ed. Wadsworth, Belmont, California. 682p.

Samadar,H.N.and U. Chakrabarti. 1988. Effect of Different Rootstocks on Himsagar and Langra. Acta Hort. 231: 220-224.

Sawanichawong, A., P. Samrit, J. Jindathai and J. Treamsinwahich. 1991. Everbearing Mango. Agri. News. 36: 1-6. (in Thai)

Schaffer, B. and G.O. Gaye. 1989. Net gas exchange and chlorophyll and nitrogen content of mango leaves as influenced by development light environment. HortScience. 24: 507-509.

Schaffer,B., A.W. Whiley and J.H. Crane. 1994. Mango. In: Schaffer,B. and P.C. Anderson(eds) 1994. Handbook of Environmental Physiology of fruit crops volume II: Sub-Tropical and Tropical crops. CRC Press. Florida. pp. 165-190.

Scholefield, P.B., I.W. Baker and D.M.E. Alexander. 1986. Flowering maturity time, production and fruit characteristics of mango cultivars in the Northern Territory. Proc. 1st Australian Mango Research Workshop. pp. 173-185.

Searle, C., A.W. Whiley, D.R. Simpson, J.B. Saranah and T.S. Rasmussen. 1997. Phenophysiological modelling with mango cvs. Kensington and Irwin in subtropical Australia. In:Flowering behaviour and subsequent productivity in mango. ACIAR PROJECT 9012 Annual report 1996/97. Department of Primary Industries. Queensland. pp. 90-102 .

Shu,Z.H. and T.F. Sheen. 1987. Floral Induction in Axillary Buds of Mango (*Mangoifera indica* L.) as affected by Temperature. Scientia Hortic. 31: 81-87.

Sinclair, T.R. and M.M. Ludlow. 1985. Who taught pants thermodynamics? The unfulfilled potential of plant water potential. Aust. J. Plant Physiol. 12: 213-217.

Singh,R.N. 1959. Studies in the differentiation and development of fruit buds in mango (*Mangifera indica* L.) varieties III. Mango shoots and fruit bud differentiation. Hort Adv. 3: 28-49.

Singh, L.B. 1997. Mango. In: Alvin, P.T. and T.T. Kozlowski (eds). Ecophysiology of Tropical Crops. Academic Press. New York. pp. 479-485.

Singh, U.R. and A.P. Singh. 1976. Rootstock studies in mango (*Mangifera indica*) Prog Hort. 8: 13-19.

Singh, Z.,L. Singh and B.S. Dhillon. 1995. Promotion of floral axillary buds and vegetative growth with terminal decapitation of shoots in mango. Indian J. Hort. 52(3): 153-158.

Sivagami, S., K.P. Vijayan and N. Natarajaratnam. 1989. Effect of nutrients and growth regulating chemicals on biochemical aspects and hormonal balance with reference to apical dominance in mango. Acta Hort. 231: 476-482.

Skene, K.G.M. and G.H. Kerride. 1967. Effect of root temperature on cytokinin activity in root exudate of *Vitis vinifera* L. Plant Physiol. 42: 1131.

Smith, D., G.M. Pavlsen and C.A. Raguse. 1964. Extraction of total available carbohydrates from grass and legume tissue. Plant Physiol. 39: 960-962.

Srivastava, K.C., M.S. Rajput, N.P. Singhand and B. Lai. 1988. Rootstock studies in mango cv. Dashehari. Acta Hort. 231: 216-219.

Stephenson, R.A., H.L. Ko and E.C. Gallagher. 1989. Plant water relations of stressed, non-bearing macadamia tree. Scientia Hortic. 39: 41-53.

Street , M.E. and H. Opik. 1984. The Physiology of Flowering Plant: their Growth and Development. 3rd ed. Edward Arnold. London. 279p.

Subhadrabandhu, S.,P. Tongumpai, S. Ketsa and N. Suppakitjarak. 1997. Study of Paclobutrazol on mango (*Mangifera indica* L.) cv. Khiew Sawoey.II Effect on Total Nonstructural Carbohydrates, Reducing Sugars and Total Nitrogen contents in Terminal Shoots. Thai. J. Agric. Sci. 30: 269-282.

Suplee,C. 2000. El Niño/La Niña: Nature's Vicious cycle [On line]. Available: http://www. Nationalgeographic. Com/elnino/mainpage.htm [2000, May 24].

Swamy, G.S., E.V.R. Rao and D.S. Raju. 1972. Polyembryonic rootstocks for mango. Acta Hort. 24: 110-113.

Takahashi, N. (ed). 1986. Chemistry of Plant Hormones. CRC Press, Boca Raton.

Tatt, O.H. 1976. Climate changes in water balance and their effects on tropical flowering. Planta. 52: 74-179.

Thakur,R.S., R.P. Srivastava, K.L. Chadha and N.P. Singh. 1989. Effect of Rootstocks on mineral composition of mango leaves. Acta Hort 231: 232-238.

Tal, M., D. Imber and C. Ital. 1970. Abnormal Stomatal Behavior and Hormonal Imbalance in *flacca*, a Wilty Mutant of Tomato. I. Root effect and Kinetin-like activity. Plant Physiol. 46: 367-372.

Tal, M. and D. Imber. 1970 Abnormal Stomatal Behavior and Hormonal Imbalane in *flacca*, a Wilty Mutant of Tomato. II Auxin and Abscisic acid-like activity. Plant Physiol. 46: 373-376.

Tal, M. and D. Imber. 1971. Abnormal Stomatal Behavior and Hormonal Imbalance in *flacca*, a Wilty Mutant of Tomato.III. Hormone Effects on the water status in the Plant. Plant Physiol. 47: 847-850.

Taylor, J.S., B. Thompson, J.S. Pate, C.A. Atkins and R.P. Pharis. 1990. Cytokinins in the phloem sap of while lupin (*Lupinus albus* L.). Plant Physiol. 94: 1714-1720.

Tongumpai. P., N. Hongsbhanich and C.H. Voon. 1989. Cultar-for flowering regulation of mango in Thailand, Acta Hort. 239: 375-378.

Tongumpai, p., K. Jutamanee and S. Subhadrabandu. 1991a. Effect of paclobutrazol on flowering of mango cv. Khiew Sawoey.Acta Hort. 291: 67-70.

Tongumpai, p., K. Jutamanee, R. Sethapakdi and S. Subhadrabandu. 1991b. Variation in level of gibberellin-like substances during vegetative growth and flowering of mango cv. Khiew Sawoey. Acta Hort. 291: 105-107.

Tongumpai,P.,S. Subhadrabandhu, N. Suppakitjarak and S. Ketsa. 1997. Study of paclobutrazol on mango (*Mangifera indica* L.) cv. Khiew Sawoey I. Effect on Gibberellin-like substances in terminal shoot and flowering. Thai.J.Agric.Sci.30: 147-158.

Tunsuwan, T. 1976. Untersuchungen über die Netto- Assimilationsleistung and die stoffverteilung bei Kohlrabi (*Brassica oleracea* var. Gongylodes L.) Doktor Dessertation. Technical University. Berlin. p. 106.

Tunsuwan, T. and G. Bünemann. 1973. Spaltöffnungsverhalten bei Apfelbäumen mit und ohne Früchte. Gartenbauwiss. 38: 109-115.

U.S. Department of Commerce. NOAA. 1999. Answers to La Niña frequently asked question. http://www.elnin.noaa.gov/lamina_new_faq.htm [1999,October 9].

U.S Department of Commerce/NOAA/PMEL/TOA. 1999a. What is La Niña?. [On line] Available: http://www.pmel.noaa.gov/toga-tao/la-nina-story-htm [1999, October 9].

U.S Department of Commerce/NOAA/PMEL/TOA. 1999b. Moored Buoys of the Tropical Atmosphere-Ocean Array [On line]. Available: http://www.pmel.noaa.gov/toga-tao/brochre.htm [1999, October 9].

Vemmos, S.N. 1995. Carbohydrate changes in Flower, leaves, shoots and spurs of 'Cox's orange Pippin ' apple during flowering and fruit setting period. J. Hort. Sci. 70: 889-900.

Vu.J.C.V and G. Yelenosky. 1992. Growth and photosynthesis of sweet orange plants treated with paclobutrazol. J. Plant Growth Regul. 11: 85-89.

Wang, L.H. and C.H. Lin. 1992. Effect of paclotrazol on physiological and biochemical changes in the primary roots of pea. J. Exp. Bot. 43: 1367-1372.

Whiley, A.W., C. Searle, B. Schaffer and B.N. Wolsten holme. 1999. Cool Orchard Temperatures or Growing Trees in Containers Can Inhibit Leaf Gas ExChange of Avocado and Mango. J. Amer. Soc. Hort. Sci. 124(1): 46-51.

Whiley,A.W., T.S. Rasmussen, J.B. Saranah and B.N. Wolstenholme. 1989. Effect of temperature on growth, dry matter production and starch accumulation in ten mango (*Mangifera indica* L.) cultivars. J. Hort. Sci. 64: 753.

Whiley, A.W., J.B. Saranah, T.S. Rasmussen, E.C. Winston and B.N. Wolstenholme. 1988. Effect of temperature on 10 mango cultivars with relevance to production in Australia. Proceeding 4th Australasian Conference on tree and Nut Crops. ACOTANC. Lismore. pp. 176-185.

Whiley,A.W., T.S. Rasmussen, B.N. Wolstenholme, J.B. Saranah, and B.W. Cull. 1991. Interpretation of growth responses of some mango cultivars grown under controlled temperatures. Acta Hort. 291: 22-31.

Whiley, A.W., T.S.,Rasmussen, J.B. Saranah and B.N. Wolstenholme B.N. 1989. Effect of temperature on growth, dry matter production and starch accumulation in ten mango (*Mangifera indica* L.) cultivars. J. Hort. Sci.. 64: 753-765.

Williamson, J.G. and D.C. Coston. 1989. The relationship among root growth, shoot growth, and fruit growth of peach. J.Amer.Soc. Hort. Sci. 114: 180-183.

Wolstenholme, B.N. and D. Hofmeyer. 1985. Effect of various floral induction treatments on container-grown mango trees. South African Mango Grower's Association Research Report. 5: 36-38.

Wolstenholme, B.N. 1990. Resource allocation and vegetative-reproductive competition: opportunities for manipulation in evergreen fruit trees. Acta Hort. 275: 451-459.

World Wildlife Fund (WWF) 1998. Rain Forest Fire Crissis : WWF Experts Report Forest Fires Out of Control Around the World. [On line]. Available: http://www.wwf.org/new/fires/home.htm [1999, April 3]:

Yemm, E.W. 1935. The respiration of barley plants. I. Method for the determination of carbohydrates in leaves. Proc. Royal Soc. London (Ser. B.). 117: 483-504.

Yokata, T.,N. Murofushi and N. Takahashi. 1980. Extraction, purification and identification. pp. 113-201. In J.Mac Millan (ed.). Encyclopedia of Plant Physiology. vol. 9. Hormones. Springer- Verlag. Heidelberg. pp. 113-201.

Yopp, J.H., L.H. Aung and G.L. Steffens. 1986. Bioassays and Other Special Techniques for Plant Growth Hormones and Plant Growth Regulator. Plant Growth Regulator Society of America, Van Nostrand Reinhold Co. New York. 208p.