

## REFERENCES

1. Fuss Z, Tsesis I, Lin S. Root resorption--diagnosis, classification and treatment choices based on stimulation factors. *Dent Traumatol* 2003;19:175-182.
2. Harris EF. Root resorption during orthodontic therapy. *Semin Orthod* 2000;6:183-194.
3. Sameshima G, Sinclair P. Predicting and preventing root resorption: Part I Diagnostic factors. *Am J Orthod Dentofacial Orthop* 2001;119:505-510.
4. Mirabella A, Artun J. Risk factors for apical root resorption of maxillary anterior teeth in adult orthodontic patients. *Am J Orthod Dentofacial Orthop* 1995;108:48-55.
5. Linge BO, Linge L. Apical root resorption in upper anterior teeth. *Eur J Orthod* 1983;5:173-183.
6. Linge L, Linge BO. Patient characteristics and treatment variables associated with apical root resorption during orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1991;99:35-43.
7. Smale I, Artun J, Behbehani F, Doppel D, Hof Mvt, Kuijpers-Jagtman A. Apical root resorption 6 months after initiation of fixed orthodontic appliance therapy. *Am J Orthod Dentofacial Orthop* 2005;128:57-67.
8. Brezniak N, Wasserstein A. Root resorption after orthodontic treatment: Part 1. Literature review. *Am J Orthod Dentofac Orthop* 1993;103:62-66.
9. Brezniak N, Wasserstein A. Root resorption after orthodontic treatment : Part 2. Literature review. *Am J Orthod Dentofacial Orthop* 1993;103:138-146.
10. Levander E, Malmgren O. Long term follow-up of maxillary incisors with severe apical root resorption. *Eur J Orthod* 2002; 22:85-92.
11. Proffit WR. and Fields HW.: The Biological Basis of Orthodontic Therapy. In *Contemporary Orthodontic* 3th Ed. Mosby, St.Louis, Missouri: 1999, pp 298-305.
12. Robert WU.:Bone Physiology, Metabolism and Biomechanics in Orthodontic Practice. In Graber TM. *Orthodontics current principles and techniques*. 3th Ed. Mosby, St.Louis, Missouri : 2000, pp 231.
13. Brudvik P, Rygh P. Root resorption after local injection of prostaglandin E2 during

- experimental tooth movement. *Eur J Orthod* 1991;13:255-263.
14. Brudvik P, Rygh P. Non-clast cells start orthodontic root resorption in the periphery of hyalinized zones. *Eur J Orthod* 1993;15:467-480.
  15. Brudvik P, Rygh P. The initial phase of orthodontic root resorption incident to local compression of the periodontal ligament. *Eur J Orthod* 1993;15:249-263.
  16. Brudvik P, Rygh P. Multi-nucleated cells remove the main hyalinized tissue and start resorption of adjacent root surfaces. *Eur J Orthod* 1994;16:265-273.
  17. Brudvik P, Rygh P. Root resorption beneath the main hyalinized zone. *Eur J Orthod* 1994;16:249-263.
  18. Brudvik P, Rygh P. The repair of orthodontic root resorption: an ultrastructural study. *Eur J Orthod* 1995;17:189-198.
  19. Hellsing E, Hammarstrom L. The hyaline zone and associated root surface changes in experimental orthodontics in rats: a light and scanning electron microscope study. *Eur J Orthod* 1996;18:11-18.
  20. Brudvik P, Rygh P. Transition and determinants of orthodontic root resorption-repair sequence. *Eur J Orthod* 1995;17:177-188.
  21. Andreasen J. Review of root resorption systems and models. Etiology of root resorption and homeostatic mechanisms of periodontal ligament. In: Davidovitch Z, editor. *Biological mechanisms of root eruption and resorption*; 1988.
  22. Brezniak N, Wasserstein A. Orthodontically induced inflammatory root resorption. Part I: The basic science aspects. *Angle Orthod* 2002;72:175-179.
  23. Thilander B, Rygh P. and Reitan K.: *Tissue Reaction in Orthodontic*. In Graber TM., *Orthodontics current principles and techniques*. 3th Ed. Mosby, Inc., St.Louis, Missouri: 2000, pp 173-184.
  24. Rygh P. Orthodontic root resorption studied by electron microscopy. *Angle Orthod* 1977;47:1-16.
  25. Al-Qawasmi RA, Haersfield JK, Everett ET, Flury L, Liu L, Foroud TM. Genetic Predisposition to external apical root resorption in orthodontic patients: Linkage of Chromosome-18 Marker. *J Dent Res* 2003;82:356-360.
  26. Hartfield JK, Everett ET, Al-Qawasmi RA. Genetic factors in external apical root resorption and orthodontic treatment. *Cri Rev Oral Biol Med* 2004;15:115-122.
  27. Becks H. Orthodontic prognosis: evaluation of routine dentomedical examination

- to determine "good and poor risks". Am J Orthod 1939;25:610-624.
28. Loberg E, Engstrom C. Thyroid administration to reduce root resorption. Angle Orthod 1994;64:395-399.
  29. Poumpros E, Loberg E, Engstrom C. Thyroid function and root resorption. Angle Orthod 1994;64:389-393.
  30. Verna C, Hartig L, Kalia S, Melsen B. Influence of Steroid drugs on orthodontically induced root resorption. Orthod Craniofac Res 2006;9:57-62.
  31. Davidovitch Z, Lee Y, AL C, Park Y, Bursac Z. The immune system possibly modulates orthodontic root resorption. In *Biological Mechanisms of Tooth Movement and Craniofacial Adaptation*. Boston. Mass: Harvard Society for the Advancement of Orthodontics; 2000. pp.207-217.
  32. Engstrom C, Granstrom G, Thilander B. Effect of orthodontic force on periodontal tissue metabolism. Am J Orthod Dentofac Orthop 1988;93:486-495.
  33. Bielaczyc A, Golebiewska M. Ultrastructural changes on the root surface in "pressure zone" after experimental movement of teeth in young rats fed a low calcium and vitamin D-deficient diet. Roczn Akad Med Bialymst 1997;42 Suppl 2:147-152.
  34. Thilander B, Rygh P. and Reitan K.: Tissue Reaction in Orthodontic. I Graber TM. In *Orthodontics current principles and techniques*. 3th Ed. Mosby, Inc., St.Louis, Missouri: 2000, pp 117-125.
  35. Hendrix I, Carels C, Kuijpers-Jagtman AM, Van THM. A radiographic study of posterior apical root resorption in orthodontic patients. Am J Orthod Dentofac Orthop 1994;105:345-349.
  36. Harris EF, Baker WC. Loss of root length and crestal bone height before and during treatment in adolescent and adult orthodontic patients. Am J Orthod Dentofac Orthop 1990;98:463-469.
  37. Mavragani M, Boe OE, Wisth PL, Selvig KA. Changes in root length during orthodontic treatment: advantages for immature teeth. Eur J Orthod 2002; 24: 91-97.
  38. Harris EF, Kineret SE, Tolley EA. A heritable component for external apical root resorption in patients treated orthodontically. Am J Orthod Dentofac Orthop 1997;111:301-309.

39. Baumrind S, Korn EL, Boyd RL. Apical root resorption in orthodontically treated adults. *Am J Orthod Dentofac Orthop* 1996;110:311-323.
40. Kjar I. Morphological characteristics of dentitions developing excessive root resorption during orthodontic treatment. *Eur J Orthod* 1995;16:25-34.
41. Odermick L and Brattstrom V. Nailbiting: frequency and association with root resorption. *Br J Orthod* 1985;12:78-81.
42. Harris EF, Butler ML. Patterns of incisor root resorption before and after orthodontic correction in cases with anterior open bites. *Am J Orthod Dentofac Orthop* 1992;101:112-119.
43. Levander E, Malmgren O. Evaluation of the risk of root resorption during orthodontic treatment: a study of upper incisors. *Eur J Orthod* 1988;10:30-38.
44. Andreasen J, Andreasen F. Root resorption following traumatic dental injuries. *Proc Finn Dent Soc* 1992;88 Suppl 1:95-114.
45. Malmgren O, Goldson L, Hill C, Orwin A, Petrini L, Lundberg M. Root resorption after orthodontic treatment of traumatized teeth. *Am J Orthod* 1982;82:487-491.
46. Drysdale C, Gibbs SL, Ford TR. Orthodontic management of root-filled teeth. *Br J Orthod* 1996;23:255-260.
47. Wickwire N, McNeil M, Norton L, Duell R. The effects of tooth movement upon endodontically treated teeth. *Angle Orthod* 1974;44:235-242.
48. Spurrier SW, Hall SH, Joondeph DR, Shapiro PA, Riedel RA. A comparison of apical root resorption during orthodontic treatment in endodontically treated and vital teeth. *Am J Orthod Dentofacial Orthop* 1990;97:130-134.
49. Hamilton RS, Gutmann JL. Endodontic-orthodontic relationships: a review of integrated treatment planning challenges. *Int Endod J* 1999;32:343-360.
50. Shellhart WC, Jasper S, Abrams H, Wilson T. Case report: management of significant incisor root resorption associated with maxillary canine impaction. *Angle Orthod* 1998;68:187-192.
51. Sasakura H, Yoshida T, Muravama S, Hanada K, Nakajima T. Root resorption of upper permanent incisor caused by impacted canine. An analysis of 23 cases. *Int J Oral Surg* 1984;13:299-306.
52. Milberg DJ. Labially impacted maxillary canines causing severe root resorption of maxillary central incisors. *Angle Orthod* 2006;76:173-176.

53. Wainwright WM. Faciolingual tooth movement: its influence on the root and cortical plate. *Am J Orthod* 1973;64:278-302.
54. Otis LL, Hong JS, Tuncay OC. Bone structure effect on root resorption. *Orthod Craniofac Res* 2004;7:165-177.
55. Taner T, Ciger S, Sencift Y. Evaluation of apical root resorption following extraction therapy in subjects with Class I and Class II malocclusions. *Eur J Orthod* 1999;21:491-496.
56. Brezniak N, Wasserstein A. Orthodontically Induced Inflammatory Root Resorption. Part II :The Clinical Aspects. *Angle Orthodontist* 2002;72:180-184.
57. Brin I, Tulloch JFC, Koroluk L and Phillips C. External apical root resorption in Class II malocclusion: A retrospective review of 1- versus 2- phase treatment. *Am J Orthop* 2003;124:151-156.
58. McFadden WM, Engstrom C, Engstrom H, Anholm JM. A study of the relationship between incisor intrusion and root shortening. *Am J Orthod Dentofac Orthop* 1989;96:390-396.
59. Dermaut LR, De Munck A. Apical root resorption of upper incisors caused by intrusive tooth movement: a radiographic study. *Am J Orthod Dentofac Orthop* 1986;90:321-326.
60. Han G, Haung S, Von den Hoff JW, Zeng, X., Kuijpers-Jagtman, A. M. Root resorption after orthodontic intrusion and extrusion: an intraindividual study. *Angle Orthod* 2005;75(6):912-918.
61. Parker RJ. and Harris EF. Directions of orthodontic tooth movements associated with external apical root resorption of the maxillary central incisor. *Am J Orthod Dentofacial Orthop* 1998;114:677-83.
62. Harry MR, Sims MR. Root resorption in bicuspid intrusion. A scanning electron microscope study. *Angle Orthod* 1982;52:235-258.
63. Chan E, Darendeliler MA. Physical properties of root cementum: Part 5. Volumetric analysis of root resorption craters after application of light and heavy orthodontic forces. *Am J Orthod Dentofac Orthop* 2005; 127:186-195.
64. Levander E., Malmgren O. and Stenback K. Apical root resorption during orthodontic treatment of patients with multiple aplasia: a study of maxillary incisors. *Eur J Ortod* 1998; 20: 427-434.

65. Mohandesan H, Ravanmehr H, Valaei N. A radiographic analysis of external apical root resorption of maxillary incisors during active orthodontic treatment. *European J Orthod* 2007 ;29:134-9.
66. Kaley J, Philips C. Factors related to root resorption in edgewise practice. *Angle Orthod* 1991; 61: 125-132.
67. Ramsay D, Artun J, Bloomquist D. Orthognathic surgery and pulpal blood flow: a pilot study using laser Doppler flowmetry. *J Oral Maxillofac Sur* 1991;49:2-8.
68. Ellingsen R, Artun J. Pulpal response to orthognathic surgery: a long-term radiographic study. *Am J Orthod Dentofac Orthop* 1993;103:338-343.
69. Mah J, Prasad N. Dentine phosphoproteins in gingival crevicular fluid during root resorption. *Eur J Orthod* 2004;26:25-30.
70. Leach HA, Ireland AJ, Whaites EJ. Radiographic diagnosis of root resorption in relation to orthodontics. *Br Dent J* 2001;190:16-22.
71. Sameshima GT, Asgarifar KO. Assessment of root resorption and root shape: Periapical vs panoramic films. *Angle Orthod* 2001;71:185-189.
72. Brezniak N, Goren S, Zoiner R, Dinbar A, Arad A, Wasserstein A et al. A comparison of Three Methods to Accurately Measure Root Length. *Angle Orthod* 2004;74:786-791.
73. Brezniak N, Zoizner R, TzipiShochat, Dinbar A, Wasserstein A, Heller M. The accuracy of the cemento enamel junction identification on periapical films. . *Angle Orthod* 2004;74:496-500.
74. Blake M, Woodside DG, Pharoah MJ. A radiographic comparison of apical root resorption after orthodontic treatment with the edgewise and Speed appliances. *Am J Orthod Dentofac Orthop* 1995;108:76-84.
75. Mavragani M, Vergari A, Selliseth NJ, Boe OE, Wisth PL. A radiographic comparison of apical root resorption after orthodontic treatment with a standard edgewise and a straight-wire edgewise technique. *Eur J Orthod* 2000; 22:665-674.
76. Nabangxang Hacha, Tawichasri Chamaiporn. Height, Head Circumference and Weight of Chiang Mai Children age 0-18 years. Chiang Mai: The department of Preventive and Social Medicine, The Faculty of Medicine, Chiang Mai University, 1978.
77. Proffit WR, Fields HW. Malocclusion and Dentofacial Deformity in

- Contemporary Society. In: Rudolph P editor. *Contemporary orthodontics*, 3rd ed. Mosby; St Louis, Missouri: 1999, pp. 9-13.
78. Jarvinen S. Incisal overjet and traumatic injuries to upper permanent incisors: A retrospective study. *Acta Orthol Scand* 1978; 36(6): 395-62
79. Sameshima GT, Sinclair PM. Characteristic of patient with severe root resorption. *Orthod Craniofacial Res* 2004; 7:108-114.
80. Lupi JE, Handelman CS and Sadowsky C. Prevalence and severity of apical root resorption and alveolar bone loss in orthodontically treated adults. *Am J Orthod Dentofac Orthop* 1996;109:28-37.
81. Thilander B, Rygh P. and Reitan K.: Tissue Reaction in Orthodontic. I Graber TM., *Orthodontics current principles and techniques*. 3th Ed. Mosby, Inc., St.Louis, Missouri: 2000, pp 120.
82. Artun J, Smale I, Behbehani F, Doppel D, Van't Hof M, Kuijpers-Jagtman AM. Apical root resorption six and 12 months after initiation of fixed orthodontic appliance therapy. *Angle Orthod* 2005;75:919-926.
83. Parker RJ and Harris EF. Directions of orthodontic tooth movements associated with external apical root resorption of the maxillary central incisor. *Am J Orthod Dentofac Orthop* 1998; 112(6):677-683.
84. Nishioka M, Ioi H, Nakata S, Nakasima A, Counts A. Root resorption and immune system factors in the Japanese. *Angle Orthod* 2006;76:103-108.
85. Owman-Moll P, Kurol J. Root resorption after orthodontic treatment in high- and low-risk patients: analysis of allergy as a possible predisposing factor. *Eur J Orthod* 2000;22:657-663.
86. McNab S, Battistutta D, Taverne A, Symons AL. External apical root resorption of posterior teeth in asthmatics after orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1999;116:545-551.